

SUMMARY STATISTICS
FOR WADERS ON
UNITED KINGDOM ESTUARIES,
1981/82 to 1985/86.

PART 1: ENGLAND

by R.P. Prys-Jones and J.S. Kirby*

A report from the British Trust for Ornithology
to the Nature Conservancy Council and
the Royal Society for the Protection of Birds

JULY 1987

*British Trust for Ornithology, Beech Grove,
Station Road, Tring, Herts HP23 5NR.

SUMMARY TABULATIONS FOR TAW/TORRIDGE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	1297	1903	1718	1386	1061	1064	905	744	429	352	0
LAPWING	0	53	271	1299	3115	6106	5377	2197	127	3	2	0
RINGED PLOVER	0	63	136	134	110	181	107	105	27	20	20	0
GREY PLOVER	0	0	9	39	73	103	124	122	78	10	2	0
GOLDEN PLOVER	0	1	60	567	2622	2347	1092	143	320	2	0	0
TURNSTONE	0	59	52	70	103	77	85	104	71	10	1	0
COMMON SNIPE	0	1	12	14	68	109	79	63	23	0	3	0
JACK SNIPE	0	0	0	1	0	0	0	1	0	0	0	0
CURLEW	0	756	1192	1065	971	1216	1356	1176	462	106	69	0
WHIMBREL	0	2	2	0	0	0	0	0	0	17	20	0
BL.TAILED GODWIT	0	1	4	0	0	2	0	0	0	0	3	0
BAR TAILED GODWIT	0	0	52	24	9	9	14	9	16	2	8	0
GREEN SANDPIPER	0	1	1	2	0	0	1	1	1	0	0	0
COMMON SANDPIPER	0	13	17	6	5	6	3	4	3	9	3	0
REDSHANK	0	170	406	497	444	406	391	417	283	19	2	0
SPOTTED REDSHANK	0	0	1	1	1	1	1	1	0	1	0	0
GREENSHANK	0	24	41	28	14	17	12	13	12	9	1	0
KNOT	0	10	28	2	3	5	0	12	6	2	0	0
DUNLIN	0	81	396	158	1463	2222	1704	2092	587	61	120	0
SANDERLING	0	1	4	3	28	29	48	14	3	0	1	0
RUFF	0	1	0	0	0	0	0	0	0	2	0	0
CURLEW SANDPIPER	0	0	2	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	2	5	5	5	4	4	5	5	5	3	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TAW/TORRIDGE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	1416	2881	2852	1979	1593	1601	1230	1219	655	519	0
LAPWING	0	61	348	2459	4866	8930	7199	3351	404	13	4	0
RINGED PLOVER	0	121	272	358	160	261	117	168	51	55	43	0
GREY PLOVER	0	0	24	64	116	171	146	179	129	25	5	0
GOLDEN PLOVER	0	2	236	1237	5950	3350	2037	366	638	12	0	0
TURNSTONE	0	96	102	94	153	99	114	168	96	18	2	0
COMMON SNIBE	0	2	22	23	120	191	127	87	45	2	8	0
JACK SNIBE	0	0	0	2	0	0	0	2	1	0	0	0
CURLEW	0	787	1432	1381	1442	1779	1755	1497	545	186	119	0
WHIMBREL	0	3	6	1	0	0	0	0	0	39	31	0
BL.TAILED GODWIT	0	2	7	1	1	5	0	0	2	0	6	0
BAR TAILED GODWIT	0	0	122	62	32	25	22	17	41	6	24	0
GREEN SANDPIPER	0	1	4	3	1	1	2	2	1	0	0	0
COMMON SANDPIPER	0	16	30	9	9	9	6	9	4	18	4	0
REDSHANK	0	233	639	616	565	538	504	522	385	42	7	0
SPOTTED REDSHANK	0	0	4	6	2	2	1	1	1	2	0	0
GREENSHANK	0	36	80	60	17	27	19	19	19	16	3	0
KNOT	0	19	56	5	7	20	1	40	20	5	0	0
DUNLIN	0	153	870	296	2159	3230	2276	3133	1348	93	287	0
SANDERLING	0	1	12	14	74	115	114	69	15	1	3	0
RUFF	0	1	2	0	0	0	0	0	0	10	0	0
AVOCET	0	0	0	0	0	0	0	0	2	0	0	0
CURLEW SANDPIPER	0	0	9	1	3	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
LESSER YELLOWLEGS	0	0	0	1	0	0	0	0	0	0	0	0
GREY PHALAROPE	0	0	1	0	1	0	0	1	0	0	0	0
NUMBER OF COUNTS	0	2	5	5	5	4	4	5	5	5	3	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TAW/TORRIDGE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	1390	0.5	0.2
LAPWING	5790	0.6	0.3
RINGED PLOVER	180	0.8	0.4
GREY PLOVER	150	0.7	0.2
GOLDEN PLOVER	3178	1.6	0.3
TURNSTONE	115	0.3	0.2
COMMON SNIPE	119	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	1563	1.7	0.5
BL.TAILED GODWIT	2	0.0	0.0
BAR TAILED GODWIT	24	0.0	0.0
GREEN SANDPIPER	1	-9.0	0.0
COMMON SANDPIPER	7	-9.0	-9.0
REDSHANK	502	0.7	0.3
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	20	5.0	0.0
KNOT	20	0.0	0.0
DUNLIN	2621	0.6	0.1
SANDERLING	68	0.5	0.5
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR CAMEL

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	410	300	0	250	275	150	205	48	0	90	0
LAPWING	0	0	0	0	1400	3750	60	225	0	0	0	0
RINGED PLOVER	0	48	10	0	20	8	30	45	0	0	1	0
GREY PLOVER	0	0	0	0	30	40	70	168	9	0	2	0
GOLDEN PLOVER	0	0	0	0	600	2550	0	1	0	0	0	0
TURNSTONE	0	0	26	0	0	13	0	24	6	0	0	0
COMMON SNIPE	0	1	0	0	0	30	0	2	0	0	0	0
CURLEW	0	450	250	0	250	125	200	200	82	0	0	0
WHIMBREL	0	20	15	0	0	0	0	0	1	0	12	0
BL.TAILED GODWIT	0	4	1	0	0	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	80	0	0	15	40	38	4	6	8	0
GREEN SANDPIPER	0	0	0	0	1	1	0	1	0	0	0	0
COMMON SANDPIPER	0	3	0	0	0	0	0	0	0	0	0	0
REDSHANK	0	65	35	0	110	50	55	60	48	1	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	1	0	1	0	0	0
GREENSHANK	0	7	26	0	6	5	10	6	6	2	0	0
KNOT	0	1	18	0	0	1	12	39	0	0	1	0
DUNLIN	0	85	30	0	600	675	800	775	6	42	110	0
SANDERLING	0	14	0	0	0	0	0	0	0	1	0	0
RUFF	0	0	0	0	1	0	0	0	0	0	0	0
AVOCET	0	0	1	0	0	1	0	1	0	0	0	0
CURLEW SANDPIPER	0	0	14	0	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	0	0	0	0
NUMBER OF COUNTS	0	1	1	0	1	2	1	2	2	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CAMEL

PEAK MONTHLY COUNTS FOR YEARS 1982 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	410	300	0	250	300	150	230	95	0	90	0
LAPWING	0	0	0	0	1400	4000	60	300	0	0	0	0
RINGED PLOVER	0	48	10	0	20	15	30	60	0	0	1	0
GREY PLOVER	0	0	0	0	30	80	70	175	18	0	2	0
GOLDEN PLOVER	0	0	0	0	600	4500	0	2	0	0	0	0
TURNSTONE	0	0	26	0	0	25	0	30	12	0	0	0
COMMON SNIPE	0	1	0	0	0	45	0	3	0	0	0	0
CURLEW	0	450	250	0	250	250	200	200	164	0	0	0
WHIMBREL	0	20	15	0	0	0	0	0	1	0	12	0
BL.TAILED GODWIT	0	4	1	0	0	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	80	0	0	30	40	46	8	6	8	0
GREEN SANDPIPER	0	0	0	0	1	1	0	1	0	0	0	0
COMMON SANDPIPER	0	3	0	0	0	0	0	0	0	0	0	0
REDSHANK	0	65	35	0	110	60	55	60	70	1	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	1	0	1	0	0	0
GREENSHANK	0	7	26	0	6	8	10	8	11	2	0	0
KNOT	0	1	18	0	0	2	12	60	0	0	1	0
DUNLIN	0	85	30	0	600	700	800	900	12	42	110	0
SANDERLING	0	14	0	0	0	0	0	0	0	1	0	0
RUFF	0	0	0	0	1	0	0	0	0	0	0	0
AVOCET	0	0	1	0	0	1	0	1	0	0	0	0
CURLEW SANDPIPER	0	0	14	0	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	0	0	0	0
NUMBER OF COUNTS	0	1	1	0	1	2	1	2	2	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CAMEL

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	215	0.1	0.0
LAPWING	2500	0.2	0.1
RINGED PLOVER	30	0.1	0.1
GREY PLOVER	117	0.6	0.1
GOLDEN PLOVER	1700	0.8	0.2
TURNSTONE	22	0.0	0.0
COMMON SNIPE	20	-9.0	0.0
CURLEW	221	0.2	0.1
WHIMBREL	0	0.0	0.0
BL. TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	28	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	65	0.1	0.0
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	6	1.5	0.0
KNOT	25	0.0	0.0
DUNLIN	570	0.1	0.0
RUFF	0	0.0	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR GANNEL

AVERAGE MONTHLY COUNTS FOR THE YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	3	11	34	27	9	11	35	0	0	0	0	2
RINGED PLOVER	0	3	1	0	0	0	0	0	0	0	0	0
GREY PLOVER	0	0	0	1	1	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	1	1	0	0	0	0	0	0
CURLEW	13	13	45	81	301	175	230	0	0	0	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
REDSHANK	2	0	1	2	4	2	2	2	0	0	0	0
GREENSHANK	0	0	2	3	2	1	0	1	0	0	0	0
KNOT	0	0	0	1	0	0	0	0	0	0	0	0
DUNLIN	3	1	0	0	1	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	2	2	2	2	2	2	1	1	0	0	0	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR GANNEL

PEAK MONTHLY COUNTS FOR YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	6	11	55	48	18	19	35	0	0	0	0	2
RINGED PLOVER	0	5	1	0	0	0	0	0	0	0	0	0
GREY PLOVER	0	0	0	1	1	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	2	1	0	0	0	0	0	0
CURLEW	17	20	62	140	600	350	230	0	0	0	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
REDSHANK	3	0	1	2	4	3	2	2	0	0	0	0
GREENSHANK	0	0	3	3	2	1	0	1	0	0	0	0
KNOT	0	0	0	1	0	0	0	0	0	0	0	0
DUNLIN	6	1	0	0	1	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	2	2	2	2	2	2	1	1	0	0	0	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR GANNEL

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	27	0.0	0.0
GREY PLOVER	0	0.0	0.0
COMMON SNIFE	1	-9.0	0.0
CURLEW	415	0.5	0.1
REDSHANK	3	0.0	0.0
GREENSHANK	1	0.2	0.0
DUNLIN	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR HAYLE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	44	75	58	36	22	29	14	27	25	25	21	22
LAPWING	19	22	16	100	596	891	478	284	22	0	0	1
RINGED PLOVER	3	31	12	14	32	20	7	21	6	5	4	1
GREY PLOVER	0	0	2	5	14	25	48	56	56	4	0	1
GOLDEN PLOVER	0	2	0	3	296	216	83	94	16	0	0	0
TURNSTONE	4	4	16	28	23	17	18	17	18	25	0	4
COMMON SNIPE	0	0	0	0	1	7	8	10	12	0	0	0
CURLEW	30	118	85	73	33	216	169	132	89	11	2	14
WHIMBREL	3	2	0	0	0	0	0	0	0	2	3	1
BL.TAILED GODWIT	0	1	1	1	0	0	0	0	1	2	0	0
BAR TAILED GODWIT	0	1	13	23	12	9	11	11	16	6	0	0
GREEN SANDPIPER	0	1	0	1	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	4	8	1	0	0	0	0	0	0	1	2	0
REDSHANK	27	51	62	36	43	28	27	34	28	2	0	1
GREENSHANK	1	5	2	1	0	0	0	0	0	1	0	0
KNOT	0	1	8	1	1	0	0	0	0	0	0	0
DUNLIN	16	49	41	30	243	545	438	336	143	35	25	2
SANDERLING	0	1	0	0	0	0	1	0	0	0	2	0
RUFF	0	2	0	0	0	0	0	0	1	1	0	0
CURLEW SANDPIPER	0	0	4	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	4	3	4	4	5	5	5	5	5	4	4	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HAYLE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	71	99	70	75	33	76	39	62	55	41	29	31
LAPWING	36	36	30	178	1250	2170	1250	500	56	0	0	4
RINGED PLOVER	7	53	26	43	73	60	21	57	19	19	7	2
GREY PLOVER	0	0	8	11	32	82	92	105	114	7	0	2
GOLDEN PLOVER	0	6	0	10	830	660	340	260	60	0	0	0
TURNSTONE	12	10	53	54	55	64	61	46	61	66	1	8
COMMON SNIPE	0	1	0	0	4	20	32	47	56	0	0	0
JACK SNIPE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	39	251	150	150	80	535	480	334	146	24	5	26
WHIMBREL	6	3	1	0	0	0	0	0	0	5	4	4
BL.TAILED GODWIT	0	3	2	1	0	0	1	1	3	5	0	0
BAR TAILED GODWIT	0	2	36	58	28	36	19	43	38	13	1	0
GREEN SANDPIPER	1	2	1	2	1	1	1	1	1	1	0	0
WOOD SANDPIPER	0	3	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	7	19	1	1	0	0	0	0	0	3	6	0
REDSHANK	52	78	88	79	76	64	65	55	58	4	1	2
SPOTTED REDSHANK	0	0	0	0	0	0	0	0	0	1	0	0
GREENSHANK	2	12	7	3	1	0	1	0	1	2	0	0
KNOT	0	2	17	1	4	0	1	0	0	0	0	1
DUNLIN	35	67	53	56	350	1000	670	640	255	135	61	6
SANDERLING	0	2	1	0	0	0	3	0	0	0	4	0
RUFF	0	3	1	0	0	2	1	1	2	1	0	0
CURLEW SANDPIPER	0	0	11	2	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	0	0	0	0	0	0	0	1	0	0
WOODCOCK	0	0	0	0	0	0	2	0	0	0	0	0
NUMBER OF COUNTS	4	3	4	4	5	5	5	5	5	4	4	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HAYLE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	42	0.0	0.0
LAPWING	1150	0.1	0.1
RINGED PLOVER	31	0.1	0.1
GREY PLOVER	75	0.4	0.1
GOLDEN PLOVER	492	0.2	0.0
TURNSTONE	29	0.1	0.1
COMMON SNIPE	15	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	344	0.4	0.1
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	18	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	48	0.1	0.0
GREENSHANK	0	0.0	0.0
KNOT	0	0.0	0.0
DUNLIN	657	0.2	0.0
SANDERLING	0	0.0	0.0
RUFF	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR LOOE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	8	5	8	10	13	15	12	7	5	0	0
LAPWING	0	0	0	0	0	0	3	0	0	0	0	0
RINGED PLOVER	0	2	1	0	7	12	13	9	0	0	0	0
TURNSTONE	0	18	4	46	12	58	19	15	21	13	0	0
COMMON SNIPE	0	0	0	0	11	17	6	1	0	0	0	0
CURLEW	82	133	48	14	28	39	33	30	25	1	0	6
BL.TAILED GODWIT	1	0	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	2	1	1	1	1	1	1	0	0	0	0
REDSHANK	12	44	35	67	25	35	25	33	13	0	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	0	0	0	0	0	14
GREENSHANK	1	2	1	1	1	1	1	1	0	0	0	0
DUNLIN	0	1	1	2	1	3	8	15	0	0	0	0
NUMBER OF COUNTS	1	2	2	1	3	3	2	2	1	2	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LOOE

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	10	5	8	15	24	15	12	7	6	0	0
LAPWING	0	0	0	0	0	0	6	0	0	0	0	0
RINGED PLOVER	0	4	1	0	11	16	15	15	0	0	0	0
TURNSTONE	0	25	6	46	15	112	26	20	21	25	0	0
COMMON SNIPE	0	0	0	0	12	42	12	2	0	0	0	0
CURLEW	82	175	71	14	35	60	45	32	25	1	0	6
BL.TAILED GODWIT	1	0	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	2	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	2	2	1	1	1	1	1	0	0	0	0
REDSHANK	12	62	62	67	30	42	40	36	13	0	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	0	0	0	0	0	14
GREENSHANK	1	3	1	1	1	1	2	1	0	0	0	0
DUNLIN	0	1	1	2	3	6	12	20	0	0	0	0
NUMBER OF COUNTS	1	2	2	1	3	3	2	2	1	2	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LOOE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	13	0.0	0.0
LAPWING	1	0.0	0.0
RINGED PLOVER	10	0.0	0.0
TURNSTONE	50	0.1	0.1
COMMON SNIPE	16	-9.0	0.0
CURLEW	38	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	29	0.0	0.0
GREENSHANK	1	0.2	0.0
DUNLIN	8	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR PLYM

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	7	22	44	27	24	22	31	22	34	34	11	2
LAPWING	0	0	0	0	0	1	9	4	0	0	0	0
RINGED PLOVER	0	3	1	4	5	8	6	4	4	0	0	0
GOLDEN PLOVER	0	0	0	0	0	0	0	0	0	1	0	0
TURNSTONE	0	1	2	1	2	1	2	1	1	0	0	0
COMMON SNIPE	0	0	0	0	0	0	2	0	0	0	0	0
CURLEW	93	128	121	88	79	117	129	112	55	3	0	0
WHIMBREL	0	0	0	0	0	0	1	0	0	0	0	0
BL.TAILED GODWIT	0	0	1	2	3	1	3	10	4	1	0	0
BAR TAILED GODWIT	0	0	0	0	0	0	0	1	0	0	0	0
COMMON SANDPIPER	0	1	1	0	0	0	0	0	0	0	0	0
REDSHANK	21	65	104	63	62	72	81	64	45	13	0	0
DUNLIN	0	7	22	36	381	390	690	560	143	0	0	0
AVOCET	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	2	4	4	5	5	5	5	5	5	5	5	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PLYM

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	14	54	69	42	44	44	54	29	54	61	19	6
LAPWING	0	0	0	0	0	4	41	12	0	0	0	0
RINGED PLOVER	0	6	4	11	7	15	10	9	9	2	0	0
GREY PLOVER	0	0	0	0	0	0	1	0	0	0	0	0
GOLDEN PLOVER	0	0	0	0	0	0	0	0	0	5	0	0
TURNSTONE	0	4	7	6	4	6	6	4	2	2	0	0
COMMON SNIPE	0	0	0	0	0	0	9	0	0	0	0	0
CURLEW	119	161	129	121	95	169	164	162	76	14	0	0
WHIMBREL	0	0	0	0	0	0	4	0	0	0	0	0
BL.TAILED GODWIT	0	0	4	4	5	4	7	34	7	4	0	0
BAR TAILED GODWIT	0	0	0	0	0	2	0	6	0	0	0	0
COMMON SANDPIPER	0	2	2	0	0	0	1	0	0	2	1	0
REDSHANK	41	126	162	84	72	112	119	121	69	28	0	0
GREENSHANK	0	0	1	1	1	1	0	0	0	0	0	0
DUNLIN	0	28	76	152	750	650	1500	750	500	0	0	0
AVOCET	0	0	0	0	0	0	3	0	0	0	0	0
NUMBER OF COUNTS	2	4	4	5	5	5	5	5	5	5	5	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PLYM

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	38	0.0	0.0
LAPWING	13	0.0	0.0
RINGED PLOVER	10	0.0	0.0
GREY PLOVER	0	0.0	0.0
TURNSTONE	2	0.0	0.0
COMMON SNIBE	2	-9.0	0.0
CURLEW	153	0.2	0.1
WHIMBREL	0	0.0	0.0
BL. TAILED GODWIT	11	0.2	0.0
BAR TAILED GODWIT	1	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	91	0.1	0.0
GREENSHANK	0	0.0	0.0
DUNLIN	880	0.2	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR YEALM

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	6	25	5	13	5	3	2	1	2	1	0
LAPWING	0	0	0	9	33	47	107	17	0	0	0	0
TURNSTONE	0	0	0	0	0	0	0	0	3	0	0	0
COMMON SNIPE	0	0	0	0	0	3	5	10	0	0	0	0
CURLEW	52	135	154	80	80	49	78	94	65	16	4	20
WHIMBREL	0	1	1	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	0	0	0	0	1	0	0	0	0	0
BAR TAILED GODWIT	0	0	2	0	0	0	0	0	0	0	0	0
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	4	1	0	0	0	0	0	1	1	0	0
REDSHANK	0	73	62	46	26	39	30	26	22	1	1	0
GREENSHANK	0	8	12	7	2	4	3	3	8	3	0	0
DUNLIN	0	2	0	0	0	8	0	0	0	0	0	0
NUMBER OF COUNTS	1	3	4	4	4	4	4	4	4	4	4	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR YEALM

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	16	40	14	22	7	5	3	3	9	2	0
LAPWING	0	0	0	34	100	100	228	50	0	0	0	0
RINGED PLOVER	0	0	1	0	0	0	0	0	0	0	0	0
TURNSTONE	0	0	0	0	0	0	0	0	12	0	0	0
COMMON SNIPE	0	1	0	0	0	12	18	24	1	0	0	0
CURLEW	52	192	196	161	106	80	95	122	76	30	8	20
WHIMBREL	0	2	1	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	0	0	0	1	5	0	0	0	0	0
BAR TAILED GODWIT	0	0	3	0	0	0	0	0	0	0	0	0
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	10	2	0	0	1	1	0	5	2	0	0
REDSHANK	0	102	113	80	35	73	52	35	45	3	3	0
GREENSHANK	0	16	26	18	3	8	5	5	14	6	1	0
DUNLIN	0	5	1	0	0	30	0	0	0	0	0	0
NUMBER OF COUNTS	1	3	4	4	4	4	4	4	4	4	4	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR YEALM

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	12	0.0	0.0
LAPWING	132	0.0	0.0
TURNSTONE	3	0.0	0.0
COMMON SNIPE	9	-9.0	0.0
CURLEW	101	0.1	0.0
BL.TAILED GODWIT	1	0.0	0.0
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	48	0.1	0.0
GREENSHANK	9	2.2	0.0
DUNLIN	7	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ERME

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	2	15	24	16	13	13	17	11	10	10	2	2
LAPWING	1	3	5	0	0	73	0	0	0	0	0	0
RINGED PLOVER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	0	1	0	0	0	0	0	0
CURLEW	77	97	86	33	30	51	36	54	23	4	2	4
WHIMBREL	1	1	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	1	0	0	0	0	0	0	0	1	0	0
REDSHANK	7	11	20	11	14	16	19	13	17	1	0	1
GREENSHANK	0	2	1	1	2	1	1	1	2	1	0	0
DUNLIN	0	1	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	4	5	3	3	4	5	4	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ERME

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	5	28	33	22	19	23	22	19	14	16	7	3
LAPWING	3	15	23	0	2	220	0	0	0	0	0	0
RINGED PLOVER	0	3	0	0	1	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	0	2	0	0	1	0	0	0
JACK SNIPE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	107	170	138	68	69	81	78	135	61	8	4	10
WHIMBREL	3	3	1	1	0	0	0	0	0	0	1	0
BAR TAILED GODWIT	0	1	5	1	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	3	0	1	0	1	0	1	1	2	0	0
REDSHANK	15	19	29	17	22	18	22	15	40	2	0	2
GREENSHANK	0	6	1	2	4	1	2	2	3	1	0	0
DUNLIN	0	6	2	0	2	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	4	5	3	3	4	5	4	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ERME

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	17	0.0	0.0
LAPWING	44	0.0	0.0
RINGED PLOVER	0	0.0	0.0
COMMON SNIPE	0	0.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	78	0.1	0.0
BAR TAILED GODWIT	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	24	0.0	0.0
GREENSHANK	2	0.5	0.0
DUNLIN	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR AVON

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	29	46	57	32	19	23	38	47	18	12	9	5
LAPWING	26	81	36	35	18	76	140	32	0	0	0	6
RINGED PLOVER	0	38	16	4	13	17	14	16	1	0	0	0
GREY PLOVER	0	0	0	0	0	0	2	1	0	0	0	0
TURNSTONE	0	2	7	7	20	12	11	9	5	3	0	0
COMMON SNIPE	0	0	2	3	6	5	10	5	1	0	0	0
CURLEW	54	82	67	42	33	35	50	64	5	1	1	6
WHIMBREL	2	1	0	0	0	0	0	0	0	9	2	0
BAR TAILED GODWIT	0	0	1	0	0	0	1	0	0	0	0	0
GREEN SANDPIPER	2	2	2	2	2	2	1	1	1	0	0	1
COMMON SANDPIPER	7	6	5	2	2	2	2	2	1	2	1	1
REDSHANK	35	39	41	44	36	32	34	30	30	1	0	2
GREENSHANK	3	6	9	8	6	6	5	6	6	2	0	0
DUNLIN	3	19	8	2	5	3	13	5	1	0	0	0
SANDERLING	0	1	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR AVON

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	90	57	77	57	34	38	58	78	44	21	13	9
LAPWING	55	187	130	150	50	250	400	50	0	0	0	12
RINGED PLOVER	0	69	20	9	18	20	21	18	5	0	0	0
GREY PLOVER	0	0	1	0	0	0	9	4	0	0	0	0
TURNSTONE	0	7	36	22	35	22	22	29	15	14	0	0
COMMON SNIPE	0	0	5	13	11	12	15	8	3	0	0	0
CURLEW	68	93	88	70	45	63	60	81	7	3	5	10
WHIMBREL	10	3	0	0	0	0	0	0	0	26	2	0
BL.TAILED GODWIT	0	0	1	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	0	3	0	0	1	2	1	0	0	1	0
GREEN SANDPIPER	5	5	3	4	2	2	2	2	3	0	0	1
COMMON SANDPIPER	11	13	13	2	3	3	3	3	2	5	2	1
REDSHANK	41	48	50	50	45	40	51	40	48	5	0	4
SPOTTED REDSHANK	0	0	0	0	0	0	0	1	0	0	0	0
GREENSHANK	5	8	14	10	9	10	9	8	8	5	0	0
DUNLIN	8	42	18	4	15	5	50	12	5	2	0	0
SANDERLING	0	2	1	0	0	0	2	0	0	0	0	0
RUFF	0	0	1	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	2	0	0	0	0	0	0	0	0	0
LESSER YELLOWLEGS	0	0	0	0	0	1	1	1	1	1	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	3	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR AVON

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	54	0.0	0.0
LAPWING	184	0.0	0.0
RINGED PLOVER	18	0.1	0.0
GREY PLOVER	2	0.0	0.0
TURNSTONE	26	0.1	0.1
COMMON SNIPE	10	-9.0	0.0
CURLEW	65	0.1	0.0
BAR TAILED GODWIT	0	0.0	0.0
GREEN SANDPIPER	2	-9.0	0.0
COMMON SANDPIPER	2	-9.0	-9.0
REDSHANK	43	0.1	0.0
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	7	1.7	0.0
DUNLIN	17	0.0	0.0
SANDERLING	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.

WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS, 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR KINGSBRIDGE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	80	209	201	191	180	128	136	127	89	68	49	35
LAPWING	0	0	0	0	3	76	119	26	0	0	0	0
RINGED PLOVER	2	17	3	2	3	2	6	3	0	0	0	0
GREY PLOVER	0	0	0	2	17	47	62	51	28	1	0	0
GOLDEN PLOVER	0	0	0	24	112	154	134	126	59	0	0	0
TURNSTONE	0	1	2	11	26	27	28	29	23	6	0	0
COMMON SNIPE	0	0	0	0	0	1	1	0	1	0	0	0
CURLEW	276	369	408	237	214	147	164	144	112	27	22	68
WHIMBREL	5	2	1	0	0	0	0	0	0	7	5	0
BL.TAILED GODWIT	0	1	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	0	7	6	9	8	14	7	4	3	2	0
COMMON SANDPIPER	3	8	1	1	1	1	0	0	0	1	0	0
REDSHANK	136	115	152	165	186	200	170	123	132	1	0	6
GREENSHANK	8	7	18	12	11	9	10	8	8	4	0	0
KNOT	0	0	4	1	0	0	1	1	0	0	0	0
DUNLIN	28	34	41	36	289	753	787	567	268	1	9	0
NUMBER OF COUNTS	5	5	5	5	4	5	5	5	5	5	5	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR KINGSBRIDGE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	155	293	235	297	328	210	251	225	120	94	104	41
LAPWING	0	1	0	0	6	250	364	66	0	0	0	0
RINGED PLOVER	5	45	9	8	7	5	13	7	0	0	1	0
GREY PLOVER	0	1	0	4	44	63	94	82	51	3	0	0
GOLDEN PLOVER	0	0	0	100	430	550	617	265	284	0	0	0
TURNSTONE	1	2	8	24	54	39	38	33	27	14	0	0
COMMON SNIPE	0	1	0	0	0	6	4	0	4	0	0	0
CURLEW	353	459	500	304	366	267	246	275	137	41	51	107
WHIMBREL	9	5	2	1	0	0	0	0	0	11	6	0
BL.TAILED GODWIT	0	5	0	0	0	1	0	1	0	0	0	0
BAR TAILED GODWIT	1	0	15	17	14	17	38	14	11	11	7	0
COMMON SANDPIPER	7	19	3	5	1	2	1	1	2	3	1	0
REDSHANK	239	182	222	218	255	339	354	183	198	6	0	11
SPOTTED REDSHANK	0	0	1	0	1	0	1	1	0	0	0	0
GREENSHANK	12	24	29	22	28	23	21	15	13	11	0	0
KNOT	0	0	15	3	0	0	6	3	1	0	0	0
DUNLIN	54	76	82	100	407	1114	1132	791	642	2	32	0
SANDERLING	0	0	0	1	0	0	0	0	2	0	0	0
RUFF	0	2	0	0	0	0	0	2	0	1	0	0
AVOCET	0	0	0	1	0	1	1	1	0	0	0	0
CURLEW SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	1	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	4	5	5	5	5	5	5	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR KINGSBRIDGE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	200	0.1	0.0
LAPWING	181	0.0	0.0
RINGED PLOVER	7	0.0	0.0
GREY PLOVER	69	0.3	0.1
GOLDEN PLOVER	406	0.2	0.0
TURNSTONE	37	0.1	0.1
COMMON SNIBE	2	-9.0	0.0
CURLEW	224	0.2	0.1
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	15	0.0	0.0
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	222	0.3	0.1
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	14	3.5	0.0
KNOT	2	0.0	0.0
DUNLIN	904	0.2	0.0
SANDERLING	0	0.0	0.0
RUFF	0	0.0	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR DART

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	1	8	4	4	2	3	0	0	0
LAPWING	0	0	0	11	1	3	75	20	10	0	0	0
RINGED PLOVER	0	0	0	0	1	0	0	0	0	0	0	0
GREY PLOVER	0	0	0	0	0	0	1	0	0	0	0	0
TURNSTONE	0	0	0	0	0	0	0	0	2	0	0	0
CURLEW	0	0	0	9	35	56	57	36	9	0	0	0
REDSHANK	0	0	0	28	71	54	71	39	30	0	0	0
KNOT	0	0	0	1	1	0	0	0	0	0	0	0
DUNLIN	0	0	0	0	5	11	20	6	0	0	0	0
NUMBER OF COUNTS	0	0	0	2	5	5	5	5	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DART

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	2	26	8	12	6	9	0	0	0
LAPWING	0	0	0	20	3	7	241	97	36	0	0	0
RINGED PLOVER	0	0	0	0	6	0	0	0	0	0	0	0
GREY PLOVER	0	0	0	0	0	0	3	0	0	0	0	0
TURNSTONE	0	0	0	0	0	0	0	1	8	0	0	0
COMMON SNIPE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	0	0	0	15	47	88	71	86	23	0	0	0
COMMON SANDPIPER	0	0	0	0	1	1	1	1	0	0	0	0
REDSHANK	0	0	0	29	148	84	91	92	51	0	0	0
KNOT	0	0	0	1	7	0	0	0	0	0	0	0
DUNLIN	0	0	0	0	9	40	73	26	0	0	0	0
AVOCET	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	0	2	5	5	5	5	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DART

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	11	0.0	0.0
LAPWING	93	0.0	0.0
RINGED PLOVER	1	0.0	0.0
GREY PLOVER	0	0.0	0.0
TURNSTONE	1	0.0	0.0
COMMON SNIPE	0	0.0	0.0
CURLEW	75	0.1	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	92	0.1	0.0
KNOT	1	0.0	0.0
DUNLIN	26	0.0	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR TEIGN

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	1	20	54	53	45	14	18	23	18	0	0
LAPWING	0	50	22	53	42	85	87	14	0	0	1	2
RINGED PLOVER	0	0	6	20	16	3	10	12	2	0	0	0
GREY PLOVER	0	0	0	0	1	1	1	1	4	0	0	0
TURNSTONE	0	0	5	0	1	0	0	0	0	0	1	0
COMMON SNIPE	0	0	0	0	3	7	1	3	1	0	0	0
CURLEW	0	94	113	64	52	18	3	16	7	1	2	0
BL.TAILED GODWIT	0	0	0	0	0	0	0	0	1	0	0	0
BAR TAILED GODWIT	0	0	0	0	0	1	0	2	1	0	0	0
COMMON SANDPIPER	0	4	1	1	0	0	1	0	0	1	1	0
REDSHANK	0	0	81	79	62	43	33	43	25	0	1	0
GREENSHANK	0	0	0	1	0	0	0	0	0	0	0	0
DUNLIN	0	0	6	1	55	61	44	60	60	0	0	0
NUMBER OF COUNTS	0	1	3	3	4	4	4	4	3	2	2	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TEIGN

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	1	53	123	69	86	25	35	45	32	0	0
LAPWING	0	50	42	102	88	137	290	30	0	0	2	2
RINGED PLOVER	0	0	17	36	45	7	21	28	2	0	0	0
GREY PLOVER	0	0	0	0	2	2	3	3	12	0	0	0
TURNSTONE	0	0	15	0	4	1	0	0	0	0	1	0
COMMON SNIPE	0	0	0	1	11	27	3	7	2	0	0	0
CURLEW	0	94	127	137	71	58	4	28	18	1	4	0
BL. TAILED GODWIT	0	0	0	0	0	1	0	0	2	0	0	0
BAR TAILED GODWIT	0	0	0	1	0	2	0	8	1	0	0	0
COMMON SANDPIPER	0	4	2	2	0	0	2	1	0	2	1	0
REDSHANK	0	0	119	100	133	89	43	56	46	0	1	0
GREENSHANK	0	0	1	4	0	0	0	0	0	0	0	0
DUNLIN	0	0	19	3	200	150	68	100	175	0	0	0
AVOCET	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	0	1	3	3	4	4	4	4	3	2	2	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TEIGN

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	67	0.0	0.0
LAPWING	157	0.0	0.0
RINGED PLOVER	20	0.1	0.0
GREY PLOVER	3	0.0	0.0
TURNSTONE	1	0.0	0.0
COMMON SNIBE	10	-9.0	0.0
CURLEW	52	0.1	0.0
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	2	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	76	0.1	0.0
DUNLIN	134	0.0	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR EXE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	586	2611	2465	2578	2266	2106	2112	2193	947	759	654	570
LAPWING	208	181	197	289	376	376	371	528	42	5	3	60
RINGED PLOVER	31	735	169	105	97	147	143	95	32	20	13	5
GREY PLOVER	0	130	171	256	287	256	306	326	240	53	20	9
GOLDEN PLOVER	0	0	0	43	2	94	11	37	20	6	0	0
TURNSTONE	1	196	259	300	201	183	130	147	180	195	58	16
COMMON SNIBE	0	1	1	9	22	36	24	38	9	0	0	0
JACK SNIBE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	459	638	439	686	277	329	331	593	555	328	70	11
WHIMBREL	34	9	2	0	0	0	0	0	0	52	44	1
BL.TAILED GODWIT	231	324	378	490	487	573	336	277	123	36	8	0
BAR TAILED GODWIT	5	215	218	375	328	470	464	473	212	71	39	27
GREEN SANDPIPER	1	2	0	2	0	0	0	0	1	0	0	0
COMMON SANDPIPER	6	7	6	1	0	1	1	0	1	1	1	0
REDSHANK	255	573	820	484	681	500	317	366	317	88	2	7
SPOTTED REDSHANK	1	2	2	1	0	1	0	1	1	2	0	0
GREENSHANK	15	42	49	23	16	11	8	7	3	15	2	0
KNOT	1	17	49	25	89	79	116	184	27	26	5	1
DUNLIN	458	956	616	1118	3547	5188	3761	4085	2968	440	304	18
SANDERLING	17	40	44	51	42	23	42	20	45	22	18	0
RUFF	0	0	1	1	1	0	3	5	2	3	0	0
AVOCET	0	0	0	1	36	94	89	108	38	1	0	0
CURLEW SANDPIPER	0	1	3	3	0	0	0	0	0	0	0	0
LITTLE STINT	0	1	2	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	2	4	5	5	5	4	5	5	5	4	5	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR EXE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	657	3114	3600	3550	2969	2679	3086	2592	1644	996	1028	570
LAPWING	286	456	413	532	626	950	533	1360	95	12	13	60
RINGED PLOVER	60	1037	341	145	248	214	212	169	58	35	37	5
GREY PLOVER	0	244	268	376	461	418	456	527	437	86	37	9
GOLDEN PLOVER	0	0	0	120	6	360	47	187	101	14	0	0
TURNSTONE	1	331	350	352	381	324	214	264	285	327	132	16
COMMON SNIPE	0	2	2	11	48	67	33	77	32	1	0	0
JACK SNIPE	0	0	0	2	0	0	0	3	0	0	0	0
CURLEW	489	907	784	967	482	487	618	885	1172	614	176	11
WHIMBREL	52	23	4	0	0	0	0	0	0	84	130	1
BL.TAILED GODWIT	305	463	600	614	756	800	533	565	312	52	30	0
BAR TAILED GODWIT	9	294	412	607	557	679	631	623	450	160	63	27
GREEN SANDPIPER	1	3	1	10	0	0	0	0	1	0	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	10	13	11	3	1	1	3	1	2	3	2	0
REDSHANK	315	877	1051	771	1137	633	614	563	441	179	6	7
SPOTTED REDSHANK	2	4	5	3	0	2	1	2	2	4	0	0
GREENSHANK	27	56	69	34	26	15	11	14	7	24	6	0
KNOT	2	48	74	84	155	150	220	520	52	76	14	1
DUNLIN	733	1544	1434	1338	8032	7148	4908	5351	6450	650	477	18
SANDERLING	34	68	46	82	97	43	120	32	89	40	50	0
RUFF	0	1	3	3	4	1	9	16	5	8	0	0
AVOCET	0	0	1	7	75	134	136	141	135	3	0	0
CURLEW SANDPIPER	0	3	6	12	0	0	0	0	0	0	0	0
HUDSONIAN GODWIT	0	0	0	0	1	0	0	0	0	0	0	0
LITTLE STINT	0	1	5	4	1	0	0	0	0	0	0	0
GREY PHALAROPE	0	0	0	0	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	0	0	1	0
NUMBER OF COUNTS	2	4	5	5	5	4	5	5	5	4	5	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR EXE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	2544	0.9	0.3
LAPWING	761	0.1	0.0
RINGED PLOVER	186	0.8	0.5
GREY PLOVER	412	2.0	0.5
GOLDEN PLOVER	115	0.1	0.0
TURNSTONE	260	0.6	0.5
COMMON SNIPE	43	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	793	0.9	0.3
BL.TAILED GODWIT	607	12.6	1.5
BAR TAILED GODWIT	550	0.9	0.1
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	774	1.0	0.4
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	15	3.7	0.0
KNOT	228	0.1	0.1
DUNLIN	6196	1.4	0.3
SANDERLING	63	0.4	0.4
RUFF	6	0.4	0.0
AVOCET	110	22.0	0.4

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR OTTER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	4	8	9	12	6	11	14	9	4	7	2	4
LAPWING	10	5	2	7	0	0	83	24	0	0	1	0
RINGED PLOVER	0	1	4	1	2	3	12	9	3	0	0	1
TURNSTONE	0	3	0	0	2	4	6	1	8	2	0	0
COMMON SNIPE	0	0	0	0	1	3	0	29	5	1	0	0
CURLEW	0	0	2	2	3	2	4	6	1	0	0	3
REDSHANK	1	2	1	1	5	5	7	6	7	0	0	1
DUNLIN	0	2	1	0	3	0	0	13	3	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	4	4	4	4	5	4	4	4	4	3	3	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR OTTER

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	6	15	20	18	10	24	28	22	8	11	3	5
LAPWING	40	20	8	20	1	0	300	50	0	1	3	0
RINGED PLOVER	1	3	8	2	9	8	25	25	5	1	0	1
GREY PLOVER	0	0	0	0	0	0	0	1	0	0	0	0
TURNSTONE	0	10	0	0	8	10	25	5	31	6	0	0
COMMON SNIPE	0	0	0	0	7	11	0	114	20	2	0	0
CURLEW	0	0	6	7	7	3	12	10	1	0	1	5
BAR TAILED GODWIT	0	0	0	0	0	0	1	1	0	0	0	0
REDSHANK	1	7	2	2	10	12	13	8	10	1	0	1
DUNLIN	0	6	5	0	12	0	0	50	12	0	1	0
PURPLE SANDPIPER	0	0	0	0	0	0	2	0	0	0	0	0
NUMBER OF COUNTS	4	4	4	4	5	4	4	4	4	3	3	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR OTTER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	16	0.0	0.0
LAPWING	79	0.0	0.0
RINGED PLOVER	14	0.1	0.0
GREY PLOVER	0	0.0	0.0
TURNSTONE	8	0.0	0.0
COMMON SNIPE	22	-9.0	0.0
CURLEW	7	0.0	0.0
BAR TAILED GODWIT	0	0.0	0.0
REDSHANK	7	0.0	0.0
DUNLIN	14	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR AXE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	3	4	6	10	11	11	10	9	3	0	0
LAPWING	0	53	120	273	77	289	368	108	6	0	0	0
RINGED PLOVER	0	0	5	1	0	0	2	0	0	0	0	0
GREY PLOVER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	0	9	56	33	61	150	137	75	19	3	0	0
BL.TAILED GODWIT	0	0	2	0	0	0	0	0	0	0	0	0
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	13	30	31	14	21	23	21	7	1	0
DUNLIN	0	23	24	4	11	6	0	4	0	0	0	0
NUMBER OF COUNTS	0	2	3	4	5	5	4	5	5	3	2	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR AXE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	5	9	14	22	24	17	17	17	6	0	0
LAPWING	0	105	136	570	173	650	670	340	26	0	0	0
RINGED PLOVER	0	0	14	3	1	0	3	0	0	0	0	0
GREY PLOVER	0	0	2	0	0	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	0	0	4	0	0	0	0	0
CURLEW	0	18	112	55	141	450	220	152	43	7	0	0
BL.TAILED GODWIT	0	0	5	0	0	0	0	0	1	0	0	0
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	2	0	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	26	47	43	25	34	64	33	20	2	0
DUNLIN	0	45	64	7	39	20	0	20	1	1	0	0
NUMBER OF COUNTS	0	2	3	4	5	5	4	5	5	3	2	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR AXE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	19	0.0	0.0
LAPWING	432	0.0	0.0
RINGED PLOVER	1	0.0	0.0
COMMON SNIBE	0	0.0	0.0
CURLEW	245	0.3	0.1
BL.TAILED GODWIT	0	0.0	0.0
REDSHANK	39	0.1	0.0
DUNLIN	17	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR THE FLEET

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	84	14	14	18	33	25	29	0	0	0
LAPWING	0	0	61	360	406	595	476	304	150	0	0	0
RINGED PLOVER	0	0	6	42	56	34	3	65	38	0	0	0
GREY PLOVER	0	0	0	1	12	10	55	20	3	0	0	0
GOLDEN PLOVER	0	0	0	0	0	0	51	45	0	0	0	0
TURNSTONE	0	0	5	3	24	11	16	9	11	0	0	0
COMMON SNIPE	0	0	19	33	78	125	34	44	78	0	0	0
CURLEW	0	0	0	0	2	3	4	8	8	0	0	0
BL.TAILED GODWIT	0	0	2	1	3	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	7	8	2	5	13	1	2	0	0	0
GREEN SANDPIPER	0	0	1	1	0	0	0	0	1	0	0	0
COMMON SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	3	1	14	17	61	54	20	0	0	0
SPOTTED REDSHANK	0	0	1	0	0	0	0	0	0	0	0	0
GREENSHANK	0	0	11	10	0	1	2	1	0	0	0	0
KNOT	0	0	12	4	0	1	0	30	0	0	0	0
DUNLIN	0	0	91	83	71	45	1114	495	121	0	0	0
SANDERLING	0	0	1	0	0	0	0	1	1	0	0	0
RUFF	0	0	0	0	0	0	2	1	1	0	0	0
AVOCET	0	0	0	0	0	0	0	0	1	0	0	0
CURLEW SANDPIPER	0	0	4	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	3	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	2	3	3	3	2	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR THE FLEET

PEAK MONTHLY COUNTS FOR YEARS 1981 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	165	17	23	30	43	31	32	0	0	0
LAPWING	0	0	121	719	668	1772	973	530	300	0	0	0
RINGED PLOVER	0	0	10	84	107	100	9	83	66	0	0	0
GREY PLOVER	0	0	0	2	30	19	97	40	6	0	0	0
GOLDEN PLOVER	0	0	0	0	0	0	153	90	0	0	0	0
TURNSTONE	0	0	8	6	31	34	22	17	20	0	0	0
COMMON SNIPE	0	0	38	65	123	331	50	65	92	0	0	0
CURLEW	0	0	0	0	6	5	10	15	15	0	0	0
BL.TAILED GODWIT	0	0	4	1	9	0	0	2	0	0	0	0
BAR TAILED GODWIT	0	0	9	15	7	8	36	1	3	0	0	0
GREEN SANDPIPER	0	0	1	1	0	0	0	0	1	0	0	0
COMMON SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	5	2	19	41	143	63	32	0	0	0
SPOTTED REDSHANK	0	0	2	0	0	0	0	0	0	0	0	0
GREENSHANK	0	0	14	19	1	4	6	1	0	0	0	0
KNOT	0	0	23	7	1	2	0	60	0	0	0	0
DUNLIN	0	0	161	128	104	100	2300	650	234	0	0	0
SANDERLING	0	0	2	0	0	0	0	1	2	0	0	0
RUFF	0	0	0	0	0	0	4	1	1	0	0	0
AVOCET	0	0	0	0	0	0	0	0	2	0	0	0
CURLEW SANDPIPER	0	0	6	0	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	6	0	0	0	0
WOODCOCK	0	0	0	0	0	0	4	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	2	3	3	3	2	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR THE FLEET

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	39	0.0	0.0
LAPWING	925	0.1	0.0
RINGED PLOVER	81	0.4	0.2
GREY PLOVER	58	0.3	0.1
GOLDEN PLOVER	51	0.0	0.0
TURNSTONE	29	0.1	0.1
COMMON SNIBE	163	-9.0	0.0
CURLEW	6	0.0	0.0
BL.TAILED GODWIT	3	0.1	0.0
BAR TAILED GODWIT	14	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	82	0.1	0.0
GREENSHANK	3	0.7	0.0
KNOT	20	0.0	0.0
DUNLIN	1114	0.3	0.1
SANDERLING	0	0.0	0.0
RUFF	1	0.1	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR POOLE HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	1040	1033	843	1208	650	412	385	0	0	0
LAPWING	0	0	211	305	777	1124	465	131	7	0	0	0
RINGED PLOVER	0	0	33	85	53	112	47	30	2	0	0	0
GREY PLOVER	0	0	7	21	133	385	170	134	4	0	0	0
GOLDEN PLOVER	0	0	0	0	2	0	0	0	2	0	0	0
TURNSTONE	0	0	19	4	15	16	13	9	8	0	0	0
COMMON SNIPE	0	0	2	1	44	39	43	77	15	0	0	0
CURLEW	0	0	787	1099	817	717	719	481	278	0	0	0
WHIMBREL	0	0	1	0	0	0	0	1	0	0	0	0
BL.TAILED GODWIT	0	0	342	331	435	480	288	175	392	0	0	0
BAR TAILED GODWIT	0	0	32	26	37	66	197	156	43	0	0	0
GREEN SANDPIPER	0	0	3	1	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	3	1	0	0	0	0	0	0	0	0
REDSHANK	0	0	474	805	677	496	648	380	338	0	0	0
SPOTTED REDSHANK	0	0	30	20	10	0	0	1	1	0	0	0
GREENSHANK	0	0	35	14	6	7	1	2	0	0	0	0
KNOT	0	0	18	8	5	104	14	0	0	0	0	0
DUNLIN	0	0	45	236	2813	5172	3649	1956	485	0	0	0
SANDERLING	0	0	0	0	0	1	2	3	1	0	0	0
RUFF	0	0	1	0	0	0	1	4	0	0	0	0
AVOCET	0	0	0	1	2	6	2	2	0	0	0	0
CURLEW SANDPIPER	0	0	1	1	0	1	0	0	0	0	0	0
LITTLE STINT	0	0	0	0	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	4	0	0	0	0	0
WOODCOCK	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	3	3	2	3	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR POOLE HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	1284	1743	1115	1832	968	639	556	0	0	0
LAPWING	0	0	287	604	1528	1167	1162	322	10	0	0	0
RINGED PLOVER	0	0	64	194	113	187	71	67	6	0	0	0
GREY PLOVER	0	0	13	39	208	685	357	204	11	0	0	0
GOLDEN PLOVER	0	0	0	0	5	0	0	0	7	0	0	0
TURNSTONE	0	0	20	9	38	26	18	12	19	0	0	0
COMMON SNIPE	0	0	3	2	126	62	65	166	24	0	0	0
CURLEW	0	0	1006	1770	1218	804	1280	731	496	0	0	0
WHIMBREL	0	0	1	0	0	0	0	1	0	0	0	0
BL.TAILED GODWIT	0	0	416	355	682	645	304	460	791	0	0	0
BAR TAILED GODWIT	0	0	62	44	70	103	273	331	84	0	0	0
GREEN SANDPIPER	0	0	4	2	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	5	3	0	0	0	0	0	0	0	0
REDSHANK	0	0	828	849	841	557	699	847	443	0	0	0
SPOTTED REDSHANK	0	0	53	23	16	0	0	2	2	0	0	0
GREENSHANK	0	0	48	18	8	13	2	5	0	0	0	0
KNOT	0	0	35	15	12	208	40	0	0	0	0	0
DUNLIN	0	0	79	367	4273	7090	5170	3495	818	0	0	0
SANDERLING	0	0	0	1	0	1	4	10	4	0	0	0
RUFF	0	0	1	0	0	0	3	11	0	0	0	0
AVOCET	0	0	0	2	5	12	7	5	0	0	0	0
CURLEW SANDPIPER	0	0	1	2	0	1	0	0	0	0	0	0
LITTLE STINT	0	0	0	0	2	0	1	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	7	0	0	0	0	0
WOODCOCK	0	0	0	0	4	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	3	3	2	3	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR POOLE HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	1145	0.4	0.2
LAPWING	1285	0.1	0.1
RINGED PLOVER	112	0.5	0.3
GREY PLOVER	341	1.6	0.4
GOLDEN PLOVER	4	0.0	0.0
TURNSTONE	27	0.1	0.1
COMMON SNIBE	111	-9.0	0.0
CURLEW	882	1.0	0.3
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	644	13.4	1.6
BAR TAILED GODWIT	216	0.4	0.0
REDSHANK	810	1.1	0.4
SPOTTED REDSHANK	10	5.0	0.0
GREENSHANK	9	2.2	0.0
KNOT	82	0.0	0.0
DUNLIN	4872	1.1	0.2
SANDERLING	5	0.0	0.0
RUFF	4	0.3	0.0
AVOCET	5	1.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR CHRISTCHURCH HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	51	69	95	87	65	86	46	56	70	38	34	0
LAPWING	305	131	265	695	375	1500	294	354	48	3	3	0
RINGED PLOVER	17	75	79	88	80	100	62	44	17	14	5	0
GREY PLOVER	2	7	3	7	11	9	8	11	14	10	3	0
GOLDEN PLOVER	0	1	2	0	1	0	0	210	2	9	0	0
TURNSTONE	2	13	2	8	13	14	12	10	14	17	4	0
COMMON SNIBE	4	10	21	70	34	152	239	164	211	30	1	0
JACK SNIPE	0	0	0	2	4	4	8	8	15	0	0	0
CURLEW	16	15	14	17	8	7	11	7	4	2	2	0
WHIMBREL	9	4	3	2	0	0	0	0	0	10	9	0
BL.TAILED GODWIT	8	8	1	1	2	0	0	0	0	9	0	0
BAR TAILED GODWIT	1	1	21	22	5	9	6	3	2	41	2	0
GREEN SANDPIPER	1	2	0	0	0	0	0	0	0	1	0	0
WOOD SANDPIPER	0	1	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	24	8	5	3	1	0	0	0	1	2	0	0
REDSHANK	28	23	51	68	84	100	14	32	86	31	24	0
SPOTTED REDSHANK	1	2	0	1	0	0	0	1	0	2	0	0
GREENSHANK	2	16	5	3	1	0	0	0	0	2	0	0
KNOT	8	14	9	7	6	1	0	0	0	2	0	0
DUNLIN	49	73	101	103	223	518	526	286	341	438	76	0
SANDERLING	2	5	1	29	2	1	2	0	0	4	6	0
RUFF	0	1	5	2	0	0	4	16	2	1	0	0
AVOCET	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW SANDPIPER	1	1	15	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	1	0	0	0	0	0	0	0	1	0	0
LITTLE STINT	0	1	0	0	0	0	0	0	0	0	0	0
GREY PHALAROPE	0	1	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	1	0	0	0
WOODCOCK	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	2	2	3	2	2	1	3	3	3	2	3	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CHRISTCHURCH HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	56	104	111	103	90	86	80	89	84	41	42	0
LAPWING	350	212	530	1250	450	1500	600	700	120	6	8	0
RINGED PLOVER	21	134	104	95	90	100	103	69	30	22	10	0
GREY PLOVER	2	7	9	9	22	9	21	22	27	14	4	0
GOLDEN PLOVER	0	1	5	0	2	0	1	630	3	17	0	0
TURNSTONE	3	26	5	15	18	14	19	16	20	21	12	0
COMMON SNIPE	5	14	41	84	68	152	616	365	357	60	2	0
JACK SNIPE	0	0	0	4	8	4	14	16	25	0	0	0
CURLEW	23	16	21	25	10	7	27	12	6	4	3	0
WHIMBREL	9	4	6	3	0	0	1	0	1	19	25	0
BL.TAILED GODWIT	9	16	4	1	2	0	1	1	1	17	0	0
BAR TAILED GODWIT	1	2	50	34	10	9	16	7	4	81	4	0
GREEN SANDPIPER	1	2	1	0	0	0	1	1	1	1	0	0
WOOD SANDPIPER	0	1	1	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	24	12	7	5	1	0	0	0	2	4	0	0
REDSHANK	30	30	74	80	100	100	36	59	134	61	48	0
SPOTTED REDSHANK	1	3	1	1	0	0	1	1	1	2	1	0
GREENSHANK	3	21	8	4	1	0	0	1	1	3	0	0
KNOT	12	27	21	12	12	1	1	0	1	4	1	0
DUNLIN	60	114	112	110	350	518	700	500	563	800	112	0
SANDERLING	2	10	2	52	3	1	7	1	1	8	9	0
RUFF	0	2	16	3	0	0	12	48	5	1	0	0
AVOCET	0	0	0	0	0	0	2	0	0	0	0	0
CURLEW SANDPIPER	2	1	42	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	1	0	0	0	0	0	0	1	1	0	0
LITTLE STINT	0	1	1	0	0	0	1	0	0	0	0	0
GREY PHALAROPE	0	2	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	4	0	0	0
WOODCOCK	0	0	0	0	0	0	1	1	2	0	0	0
NUMBER OF COUNTS	2	2	3	2	2	1	3	3	3	2	3	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CHRISTCHURCH HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	84	0.0	0.0
LAPWING	753	0.1	0.0
RINGED PLOVER	83	0.4	0.2
GREY PLOVER	16	0.1	0.0
GOLDEN PLOVER	158	0.1	0.0
TURNSTONE	18	0.0	0.0
COMMON SNIPE	372	-9.0	0.0
JACK SNIPE	16	-9.0	-9.0
CURLEW	12	0.0	0.0
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	1	0.0	0.0
BAR TAILED GODWIT	6	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	101	0.1	0.1
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	0	0.0	0.0
KNOT	3	0.0	0.0
DUNLIN	552	0.1	0.0
SANDERLING	2	0.0	0.0
RUFF	13	0.9	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR NW SOLENT

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	65	72	76	75	89	96	105	86	97	103	57	24
LAPWING	118	150	141	430	1024	970	911	979	124	9	1	11
RINGED PLOVER	8	92	124	188	223	135	63	57	42	19	8	3
GREY PLOVER	7	86	188	226	162	195	180	202	141	137	32	2
GOLDEN PLOVER	0	0	0	1	25	54	19	165	5	0	0	0
TURNSTONE	19	88	70	94	117	144	125	99	47	70	64	8
COMMON SNIBE	0	3	3	7	7	15	27	57	0	2	0	0
JACK SNIBE	0	0	0	0	1	0	0	0	0	0	0	0
CURLEW	288	334	269	194	223	275	267	183	107	69	4	11
WHIMBREL	16	20	2	0	0	0	0	0	0	27	14	0
BL.TAILED GODWIT	22	62	107	70	60	20	31	22	63	131	0	1
BAR TAILED GODWIT	3	4	23	12	9	21	23	13	17	25	15	0
GREEN SANDPIPER	0	1	1	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	6	7	3	0	0	0	0	0	0	1	2	0
REDSHANK	351	458	478	309	391	361	261	215	121	88	7	19
SPOTTED REDSHANK	1	2	3	4	5	5	2	7	8	3	2	0
GREENSHANK	7	29	24	13	7	3	4	4	4	3	2	0
KNOT	8	2	17	2	1	3	3	0	2	11	1	2
DUNLIN	215	467	277	356	2063	3320	2835	2517	1105	512	478	10
SANDERLING	0	2	0	0	0	0	0	0	0	0	1	0
RUFF	0	0	2	5	15	9	12	4	0	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	1	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	3	4	5	5	4	5	4	5	5	4	4	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NW SOLENT

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	89	100	113	95	143	148	139	110	177	158	87	51
LAPWING	188	181	230	600	1570	1512	1400	1570	400	27	2	27
RINGED PLOVER	17	146	250	318	316	216	72	83	54	37	16	5
GREY PLOVER	11	98	264	424	217	273	291	433	217	292	57	5
GOLDEN PLOVER	0	0	1	2	38	113	70	700	20	0	0	0
TURNSTONE	29	152	80	173	155	253	160	132	77	128	90	18
COMMON SNIPE	0	8	8	12	20	71	100	110	0	4	0	0
JACK SNIPE	0	0	0	0	3	1	0	2	0	0	0	0
CURLEW	317	496	362	307	381	437	368	210	159	202	11	22
WHIMBREL	38	26	8	0	0	0	0	0	0	93	55	1
BL.TAILED GODWIT	35	98	215	129	121	35	50	56	123	266	0	3
BAR TAILED GODWIT	5	7	36	30	20	29	58	22	44	48	42	0
GREEN SANDPIPER	1	2	2	1	0	1	0	1	0	0	0	0
WOOD SANDPIPER	0	2	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	7	13	6	0	0	0	0	0	1	1	6	0
REDSHANK	382	599	586	499	669	700	407	340	172	206	16	50
SPOTTED REDSHANK	1	2	7	8	6	11	4	11	15	5	7	1
GREENSHANK	9	37	38	26	12	5	9	9	5	3	3	0
KNOT	18	5	46	7	4	12	11	0	10	33	2	7
DUNLIN	388	600	404	520	3650	3508	4250	3920	2147	680	1065	15
SANDERLING	0	6	0	0	0	0	0	0	0	0	2	0
RUFF	0	0	3	17	35	22	26	11	1	0	1	0
AVOCET	0	0	0	0	0	0	0	0	1	0	0	0
CURLEW SANDPIPER	0	0	5	1	0	0	0	0	0	0	0	0
LONG B. DOWITCHER	0	0	0	0	0	1	0	1	1	1	1	0
LITTLE R. PLOVER	0	2	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	4	5	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	1	0	1	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	0	0	0	0
NUMBER OF COUNTS	3	4	5	5	4	5	4	5	5	4	4	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NW SOLENT

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	119	0.0	0.0
LAPWING	1479	0.1	0.1
RINGED PLOVER	200	0.9	0.5
GREY PLOVER	269	1.3	0.3
GOLDEN PLOVER	195	0.1	0.0
TURNSTONE	162	0.4	0.3
COMMON SNIPE	80	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	309	0.3	0.1
BL.TAILED GODWIT	88	1.8	0.2
BAR TAILED GODWIT	31	0.1	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	458	0.6	0.2
SPOTTED REDSHANK	8	4.0	0.0
GREENSHANK	7	1.7	0.0
KNOT	3	0.0	0.0
DUNLIN	3759	0.9	0.2
RUFF	23	1.5	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BEAULIEU

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	95	70	72	71	59	69	91	106	81	80	75	95
LAPWING	240	203	128	384	534	669	700	300	438	128	75	115
RINGED PLOVER	45	30	27	26	24	21	24	26	30	35	38	50
GREY PLOVER	15	23	43	53	169	120	120	106	106	29	1	0
GOLDEN PLOVER	0	0	0	18	20	116	168	187	102	7	0	0
TURNSTONE	20	16	34	36	46	61	43	54	30	24	5	0
COMMON SNIPE	0	1	3	3	7	12	14	5	10	1	0	0
JACK SNIPE	0	1	0	0	0	0	0	0	0	0	0	0
CURLEW	70	61	75	99	75	148	198	437	85	19	14	26
WHIMBREL	10	1	2	0	0	0	0	0	0	0	5	0
BL.TAILED GODWIT	24	30	12	39	22	60	69	111	136	58	21	13
BAR TAILED GODWIT	0	0	1	0	0	0	0	0	0	0	17	0
GREEN SANDPIPER	2	0	1	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	1	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	4	3	1	0	0	0	0	0	0	0	0	0
REDSHANK	60	62	80	54	98	89	62	72	90	43	45	58
SPOTTED REDSHANK	12	28	20	26	3	6	5	6	3	5	2	2
GREENSHANK	6	3	6	4	1	1	0	1	0	1	1	1
DUNLIN	0	7	135	223	1140	1040	1210	1167	574	250	25	6
SANDERLING	0	0	0	0	0	0	0	0	0	0	6	0
RUFF	0	1	0	0	0	6	15	9	16	2	0	2
AVOCET	0	2	0	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	3	4	4	5	5	5	3	5	5	4	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BEAULIEU

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	95	86	90	85	85	90	125	140	110	115	83	110
LAPWING	240	300	250	775	2100	950	1650	560	960	320	110	150
RINGED PLOVER	45	35	60	30	34	40	35	37	42	42	40	50
GREY PLOVER	15	40	70	90	440	160	184	170	210	56	2	0
GOLDEN PLOVER	0	0	1	40	50	240	520	240	260	35	0	0
TURNSTONE	20	25	70	50	65	90	65	60	60	44	11	0
COMMON SNIPE	0	2	8	7	23	30	22	12	24	3	0	0
JACK SNIPE	0	2	0	0	0	0	0	0	0	0	0	0
CURLEW	70	80	130	170	130	180	420	1100	140	60	36	40
WHIMBREL	10	2	6	0	0	0	0	0	0	0	11	0
BL.TAILED GODWIT	24	46	24	75	45	220	190	260	315	124	41	18
BAR TAILED GODWIT	0	0	3	0	0	0	2	0	0	0	34	0
GREEN SANDPIPER	2	1	2	0	2	1	0	0	0	0	0	0
WOOD SANDPIPER	1	0	3	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	4	5	3	0	0	0	0	0	0	0	0	0
REDSHANK	60	90	220	70	230	280	90	85	240	50	60	70
SPOTTED REDSHANK	12	32	52	32	9	16	17	11	8	14	9	2
GREENSHANK	6	5	7	13	2	1	1	2	1	2	2	1
KNOT	0	0	0	0	0	1	0	0	0	0	0	0
DUNLIN	0	20	400	500	2500	1600	2700	1700	800	400	35	12
SANDERLING	0	0	0	0	0	0	0	0	0	0	12	0
RUFF	0	4	0	0	0	20	55	21	43	4	0	3
AVOCET	0	6	0	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	6	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	3	4	4	5	5	5	3	5	5	4	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BEAULIEU

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	104	0.0	0.0
LAPWING	1258	0.1	0.1
RINGED PLOVER	32	0.1	0.1
GREY PLOVER	204	1.0	0.3
GOLDEN PLOVER	292	0.1	0.0
TURNSTONE	66	0.1	0.1
COMMON SNIPE	17	-9.0	0.0
CURLEW	400	0.4	0.1
BL.TAILED GODWIT	147	3.1	0.4
BAR TAILED GODWIT	0	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	161	0.2	0.1
SPOTTED REDSHANK	9	4.5	0.0
GREENSHANK	1	0.2	0.0
KNOT	0	0.0	0.0
DUNLIN	1660	0.4	0.1
RUFF	27	1.8	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR SOUTHAMPTON WATER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	254	622	585	632	457	463	367	413	330	258	103	0
LAPWING	519	722	260	536	1310	2136	1863	1960	353	42	22	0
RINGED PLOVER	50	581	574	290	339	290	257	192	90	44	17	0
GREY PLOVER	7	151	142	269	444	400	460	385	176	21	2	0
GOLDEN PLOVER	0	5	0	34	308	392	780	714	10	0	0	0
TURNSTONE	45	304	290	315	352	313	310	295	252	247	188	0
COMMON SNIPE	2	11	14	28	69	228	139	127	49	15	5	0
JACK SNIPE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	730	772	676	657	562	466	633	665	508	118	4	0
WHIMBREL	8	12	3	0	0	0	0	0	0	6	31	0
BL.TAILED GODWIT	93	197	142	116	158	251	213	189	96	1	0	0
BAR TAILED GODWIT	0	3	4	8	2	1	3	2	2	0	0	0
GREEN SANDPIPER	5	7	6	2	2	1	0	1	0	0	0	0
COMMON SANDPIPER	17	22	10	1	1	1	1	1	1	1	3	0
REDSHANK	574	589	769	820	691	645	646	685	491	237	34	0
SPOTTED REDSHANK	1	0	3	3	1	2	1	1	1	1	1	0
GREENSHANK	12	30	43	28	17	12	7	6	5	2	3	0
KNOT	1	9	11	13	1	5	1	1	4	0	0	0
DUNLIN	104	347	209	482	4212	4335	3874	5502	1422	144	137	0
SANDERLING	0	0	0	0	0	0	0	0	0	0	6	0
RUFF	2	2	1	2	2	4	10	11	12	2	0	0
AVOCET	0	0	0	0	0	4	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	8	1	1	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	0	0	0	0	0	0	0	0	1	0
LITTLE STINT	0	0	2	2	1	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	4	5	4	5	5	5	5	5	5	3	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SOUTHAMPTON WATER

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	524	796	796	841	583	538	494	481	416	382	103	0
LAPWING	741	973	475	1120	2410	3759	2792	3110	710	70	22	0
RINGED PLOVER	79	850	795	426	430	383	315	323	235	88	17	0
GREY PLOVER	25	188	239	364	825	509	574	860	310	53	2	0
GOLDEN PLOVER	0	12	0	106	590	700	1550	2000	50	0	0	0
TURNSTONE	115	394	371	371	415	387	379	437	307	295	188	0
COMMON SNIPE	5	22	25	71	122	493	215	245	111	34	5	0
JACK SNIPE	0	0	0	0	1	0	4	1	2	1	0	0
CURLEW	1159	1018	1040	819	617	737	840	930	734	176	4	0
WHIMBREL	13	26	8	1	0	0	0	0	0	17	31	0
BL.TAILED GODWIT	181	262	197	162	229	515	407	319	235	1	0	0
BAR TAILED GODWIT	1	10	10	14	8	3	10	6	7	1	0	0
GREEN SANDPIPER	13	11	8	5	3	1	1	3	1	0	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	24	34	12	3	2	3	3	3	2	2	3	0
REDSHANK	1296	933	1077	971	778	882	836	785	678	296	34	0
SPOTTED REDSHANK	1	1	7	12	2	8	2	2	2	3	1	0
GREENSHANK	30	36	91	43	26	23	9	12	12	5	3	0
KNOT	2	16	30	50	3	26	2	6	15	0	0	0
DUNLIN	266	489	303	954	5862	6371	6782	10850	2407	156	137	0
SANDERLING	0	2	0	0	0	0	0	0	0	0	6	0
RUFF	3	3	3	6	5	13	18	20	32	4	0	0
AVOCET	0	0	1	0	0	20	1	1	1	0	0	0
CURLEW SANDPIPER	0	2	20	5	2	1	0	0	0	0	0	0
LITTLE R. PLOVER	1	2	0	0	0	0	0	0	0	0	1	0
LITTLE STINT	0	0	7	4	2	0	0	0	2	0	0	0
GREY PHALAROPE	0	0	0	1	0	0	0	0	0	0	0	0
WHITE RUMPED SANDP.	0	0	0	1	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	3	1	0	0	0	0
NUMBER OF COUNTS	4	5	4	5	5	5	5	5	5	3	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SOUTHAMPTON WATER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	518	0.2	0.1
LAPWING	2752	0.3	0.1
RINGED PLOVER	362	1.6	0.9
GREY PLOVER	572	2.7	0.7
GOLDEN PLOVER	1162	0.6	0.1
TURNSTONE	390	0.9	0.8
COMMON SNIPE	276	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	725	0.8	0.2
BL.TAILED GODWIT	342	7.1	0.9
BAR TAILED GODWIT	6	0.0	0.0
GREEN SANDPIPER	2	-9.0	0.0
COMMON SANDPIPER	2	-9.0	-9.0
REDSHANK	814	1.1	0.4
SPOTTED REDSHANK	2	1.0	0.0
GREENSHANK	17	4.2	0.0
KNOT	10	0.0	0.0
DUNLIN	6401	1.5	0.3
RUFF	16	1.1	0.0
AVOCET	4	0.8	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR NEWTOWN

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	9	6	10	11	7	8	9	6	11	5	8	8
LAPWING	78	58	26	272	310	505	511	326	33	3	45	62
RINGED PLOVER	5	24	19	18	5	7	5	7	1	1	1	2
GREY PLOVER	5	23	42	36	39	20	66	33	59	17	6	3
GOLDEN PLOVER	2	12	39	92	129	220	171	80	42	6	0	0
TURNSTONE	0	3	7	8	6	1	4	1	3	0	1	1
COMMON SNIPE	0	1	1	1	5	13	38	5	0	1	0	0
CURLEW	106	67	114	152	135	87	105	151	69	24	10	41
WHIMBREL	2	2	1	0	0	0	0	0	0	1	0	0
BL.TAILED GODWIT	11	26	31	60	50	37	53	46	64	18	0	1
BAR TAILED GODWIT	0	1	1	1	0	0	0	0	0	0	1	1
COMMON SANDPIPER	1	3	1	0	0	0	0	0	0	0	1	0
REDSHANK	57	62	56	71	22	35	32	30	13	11	6	19
SPOTTED REDSHANK	0	0	2	7	1	1	3	3	1	1	0	3
GREENSHANK	4	4	6	5	1	1	1	1	1	0	0	0
KNOT	0	1	2	1	3	3	27	0	3	0	0	0
DUNLIN	29	66	17	84	220	475	610	400	485	62	11	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NEWTOWN

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	12	11	24	37	14	25	25	17	18	12	10	14
LAPWING	135	150	94	450	500	680	839	500	77	10	218	108
RINGED PLOVER	10	47	38	33	9	30	16	20	2	2	2	6
GREY PLOVER	19	37	82	59	59	36	110	52	95	23	16	6
GOLDEN PLOVER	6	19	62	140	180	309	420	285	180	28	0	0
TURNSTONE	2	6	12	22	11	3	16	4	9	0	3	3
COMMON SNIPE	0	4	5	3	16	36	88	21	1	2	0	0
JACK SNIPE	0	0	0	0	0	0	1	1	0	0	0	0
CURLEW	220	123	148	202	270	195	209	241	104	98	42	87
WHIMBREL	5	3	2	0	0	0	0	0	0	3	1	0
BL.TAILED GODWIT	33	36	51	92	114	112	132	92	122	63	1	2
BAR TAILED GODWIT	0	3	2	2	0	0	0	2	0	0	7	5
GREEN SANDPIPER	0	1	1	0	0	0	0	1	0	0	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	2	5	2	1	0	0	0	0	0	0	2	0
REDSHANK	134	122	74	120	35	80	87	52	21	23	8	36
SPOTTED REDSHANK	0	1	3	15	2	2	5	4	2	5	0	10
GREENSHANK	11	14	19	7	2	2	2	1	1	2	1	0
KNOT	0	4	10	3	13	14	105	1	10	0	0	0
DUNLIN	56	120	45	180	400	1075	900	950	900	106	47	0
SANDERLING	0	0	0	0	0	0	0	0	0	1	0	0
RUFF	0	1	0	0	0	0	2	0	0	0	0	0
CURLEW SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	1	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NEWTOWN

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	17	0.0	0.0
LAPWING	655	0.1	0.0
RINGED PLOVER	15	0.1	0.0
GREY PLOVER	78	0.4	0.1
GOLDEN PLOVER	275	0.1	0.0
TURNSTONE	7	0.0	0.0
COMMON SNIPE	38	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	209	0.2	0.1
BL.TAILED GODWIT	92	1.9	0.2
BAR TAILED GODWIT	0	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	49	0.1	0.0
SPOTTED REDSHANK	3	1.5	0.0
GREENSHANK	1	0.2	0.0
KNOT	28	0.0	0.0
DUNLIN	855	0.2	0.0
RUFF	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
 WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR MEDINA

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	37	57	33	47	61	0	0	0
LAPWING	0	0	0	0	180	92	128	152	3	0	0	0
RINGED PLOVER	0	0	0	0	0	7	5	13	1	0	0	0
GREY PLOVER	0	0	0	0	7	11	10	13	0	0	0	0
TURNSTONE	0	0	0	0	3	8	2	4	1	0	0	0
COMMON SNIPE	0	0	0	0	1	2	2	3	2	0	0	0
CURLEW	0	0	0	0	54	34	30	39	21	0	0	0
BL.TAILED GODWIT	0	0	0	0	6	1	8	58	4	0	0	0
REDSHANK	0	0	0	0	100	68	101	64	92	0	0	0
DUNLIN	0	0	0	0	159	305	226	385	106	0	0	0
NUMBER OF COUNTS	0	0	0	0	1	3	4	3	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MEDINA

PEAK MONTHLY COUNTS FOR YEARS 1981 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	37	76	50	72	66	0	0	0
LAPWING	0	0	0	0	180	150	179	251	4	0	0	0
RINGED PLOVER	0	0	0	0	0	21	19	25	1	0	0	0
GREY PLOVER	0	0	0	0	7	14	33	28	0	0	0	0
TURNSTONE	0	0	0	0	3	17	7	9	1	0	0	0
COMMON SNIPE	0	0	0	0	1	3	7	6	3	0	0	0
CURLEW	0	0	0	0	54	46	75	63	28	0	0	0
BL.TAILED GODWIT	0	0	0	0	6	3	31	115	6	0	0	0
GREEN SANDPIPER	0	0	0	0	0	0	1	0	0	0	0	0
COMMON SANDPIPER	0	0	0	0	0	0	1	0	0	0	0	0
REDSHANK	0	0	0	0	100	83	161	112	122	0	0	0
DUNLIN	0	0	0	0	159	425	450	475	150	0	0	0
NUMBER OF COUNTS	0	0	0	0	1	3	4	3	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MEDINA

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	61	0.0	0.0
LAPWING	161	0.0	0.0
RINGED PLOVER	11	0.0	0.0
GREY PLOVER	16	0.1	0.0
TURNSTONE	6	0.0	0.0
COMMON SNIPE	4	-9.0	0.0
CURLEW	48	0.1	0.0
BL.TAILED GODWIT	43	0.9	0.1
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	123	0.2	0.1
DUNLIN	348	0.1	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR WOOLTON

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	15	17	25	25	31	28	23	18	11	2
LAPWING	14	0	2	4	20	36	84	38	8	1	2	13
RINGED PLOVER	0	0	0	3	9	7	7	7	5	0	0	0
GREY PLOVER	0	0	1	4	11	25	26	29	10	4	2	0
TURNSTONE	0	0	1	1	4	6	7	4	2	5	0	0
COMMON SNIPE	0	0	0	2	2	4	6	3	3	5	0	0
CURLEW	50	0	36	58	76	90	104	96	53	9	5	2
WHIMBREL	0	0	0	0	0	0	0	0	0	0	14	0
BAR TAILED GODWIT	0	0	0	0	0	0	3	0	0	0	1	0
GREEN SANDPIPER	0	0	0	0	0	0	0	0	0	1	2	0
COMMON SANDPIPER	0	0	0	0	0	0	1	0	0	1	3	0
REDSHANK	0	0	20	73	91	78	101	122	64	0	0	0
DUNLIN	0	0	0	0	1	1	64	108	1	2	0	0
SANDERLING	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	1	0	3	4	4	4	4	4	4	2	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR WOOTTON

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	21	34	36	36	35	44	40	19	11	2
LAPWING	14	0	3	11	50	80	200	96	24	2	2	13
RINGED PLOVER	0	0	0	10	21	16	19	25	20	0	0	0
GREY PLOVER	0	0	2	8	22	39	29	46	25	8	2	0
TURNSTONE	0	0	4	2	11	12	12	9	4	9	0	0
COMMON SNIPE	0	0	0	4	6	10	18	7	8	7	0	0
CURLEW	50	0	54	93	170	150	170	200	167	12	5	2
WHIMBREL	0	0	0	0	0	0	0	0	0	0	14	0
BAR TAILED GODWIT	0	0	0	0	0	0	12	0	0	0	1	0
GREEN SANDPIPER	0	0	0	0	0	0	0	0	0	2	2	0
COMMON SANDPIPER	0	0	0	0	1	1	1	1	1	1	3	0
REDSHANK	0	0	30	103	150	128	150	160	97	0	0	0
GREENSHANK	0	0	1	0	0	0	0	0	0	0	0	0
DUNLIN	0	0	0	0	3	3	250	250	5	3	0	0
SANDERLING	0	0	0	0	0	0	4	0	0	0	0	0
NUMBER OF COUNTS	1	0	3	4	4	4	4	4	4	2	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR WOOLTON

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	34	0.0	0.0
LAPWING	107	0.0	0.0
RINGED PLOVER	16	0.1	0.0
GREY PLOVER	35	0.2	0.0
TURNSTONE	7	0.0	0.0
COMMON SNIBE	7	-9.0	0.0
CURLEW	132	0.1	0.0
BAR TAILED GODWIT	3	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	125	0.2	0.1
DUNLIN	107	0.0	0.0
SANDERLING	1	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BRADING HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1	4	4	3	1	5	6	3	1	0	0	0
LAPWING	28	37	55	93	267	198	135	185	42	3	9	27
RINGED PLOVER	0	0	0	7	17	8	7	5	2	1	0	0
GREY PLOVER	0	0	0	1	3	2	7	7	2	0	0	0
TURNSTONE	0	0	0	0	1	0	1	1	1	0	0	0
COMMON SNIPE	0	0	0	0	0	11	2	2	1	1	0	0
CURLEW	0	0	2	1	5	10	8	9	3	2	0	0
WHIMBREL	0	0	0	0	0	0	0	0	0	2	0	0
BAR TAILED GODWIT	0	0	0	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	0	0	0	0	0	0	0	1	0	0
REDSHANK	4	1	1	42	89	61	73	73	107	38	10	11
GREENSHANK	0	1	0	1	2	1	1	1	1	1	0	0
DUNLIN	1	0	0	0	19	61	194	262	65	3	0	0
SANDERLING	0	0	0	0	23	34	15	13	0	0	0	0
RUFF	0	0	0	0	0	0	0	0	1	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	1	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	4	5	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BRADING HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	3	17	18	11	5	25	20	13	6	0	2	0
LAPWING	60	85	181	160	432	320	330	347	98	7	42	29
RINGED PLOVER	0	1	0	14	32	14	17	17	9	2	0	0
GREY PLOVER	0	0	0	3	8	4	17	16	7	0	2	0
TURNSTONE	0	0	0	0	4	1	3	3	3	0	0	0
COMMON SNIPE	0	0	1	0	1	40	10	8	6	3	1	0
JACK SNIPE	0	0	0	0	1	0	2	0	1	0	0	0
CURLEW	1	0	3	3	7	18	12	14	6	5	0	0
WHIMBREL	0	1	1	0	0	0	1	1	0	3	0	0
BAR TAILED GODWIT	0	0	0	0	7	0	1	0	0	0	0	0
COMMON SANDPIPER	1	0	1	0	0	0	0	0	0	2	1	0
REDSHANK	9	5	3	66	121	112	131	128	146	47	12	12
GREENSHANK	1	4	1	4	4	2	3	2	2	1	0	0
KNOT	0	0	0	0	1	0	0	0	0	0	0	0
DUNLIN	6	0	0	0	50	192	501	450	234	10	0	0
SANDERLING	0	0	0	0	60	130	66	63	0	0	0	0
RUFF	0	0	0	0	0	0	0	0	3	0	0	0
AVOCET	0	0	0	0	0	0	0	1	0	0	0	0
LITTLE STINT	0	0	0	0	0	0	0	1	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	4	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	4	5	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BRADING HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	8	0.0	0.0
LAPWING	325	0.0	0.0
RINGED PLOVER	17	0.1	0.0
GREY PLOVER	10	0.0	0.0
TURNSTONE	1	0.0	0.0
COMMON SNIPE	13	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	13	0.0	0.0
WHIMBREL	0	0.0	0.0
BAR TAILED GODWIT	1	0.0	0.0
REDSHANK	130	0.2	0.1
GREENSHANK	2	0.5	0.0
KNOT	0	0.0	0.0
DUNLIN	302	0.1	0.0
SANDERLING	50	0.4	0.3
RUFF	0	0.0	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR PORTSMOUTH HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	48	139	114	271	405	325	200	175	98	37	16	9
LAPWING	83	103	51	30	17	142	90	196	17	1	2	16
RINGED PLOVER	7	124	82	18	31	37	76	85	5	2	3	2
GREY PLOVER	0	1	0	88	115	213	192	495	63	1	0	0
TURNSTONE	0	0	0	0	4	41	50	33	20	0	1	0
COMMON SNIPE	0	5	8	7	7	8	22	24	44	1	0	0
CURLEW	179	234	230	312	361	290	202	231	237	82	0	0
WHIMBREL	1	6	1	1	0	0	0	0	0	1	10	0
BL.TAILED GODWIT	4	9	35	87	76	29	0	8	1	0	0	0
BAR TAILED GODWIT	2	0	0	1	1	4	0	1	0	0	0	0
GREEN SANDPIPER	1	3	2	1	1	1	0	0	0	0	0	0
COMMON SANDPIPER	7	4	3	0	0	0	0	0	0	0	1	0
REDSHANK	115	198	218	347	510	146	74	101	153	45	1	3
GREENSHANK	6	7	8	0	0	1	0	0	1	0	2	0
KNOT	0	0	0	2	231	302	321	261	18	0	0	0
DUNLIN	71	84	73	571	4801	5366	5092	5419	1062	26	32	0
RUFF	0	1	1	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	4	5	4	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PORTSMOUTH HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	152	237	230	423	594	665	479	340	185	100	35	12
LAPWING	155	171	117	106	40	424	211	314	37	4	5	48
RINGED PLOVER	14	240	170	53	81	66	344	194	10	6	5	6
GREY PLOVER	0	4	1	300	220	350	356	640	149	6	0	0
GOLDEN PLOVER	0	0	0	0	0	0	1	0	0	0	0	0
TURNSTONE	0	0	1	1	10	96	141	48	45	0	1	0
COMMON SNIPE	1	23	18	26	15	13	80	92	153	3	0	0
JACK SNIPE	0	0	0	0	0	0	0	1	1	0	0	0
CURLEW	281	498	439	410	500	550	293	397	320	214	0	1
WHIMBREL	5	14	4	7	0	0	0	0	0	3	23	0
BL.TAILED GODWIT	17	32	136	231	302	91	0	39	3	1	0	0
BAR TAILED GODWIT	8	0	1	3	3	18	1	3	0	0	1	0
GREEN SANDPIPER	4	4	4	2	2	4	0	0	1	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	12	7	5	0	0	1	0	0	0	1	1	0
REDSHANK	339	800	950	731	981	314	114	232	190	86	3	8
SPOTTED REDSHANK	0	1	2	1	0	0	0	0	0	0	0	0
GREENSHANK	11	14	17	1	1	5	1	0	1	0	4	0
KNOT	0	1	0	10	820	771	765	398	51	1	0	0
DUNLIN	230	138	220	1160	6670	10620	7650	8110	3195	120	70	0
SANDERLING	0	0	0	0	0	0	0	0	0	0	1	0
RUFF	1	4	4	1	1	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	2	1	0	0	0	0	0	0	0	2	1	0
LITTLE STINT	0	0	5	2	2	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	0	1	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	0	0	0	0
STONE CURLEW	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	4	5	4	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PORTSMOUTH HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	477	0.2	0.1
LAPWING	247	0.0	0.0
RINGED PLOVER	146	0.6	0.4
GREY PLOVER	496	2.4	0.6
GOLDEN PLOVER	0	0.0	0.0
TURNSTONE	68	0.2	0.1
COMMON SNIPE	39	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	391	0.4	0.1
BL.TAILED GODWIT	95	2.0	0.2
BAR TAILED GODWIT	4	0.0	0.0
GREEN SANDPIPER	1	-9.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	509	0.7	0.3
GREENSHANK	1	0.2	0.0
KNOT	520	0.2	0.1
DUNLIN	7349	1.7	0.4
RUFF	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR LANGSTONE HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	450	897	955	1458	1305	1201	922	1034	695	473	343	283
LAPWING	184	348	349	449	559	1035	1540	993	249	70	70	105
RINGED PLOVER	56	343	348	350	351	385	327	150	125	56	65	44
GREY PLOVER	123	403	737	744	919	624	551	398	587	697	199	208
GOLDEN PLOVER	0	129	2	2	5	19	3	49	0	0	0	0
TURNSTONE	44	143	233	192	244	127	113	136	176	191	49	45
COMMON SNIPE	2	9	13	45	76	66	90	99	51	6	0	1
JACK SNIPE	0	0	0	1	3	1	1	1	1	0	0	0
CURLEW	907	885	1194	850	945	604	631	482	359	284	54	221
WHIMBREL	60	15	2	0	0	0	0	0	0	15	27	3
BL.TAILED GODWIT	172	333	544	545	460	592	451	371	190	295	14	16
BAR TAILED GODWIT	110	252	216	283	453	519	482	568	278	81	61	70
GREEN SANDPIPER	3	3	1	1	1	1	1	1	1	1	0	0
COMMON SANDPIPER	8	16	3	1	1	1	1	1	1	2	1	0
REDSHANK	1126	1346	1839	872	680	515	378	463	359	106	86	150
SPOTTED REDSHANK	9	12	22	7	2	0	0	0	0	1	0	2
GREENSHANK	68	120	118	33	4	1	1	0	1	2	5	0
KNOT	7	12	97	113	678	482	624	644	316	15	3	4
DUNLIN	946	2500	2432	11813	21476	23490	20092	15910	8172	1709	2020	41
SANDERLING	0	0	0	0	0	0	7	2	2	0	0	0
RUFF	1	1	0	1	1	1	3	5	1	1	0	0
CURLEW SANDPIPER	0	1	4	1	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	1	0	0	0	0	0	0	0	1	0	0
LITTLE STINT	0	1	1	3	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	5

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LANGSTONE HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	545	1100	1316	1700	1600	1490	1287	1328	957	750	450	425
LAPWING	250	500	600	600	735	1808	2900	1940	497	100	100	200
RINGED PLOVER	100	619	491	610	452	531	640	254	262	110	150	80
GREY PLOVER	198	592	1106	1063	1320	782	984	779	1009	1453	296	340
GOLDEN PLOVER	0	643	10	6	22	89	9	140	1	0	0	0
TURNSTONE	85	291	512	300	330	189	305	229	350	321	87	86
COMMON SNIPE	3	14	30	70	156	100	100	142	150	16	1	2
JACK SNIPE	0	0	0	2	5	3	2	2	2	1	0	0
CURLEW	1247	1095	1855	1087	1242	734	772	628	465	362	79	306
WHIMBREL	196	32	4	1	0	0	0	0	0	56	60	7
BL.TAILED GODWIT	321	488	1080	696	545	1037	906	565	440	583	27	36
BAR TAILED GODWIT	136	446	263	412	600	733	681	842	390	220	108	175
GREEN SANDPIPER	4	6	3	2	2	1	2	1	4	3	0	2
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	1
COMMON SANDPIPER	16	21	5	1	2	2	1	2	2	5	3	0
REDSHANK	1470	1800	2698	1156	949	604	491	753	600	204	150	238
SPOTTED REDSHANK	11	20	45	13	2	1	1	1	1	3	1	5
GREENSHANK	127	171	181	50	9	2	1	1	2	3	12	1
KNOT	20	36	280	267	935	844	1570	1010	622	46	11	15
DUNLIN	2062	3200	4700	16000	29000	30250	29000	27150	13000	2100	4300	73
SANDERLING	0	2	0	2	0	0	20	6	4	1	1	0
RUFF	1	3	1	5	3	3	7	7	2	2	2	0
AVOCET	0	0	0	0	1	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	2	12	4	0	0	0	0	0	0	1	0
LITTLE R. PLOVER	2	3	0	0	0	0	0	0	0	3	1	0
LITTLE STINT	0	2	1	11	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	1	4	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	5	5	5

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LANGSTONE HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	1399	0.5	0.2
LAPWING	1749	0.2	0.1
RINGED PLOVER	466	2.0	1.2
GREY PLOVER	926	4.4	1.2
GOLDEN PLOVER	72	0.0	0.0
TURNSTONE	275	0.6	0.5
COMMON SNIPE	133	-9.0	0.0
JACK SNIPE	3	-9.0	-9.0
CURLEW	945	1.0	0.3
BL.TAILED GODWIT	711	14.8	1.8
BAR TAILED GODWIT	695	1.1	0.1
GREEN SANDPIPER	2	-9.0	0.0
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	744	1.0	0.4
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	4	1.0	0.0
KNOT	1060	0.5	0.3
DUNLIN	28620	6.7	1.4
SANDERLING	8	0.1	0.1
RUFF	5	0.3	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR CHICHESTER HARBOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	412	858	1271	1381	1201	1125	1115	950	609	231	0	0
LAPWING	832	944	601	812	1582	2821	1657	2007	451	56	0	0
RINGED PLOVER	99	473	582	441	305	283	240	170	57	26	0	0
GREY PLOVER	13	843	1735	1676	1720	1463	936	1141	1133	298	0	0
GOLDEN PLOVER	7	0	35	228	309	289	1066	528	364	0	0	0
TURNSTONE	86	129	156	114	186	138	99	89	77	4	0	0
COMMON SNIPE	9	2	18	75	122	136	162	126	101	16	0	0
JACK SNIPE	0	0	0	0	0	1	0	0	0	0	0	0
CURLEW	1534	1111	2177	1558	1093	1494	893	889	938	666	0	0
WHIMREL	103	51	11	0	0	0	0	0	0	20	0	0
BL.TAILED GODWIT	139	381	929	855	650	479	365	290	333	468	0	0
BAR TAILED GODWIT	437	285	625	615	697	769	579	760	307	12	0	0
GREEN SANDPIPER	12	4	4	1	0	0	0	0	0	2	0	0
COMMON SANDPIPER	21	37	6	1	1	1	0	0	1	0	0	0
REDSHANK	1684	2222	2344	1848	1879	1494	1548	1423	1192	323	0	0
SPOTTED REDSHANK	4	8	1	4	3	1	2	1	1	32	0	0
GREENSHANK	89	122	91	56	11	2	1	3	4	1	0	0
KNOT	0	7	56	13	383	445	375	345	51	0	0	0
DUNLIN	609	1105	244	3562	17312	21491	20736	16466	6994	970	0	0
SANDERLING	8	224	316	197	324	128	156	92	287	60	0	0
RUFF	1	3	1	0	0	0	12	0	6	0	0	0
AVOCET	0	0	0	0	1	1	1	0	2	0	0	0
CURLEW SANDPIPER	0	0	6	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	1	2	2	5	4	5	5	5	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CHICHESTER HARBOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	412	858	1325	1414	1872	1323	1544	1137	703	231	0	0
LAPWING	832	944	665	926	2875	3545	2327	3062	917	56	0	0
RINGED PLOVER	99	473	750	704	425	388	289	274	77	26	0	0
GREY PLOVER	13	843	2026	2020	2647	1971	1541	1666	1359	298	0	0
GOLDEN PLOVER	7	0	60	295	556	485	2441	801	935	0	0	0
TURNSTONE	86	129	265	179	384	237	217	135	126	4	0	0
COMMON SNIPE	9	2	29	137	242	197	295	199	189	16	0	0
JACK SNIPE	0	0	0	0	2	1	1	1	2	0	0	0
CURLEW	1534	1111	2652	1698	1730	2321	1023	1223	1253	666	0	0
WHIMBREL	103	51	12	0	1	0	0	0	0	20	0	0
BL.TAILED GODWIT	139	381	1330	960	1360	889	787	494	615	468	0	0
BAR TAILED GODWIT	437	285	810	790	1064	971	881	1350	708	12	0	0
GREEN SANDPIPER	12	4	5	2	0	1	0	1	0	2	0	0
WOOD SANDPIPER	0	0	0	0	0	0	0	0	1	0	0	0
COMMON SANDPIPER	21	37	7	2	3	1	1	1	2	0	0	0
REDSHANK	1684	2222	3405	1863	2437	1808	2516	2230	1595	323	0	0
SPOTTED REDSHANK	4	8	1	7	10	2	4	4	2	32	0	0
GREENSHANK	89	122	121	76	23	5	4	6	6	1	0	0
KNOT	0	7	76	25	1000	818	633	650	222	0	0	0
DUNLIN	609	1105	460	3872	30084	27751	26997	28293	10688	970	0	0
SANDERLING	8	224	320	220	559	190	376	330	600	60	0	0
RUFF	1	3	2	0	0	1	59	1	30	0	0	0
AVOCET	0	0	0	0	3	2	2	1	4	0	0	0
CURLEW SANDPIPER	0	0	9	0	0	0	0	0	0	0	0	0
KENTISH PLOVER	0	0	0	0	0	0	0	1	0	0	0	0
LITTLE STINT	0	0	1	2	1	1	0	1	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	1	0	0	0
NUMBER OF COUNTS	1	1	2	2	5	4	5	5	5	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CHICHESTER HARBOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	1347	0.5	0.2
LAPWING	3005	0.3	0.2
RINGED PLOVER	370	1.6	0.9
GREY PLOVER	1829	8.7	2.3
GOLDEN PLOVER	1244	0.6	0.1
TURNSTONE	202	0.4	0.4
COMMON SNIPE	212	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	1542	1.7	0.5
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	654	13.6	1.6
BAR TAILED GODWIT	975	1.6	0.2
GREEN SANDPIPER	0	0.0	0.0
WOOD SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	2242	3.0	1.1
SPOTTED REDSHANK	4	2.0	0.0
GREENSHANK	11	2.7	0.0
KNOT	609	0.3	0.2
DUNLIN	26055	6.1	1.3
SANDERLING	440	3.1	2.9
RUFF	18	1.2	0.0
AVOCET	2	0.4	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR PAGHAM.HBR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	293	218	228	262	301	257	262	226	0	0
LAPWING	0	0	162	497	923	1662	949	1194	178	57	0	0
RINGED PLOVER	0	0	255	165	115	110	124	75	72	25	0	0
GREY PLOVER	0	0	514	429	398	479	678	513	660	241	0	0
GOLDEN PLOVER	0	0	36	190	261	402	208	213	90	0	0	0
TURNSTONE	0	0	276	250	194	254	280	308	314	130	0	0
COMMON SNIPE	0	0	6	5	29	62	60	53	38	4	0	0
JACK SNIPE	0	0	0	0	1	0	0	0	0	0	0	0
CURLEW	0	0	307	217	264	274	319	277	360	198	0	0
WHIMBREL	0	0	3	0	0	0	0	0	0	23	0	0
BL.TAILED GODWIT	0	0	71	58	33	134	200	134	140	10	0	0
BAR TAILED GODWIT	0	0	30	31	11	12	34	4	7	31	0	0
COMMON SANDPIPER	0	0	5	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	411	238	317	347	466	331	356	114	0	0
SPOTTED REDSHANK	0	0	3	2	1	0	1	1	1	1	0	0
GREENSHANK	0	0	14	4	0	0	0	0	0	0	0	0
KNOT	0	0	8	5	3	2	36	32	10	0	0	0
DUNLIN	0	0	566	870	1987	2694	3817	2303	2722	545	0	0
SANDERLING	0	0	2	0	0	0	0	2	3	0	0	0
RUFF	0	0	16	30	33	94	82	51	19	0	0	0
AVOCET	0	0	0	0	0	1	2	1	1	0	0	0
CURLEW SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	3	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	4	5	4	5	5	5	5	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PAGHAM, HBR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	360	320	327	361	384	340	337	256	0	0
LAPWING	0	0	261	1152	1144	2698	2603	2698	468	68	0	0
RINGED PLOVER	0	0	374	307	141	204	217	175	106	33	0	0
GREY PLOVER	0	0	630	644	522	801	890	667	949	333	0	0
GOLDEN PLOVER	0	0	131	463	706	728	570	460	200	0	0	0
TURNSTONE	0	0	353	351	213	545	348	448	475	193	0	0
COMMON SNIPE	0	0	13	9	73	140	213	108	84	5	0	0
JACK SNIPE	0	0	0	1	2	0	1	1	0	0	0	0
CURLEW	0	0	508	249	350	443	508	503	437	228	0	0
WHIMBREL	0	0	7	1	0	0	0	0	1	29	0	0
BL.TAILED GODWIT	0	0	182	100	57	281	617	307	546	17	0	0
BAR TAILED GODWIT	0	0	96	64	28	20	87	7	12	61	0	0
GREEN SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	11	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	474	354	445	392	686	420	469	117	0	0
SPOTTED REDSHANK	0	0	7	5	2	1	3	2	3	1	0	0
GREENSHANK	0	0	30	14	0	0	1	1	0	0	0	0
KNOT	0	0	15	24	8	7	161	105	40	0	0	0
DUNLIN	0	0	1024	1208	2809	3328	4775	3587	3900	634	0	0
SANDERLING	0	0	6	0	0	1	2	9	15	0	0	0
RUFF	0	0	25	60	77	203	302	114	51	0	0	0
AVOCET	0	0	0	0	1	2	6	2	4	0	0	0
CURLEW SANDPIPER	0	0	9	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	3	7	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	4	5	4	5	5	5	5	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PAGHAM, HBR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	345	0.1	0.0
LAPWING	2175	0.2	0.1
RINGED PLOVER	182	0.8	0.5
GREY PLOVER	731	3.5	0.9
GOLDEN PLOVER	482	0.2	0.0
TURNSTONE	387	0.9	0.8
COMMON SNIPE	97	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	428	0.5	0.1
WHIMBREL	0	0.0	0.0
BL. TAILED GODWIT	303	6.3	0.8
BAR TAILED GODWIT	37	0.1	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	499	0.7	0.2
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	0	0.0	0.0
KNOT	45	0.0	0.0
DUNLIN	3882	0.9	0.2
SANDERLING	5	0.0	0.0
RUFF	145	9.7	0.0
AVOCET	3	0.6	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ADUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	1	0	0	0	0	0	0	0	0
LAPWING	2	0	90	185	442	2564	876	890	33	4	2	0
RINGED PLOVER	24	330	114	64	108	87	141	115	35	0	0	0
GREY PLOVER	0	0	0	1	1	0	5	2	3	0	0	0
TURNSTONE	0	3	0	0	0	1	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	0	19	31	14	0	0	0	0
CURLEW	0	0	0	0	0	0	2	0	0	0	0	0
WHIMBREL	1	0	0	0	0	0	0	0	0	0	1	0
BAR TAILED GODWIT	0	0	3	2	1	1	0	0	0	0	0	0
COMMON SANDPIPER	0	1	1	0	0	0	0	0	0	0	0	0
REDSHANK	28	85	61	52	94	96	144	154	53	0	0	0
GREENSHANK	0	2	2	0	0	0	0	0	0	0	0	0
KNOT	0	0	2	0	0	0	0	0	0	0	0	0
DUNLIN	2	30	31	46	440	861	1116	880	384	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	1	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	1	4	4	5	5	5	5	5	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ADUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	1	1	1	1	1	0	0	0	0
LAPWING	2	0	220	500	850	9000	3000	2000	120	4	2	0
RINGED PLOVER	24	330	225	109	200	150	200	200	77	0	0	0
GREY PLOVER	0	0	0	3	1	1	14	4	14	0	0	0
TURNSTONE	0	3	0	0	0	6	0	0	0	0	0	0
COMMON SNIBE	0	0	0	1	1	62	150	60	0	0	0	0
CURLEW	0	0	0	1	0	0	8	1	0	0	0	0
WHIMBREL	1	0	0	0	0	0	0	0	0	0	1	0
BAR TAILED GODWIT	0	0	10	9	3	3	2	0	0	0	0	0
COMMON SANDPIPER	0	1	2	0	0	0	0	0	0	0	0	0
REDSHANK	28	85	80	60	164	110	231	300	73	0	0	0
GREENSHANK	0	2	3	0	0	0	0	0	0	0	0	0
KNOT	0	0	6	0	0	0	0	0	0	0	0	0
DUNLIN	2	30	36	80	520	1200	1570	1300	820	0	0	0
CURLEW SANDPIPER	0	0	6	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	1	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	1	4	4	5	5	5	5	5	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ADUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	0	0.0	0.0
LAPWING	3170	0.3	0.2
RINGED PLOVER	166	0.7	0.4
GREY PLOVER	8	0.0	0.0
TURNSTONE	1	0.0	0.0
COMMON SNIBE	49	-9.0	0.0
CURLEW	1	0.0	0.0
BAR TAILED GODWIT	1	0.0	0.0
REDSHANK	183	0.2	0.1
DUNLIN	1184	0.3	0.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR NEWHAVEN(OUSE)

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	1	2	1	0	8	0	0	0
LAPWING	0	1	60	350	450	905	1161	357	94	4	2	0
RINGED PLOVER	0	13	16	118	5	33	26	8	5	8	4	0
GREY PLOVER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SNIPE	0	0	0	0	15	15	55	9	18	4	1	0
JACK SNIPE	0	0	0	0	0	0	1	0	1	0	0	0
CURLEW	0	0	0	4	14	17	26	16	8	0	0	0
WHIMBREL	0	1	0	0	0	0	0	0	0	1	0	0
BAR TAILED GODWIT	0	0	0	0	0	0	1	0	0	0	0	0
COMMON SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
REDSHANK	0	1	5	28	15	11	24	15	19	5	2	0
KNOT	0	0	0	1	0	0	0	0	0	0	0	0
DUNLIN	0	6	29	28	40	55	67	70	60	20	6	0
PURPLE SANDPIPER	0	0	0	0	14	20	17	12	8	30	14	0
NUMBER OF COUNTS	0	2	4	4	5	5	5	5	4	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NEWHAVEN (OUSE)

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	7	7	2	2	30	0	0	0
LAPWING	0	2	200	700	800	1800	3000	900	200	4	2	0
RINGED PLOVER	0	21	42	412	21	52	35	15	8	8	4	0
GREY PLOVER	0	0	0	3	1	1	1	0	0	0	0	0
GOLDEN PLOVER	0	0	0	0	1	0	1	0	0	0	0	0
COMMON SNIFE	0	0	0	1	40	51	200	40	60	4	1	0
JACK SNIFE	0	0	0	0	1	1	2	0	1	0	0	0
CURLEW	0	0	0	8	28	32	36	31	27	0	0	0
WHIMBREL	0	1	0	0	0	0	0	0	0	1	0	0
BAR TAILED GODWIT	0	0	1	0	0	0	5	0	0	0	0	0
COMMON SANDPIPER	0	2	1	0	0	0	0	0	0	0	0	0
REDSHANK	0	1	11	59	25	26	55	30	37	5	2	0
SPOTTED REDSHANK	0	0	1	0	0	0	0	0	0	0	0	0
KNOT	0	0	0	2	0	0	0	0	0	0	0	0
DUNLIN	0	9	50	50	120	90	106	160	100	20	6	0
PURPLE SANDPIPER	0	0	0	0	26	28	28	37	32	30	14	0
WOODCOCK	0	0	0	0	1	0	1	0	0	0	0	0
NUMBER OF COUNTS	0	2	4	4	5	5	5	5	4	1	1	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR NEWHAVEN(OUSE)

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	7	0.0	0.0
LAPWING	1550	0.2	0.1
RINGED PLOVER	39	0.2	0.1
GREY PLOVER	0	0.0	0.0
GOLDEN PLOVER	0	0.0	0.0
COMMON SNIBE	61	-9.0	0.0
JACK SNIBE	1	-9.0	-9.0
CURLEW	27	0.0	0.0
BAR TAILED GODWIT	1	0.0	0.0
REDSHANK	33	0.0	0.0
DUNLIN	113	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR RYE HBR/PETT LEVEL

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	302	266	378	461	480	531	590	499	422	0	0	0
LAPWING	1300	330	459	771	1998	1412	809	1338	1452	0	0	0
RINGED PLOVER	100	132	91	50	24	18	21	23	35	0	0	0
GREY PLOVER	0	2	2	7	15	26	38	53	33	0	0	0
GOLDEN PLOVER	0	1	0	37	160	429	145	66	79	0	0	0
TURNSTONE	27	203	87	97	116	110	96	84	129	0	0	0
COMMON SNIPE	7	3	16	69	162	130	113	155	116	0	0	0
JACK SNIPE	0	0	0	0	1	1	1	1	0	0	0	0
CURLEW	400	101	104	144	125	156	294	262	173	0	0	0
WHIMBREL	5	6	1	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	1	0	2	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	3	2	4	0	0	0	1	3	2	0	0	0
GREEN SANDPIPER	3	1	0	0	1	0	1	0	1	0	0	0
WOOD SANDPIPER	1	0	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	45	3	0	0	0	0	0	0	0	0	0
REDSHANK	116	141	68	123	124	86	84	106	106	0	0	0
SPOTTED REDSHANK	0	1	1	0	0	0	0	0	0	0	0	0
GREENSHANK	1	3	2	1	0	0	0	0	0	0	0	0
KNOT	1	2	7	2	0	0	0	0	1	0	0	0
DUNLIN	46	149	72	95	224	395	268	559	154	0	0	0
SANDERLING	35	113	23	13	54	52	135	110	65	0	0	0
RUFF	0	1	4	0	0	0	1	0	0	0	0	0
CURLEW SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	3	2	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	2	5	5	5	5	4	4	5	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR RYE HBR/PETT LEVEL

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	302	370	511	700	669	660	720	590	583	0	0	0
LAPWING	1300	444	800	1245	3661	2236	1181	3394	2650	0	0	0
RINGED PLOVER	100	134	260	91	40	44	60	57	53	0	0	0
GREY PLOVER	0	3	5	9	32	50	67	90	70	0	0	0
GOLDEN PLOVER	0	1	0	95	303	868	312	151	340	0	0	0
TURNSTONE	27	251	226	200	250	205	280	250	223	0	0	0
COMMON SNIPE	7	5	23	92	294	170	165	445	365	0	0	0
JACK SNIPE	0	0	0	1	2	2	2	2	2	0	0	0
CURLEW	400	201	260	250	216	281	506	607	400	0	0	0
WHIMBREL	5	9	3	1	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	1	0	4	2	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	3	3	12	2	0	1	2	7	6	0	0	0
GREEN SANDPIPER	3	1	0	1	3	1	1	1	2	0	0	0
WOOD SANDPIPER	1	0	1	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	68	7	0	2	0	0	0	0	0	0	0
REDSHANK	116	155	160	195	185	134	133	231	171	0	0	0
SPOTTED REDSHANK	0	1	2	1	1	0	0	0	0	0	0	0
GREENSHANK	1	3	3	3	0	1	0	0	1	0	0	0
KNOT	1	2	19	8	1	0	0	0	3	0	0	0
DUNLIN	46	235	149	133	390	756	535	750	235	0	0	0
SANDERLING	35	156	50	26	95	140	210	197	95	0	0	0
RUFF	0	1	15	1	0	0	3	0	0	0	0	0
CURLEW SANDPIPER	0	0	0	3	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	6	4	0	2	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	2	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	2	5	5	5	5	4	4	5	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR RYE HBR/PETT LEVEL

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	632	0.2	0.1
LAPWING	2581	0.3	0.1
RINGED PLOVER	45	0.2	0.1
GREY PLOVER	55	0.3	0.1
GOLDEN PLOVER	477	0.2	0.0
TURNSTONE	166	0.4	0.3
COMMON SNIPE	226	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	286	0.3	0.1
BAR TAILED GODWIT	2	0.0	0.0
GREEN SANDPIPER	1	-9.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	147	0.2	0.1
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	0	0.0	0.0
KNOT	0	0.0	0.0
DUNLIN	622	0.1	0.0
SANDERLING	159	1.1	1.1
RUFF	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR PEGWELL BAY

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	117	309	420	460	487	398	388	415	356	135	96	117
LAPWING	107	10	53	57	350	407	80	64	39	1	5	48
RINGED PLOVER	15	244	198	158	138	80	80	73	38	44	62	18
GREY PLOVER	0	5	16	60	168	177	207	187	200	75	21	4
GOLDEN PLOVER	12	0	2	100	322	500	43	5	61	37	1	0
TURNSTONE	2	10	5	3	16	33	14	32	18	3	5	0
COMMON SNIPE	0	0	1	1	1	23	4	5	5	0	0	0
JACK SNIPE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	291	243	223	320	233	242	140	205	263	175	22	19
WHIMBREL	21	9	2	0	0	0	0	0	0	14	9	0
BL.TAILED GODWIT	1	0	1	0	0	0	0	0	0	2	0	0
BAR TAILED GODWIT	4	4	19	31	48	89	266	65	92	9	33	0
GREEN SANDPIPER	7	3	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	3	44	3	1	0	0	1	0	0	0	0	1
REDSHANK	201	195	210	177	189	102	126	135	279	120	12	11
SPOTTED REDSHANK	0	1	3	0	1	1	0	0	0	0	0	0
GREENSHANK	6	8	5	5	0	0	0	0	0	0	1	1
KNOT	1	11	27	7	13	91	199	123	183	8	2	2
DUNLIN	143	224	249	321	748	801	1454	1018	650	233	140	5
SANDERLING	5	30	42	29	20	33	66	69	104	60	24	2
RUFF	0	1	1	0	0	20	0	0	0	0	0	0
AVOCET	0	0	0	0	0	0	0	0	0	0	0	5
CURLEW SANDPIPER	0	1	11	2	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	0	0	0	0	0	1	0	0	0	0
LITTLE STINT	0	1	1	1	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	0	0	0	0
NUMBER OF COUNTS	3	4	4	4	4	4	4	4	4	3	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PEGWELL BAY

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	140	376	520	494	578	420	550	600	500	170	180	200
LAPWING	320	40	210	220	1238	1200	320	256	140	4	12	140
RINGED PLOVER	22	368	250	215	277	119	140	179	57	48	115	20
GREY PLOVER	1	7	20	84	186	207	293	271	245	126	39	8
GOLDEN PLOVER	35	0	5	400	1238	2000	150	20	130	112	4	0
TURNSTONE	3	22	6	4	51	85	25	96	38	4	8	1
COMMON SNIPE	1	1	3	3	2	92	15	20	18	1	0	0
JACK SNIPE	0	0	0	0	0	0	0	2	0	1	0	0
CURLEW	350	301	455	371	350	331	298	245	300	191	32	26
WHIMBREL	33	19	4	0	0	0	0	0	0	37	23	0
BL.TAILED GODWIT	2	1	1	0	0	1	1	1	1	6	1	0
BAR TAILED GODWIT	9	6	40	38	65	106	567	120	240	16	86	1
GREEN SANDPIPER	18	12	0	0	0	0	0	0	0	1	0	0
WOOD SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	83	8	1	0	1	2	0	0	0	1	3
REDSHANK	300	291	320	270	275	217	192	222	318	147	14	14
SPOTTED REDSHANK	0	3	6	1	1	1	0	0	1	1	1	0
GREENSHANK	12	12	7	9	0	0	0	0	0	1	1	4
KNOT	4	40	70	28	30	200	434	178	400	24	5	6
DUNLIN	180	316	350	700	1128	1221	3185	1372	1000	317	236	12
SANDERLING	10	39	54	35	41	77	150	185	183	80	39	5
RUFF	0	2	3	1	0	79	0	0	0	0	0	0
AVOCET	0	0	0	0	0	0	0	0	0	0	0	15
CURLEW SANDPIPER	0	3	24	4	0	0	0	0	0	0	0	0
KENTISH PLOVER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	0	0	0	0	0	3	0	1	0	0
LITTLE STINT	0	2	2	5	0	0	1	0	0	1	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	1	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	3	0	1	0	0
NUMBER OF COUNTS	3	4	4	4	4	4	4	4	4	3	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR PEGWELL BAY

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	539	0.2	0.1
LAPWING	420	0.0	0.0
RINGED PLOVER	165	0.7	0.4
GREY PLOVER	233	1.1	0.3
GOLDEN PLOVER	542	0.3	0.1
TURNSTONE	56	0.1	0.1
COMMON SNIBE	27	-9.0	0.0
JACK SNIBE	0	0.0	0.0
CURLEW	305	0.3	0.1
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	265	0.4	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	278	0.4	0.1
SPOTTED REDSHANK	0	0.0	0.0
KNOT	255	0.1	0.1
DUNLIN	1611	0.4	0.1
SANDERLING	118	0.8	0.8
RUFF	19	1.3	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR SWALE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	2067	3090	2797	3402	3993	3369	1362	0	0	0
LAPWING	0	0	811	1251	1556	2733	3262	6731	3460	0	0	0
RINGED PLOVER	0	0	285	245	247	165	139	229	110	0	0	0
GREY PLOVER	0	0	770	1141	1142	1237	642	1016	655	0	0	0
GOLDEN PLOVER	0	0	183	402	123	303	412	600	492	0	0	0
TURNSTONE	0	0	120	252	194	167	205	223	162	0	0	0
COMMON SNIPE	0	0	22	48	206	99	67	208	43	0	0	0
JACK SNIPE	0	0	0	1	0	0	0	0	0	0	0	0
CURLEW	0	0	988	1252	742	968	1282	1333	793	0	0	0
WHIMBREL	0	0	1	1	0	0	0	1	1	0	0	0
BL.TAILED GODWIT	0	0	9	11	7	1	31	47	331	0	0	0
BAR TAILED GODWIT	0	0	175	171	190	302	358	430	133	0	0	0
GREEN SANDPIPER	0	0	5	3	2	0	1	1	0	0	0	0
COMMON SANDPIPER	0	0	4	0	0	0	0	0	1	0	0	0
REDSHANK	0	0	925	1151	1141	1202	921	949	761	0	0	0
SPOTTED REDSHANK	0	0	44	29	8	2	1	8	2	0	0	0
GREENSHANK	0	0	73	36	5	1	3	1	1	0	0	0
KNOT	0	0	128	707	840	1813	1846	2500	696	0	0	0
DUNLIN	0	0	958	4736	10346	9784	9178	8533	2520	0	0	0
SANDERLING	0	0	1	39	30	4	13	100	0	0	0	0
RUFF	0	0	24	64	79	16	41	9	5	0	0	0
AVOCET	0	0	0	0	0	2	1	0	1	0	0	0
CURLEW SANDPIPER	0	0	6	3	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	4	8	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	1	0	2	2	0	0	0	0	0
NUMBER OF COUNTS	0	0	3	4	4	4	4	3	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SWALE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	4203	4311	5197	5107	5414	4748	2719	0	0	0
LAPWING	0	0	923	2485	2328	5037	11466	16127	9578	0	0	0
RINGED PLOVER	0	0	372	296	361	308	169	333	185	0	0	0
GREY PLOVER	0	0	1004	1529	1479	2971	1126	1487	1409	0	0	0
GOLDEN PLOVER	0	0	225	586	380	554	1117	1062	852	0	0	0
TURNSTONE	0	0	165	362	448	269	420	267	444	0	0	0
COMMON SNIPE	0	0	43	98	502	198	153	440	74	0	0	0
JACK SNIPE	0	0	0	1	1	1	0	0	0	0	0	0
CURLEW	0	0	1251	1805	1540	1904	3119	2070	1292	0	0	0
WHIMBREL	0	0	2	3	0	0	0	2	2	0	0	0
BL.TAILED GODWIT	0	0	26	27	12	3	75	85	773	0	0	0
BAR TAILED GODWIT	0	0	283	423	402	653	675	628	312	0	0	0
GREEN SANDPIPER	0	0	12	5	2	0	3	2	0	0	0	0
COMMON SANDPIPER	0	0	10	1	0	0	1	0	3	0	0	0
REDSHANK	0	0	1353	2503	1893	2500	1561	1278	1707	0	0	0
SPOTTED REDSHANK	0	0	91	54	14	2	3	20	5	0	0	0
GREENSHANK	0	0	98	47	14	2	10	4	3	0	0	0
KNOT	0	0	240	1539	1581	2222	2880	5209	1450	0	0	0
DUNLIN	0	0	1697	5580	14253	18014	12256	10817	3789	0	0	0
SANDERLING	0	0	2	144	120	16	50	300	0	0	0	0
RUFF	0	0	62	120	150	63	97	25	10	0	0	0
AVOCET	0	0	0	0	1	5	2	0	3	0	0	0
CURLEW SANDPIPER	0	0	12	7	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	6	19	3	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	4	0	6	7	0	0	0	0	0
NUMBER OF COUNTS	0	0	3	4	4	4	4	3	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SWALE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	4288	1.5	0.6
LAPWING	8415	0.8	0.4
RINGED PLOVER	299	1.3	0.7
GREY PLOVER	1736	8.3	2.2
GOLDEN PLOVER	820	0.4	0.1
TURNSTONE	376	0.8	0.8
COMMON SNIPE	282	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	1942	2.1	0.6
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	352	7.3	0.9
BAR TAILED GODWIT	491	0.8	0.1
GREEN SANDPIPER	2	-9.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	1706	2.3	0.9
SPOTTED REDSHANK	9	4.5	0.0
GREENSHANK	5	1.2	0.0
KNOT	2763	1.3	0.8
DUNLIN	12876	3.0	0.6
SANDERLING	105	0.7	0.7
RUFF	84	5.6	0.0
AVOCET	2	0.4	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS, 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR MEDWAY

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	415	0	705	416	595	808	645	429	518	490	94	78
LAPWING	49	0	146	168	400	473	126	317	75	81	28	96
RINGED PLOVER	84	0	875	759	683	802	469	573	35	30	11	13
GREY PLOVER	343	0	758	742	885	1420	352	798	424	64	5	0
GOLDEN PLOVER	12	0	12	12	31	163	0	0	0	0	0	0
TURNSTONE	18	0	208	257	222	295	245	52	82	66	49	3
COMMON SNIPE	9	0	3	3	15	11	24	11	10	1	0	3
CURLEW	320	0	306	476	651	688	337	227	287	161	3	17
WHIMBREL	3	0	2	0	0	0	0	0	0	3	1	0
BL.TAILED GODWIT	32	0	0	54	75	87	0	12	1	289	0	0
BAR TAILED GODWIT	1	0	16	14	10	34	16	225	19	0	0	0
GREEN SANDPIPER	1	0	1	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	2	0	1	1	0	0	0	0	0	0	1	1
REDSHANK	890	0	3060	2831	2390	2167	1296	1546	1517	329	90	106
SPOTTED REDSHANK	40	0	117	22	48	22	25	0	2	0	2	0
GREENSHANK	50	0	140	51	11	17	6	10	1	6	2	0
KNOT	681	0	276	56	330	166	0	88	0	0	0	0
DUNLIN	0	0	2408	7926	13182	18261	13786	22047	5280	373	300	0
SANDERLING	0	0	0	0	2	12	14	23	6	0	0	0
RUFF	0	0	4	0	0	0	0	0	0	0	0	0
AVOCET	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW SANDPIPER	0	0	12	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	0	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	0	2	3	3	2	1	1	2	1	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MEDWAY

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	415	0	772	541	784	1066	645	429	919	490	94	78
LAPWING	49	0	188	254	1008	777	126	317	150	81	28	96
RINGED PLOVER	84	0	991	1085	1285	852	469	573	38	30	11	13
GREY PLOVER	343	0	1040	819	1450	1813	352	798	463	64	5	0
GOLDEN PLOVER	12	0	15	35	93	310	0	0	0	0	0	0
TURNSTONE	18	0	313	343	343	378	245	52	103	66	49	3
COMMON SNIPE	9	0	4	7	23	11	24	11	15	1	0	3
CURLEW	320	0	327	707	768	902	337	227	480	161	3	17
WHIMBREL	3	0	2	0	0	0	0	0	0	3	1	0
BL.TAILED GODWIT	32	0	0	99	143	142	0	12	1	289	0	0
BAR TAILED GODWIT	1	0	22	34	21	57	16	225	37	0	0	0
GREEN SANDPIPER	1	0	1	1	2	0	0	0	0	0	0	0
COMMON SANDPIPER	2	0	2	1	0	0	0	0	0	0	1	1
REDSHANK	890	0	3227	4505	2844	2819	1296	1546	2841	329	90	106
SPOTTED REDSHANK	40	0	222	28	56	32	25	0	3	0	2	0
GREENSHANK	50	0	143	69	20	19	6	10	1	6	2	0
KNOT	681	0	450	100	800	330	0	88	0	0	0	0
DUNLIN	0	0	2764	10630	16262	18366	13786	22047	9510	373	300	0
SANDERLING	0	0	0	0	3	12	14	23	11	0	0	0
RUFF	0	0	8	0	0	0	0	0	0	0	0	0
AVOCET	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW SANDPIPER	0	0	23	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	0	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	1	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	0	2	3	3	2	1	1	2	1	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MEDWAY

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	876	0.3	0.1
LAPWING	483	0.0	0.0
RINGED PLOVER	835	3.6	2.1
GREY PLOVER	1229	5.9	1.5
GOLDEN PLOVER	108	0.1	0.0
TURNSTONE	278	0.6	0.6
COMMON SNIPE	22	-9.0	0.0
CURLEW	709	0.8	0.2
BL.TAILED GODWIT	75	1.6	0.2
BAR TAILED GODWIT	101	0.2	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	2398	3.2	1.2
SPOTTED REDSHANK	48	24.0	0.1
GREENSHANK	13	3.2	0.0
KNOT	412	0.2	0.1
DUNLIN	18066	4.2	0.9
SANDERLING	16	0.1	0.1
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR THAMES

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	5340	8593	7714	12704	7317	5280	6182	0	0	0
LAPWING	0	0	625	2423	1390	3605	4139	2240	1514	0	0	0
RINGED PLOVER	0	0	548	357	454	707	712	284	319	0	0	0
GREY PLOVER	0	0	2125	1029	1407	1617	1623	1482	1588	0	0	0
GOLDEN PLOVER	0	0	247	689	324	1112	1118	456	599	0	0	0
TURNSTONE	0	0	391	126	435	619	265	382	302	0	0	0
COMMON SNIBE	0	0	23	30	53	38	26	102	64	0	0	0
JACK SNIBE	0	0	0	0	0	1	0	2	0	0	0	0
CURLEW	0	0	2870	2603	1563	2385	2639	2305	2299	0	0	0
WHIMBREL	0	0	23	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	5	1	40	14	0	2	1	0	0	0
BAR TAILED GODWIT	0	0	2589	1605	1399	1580	3966	2857	2091	0	0	0
GREEN SANDPIPER	0	0	14	5	2	1	1	3	3	0	0	0
COMMON SANDPIPER	0	0	5	2	1	0	1	1	1	0	0	0
REDSHANK	0	0	3436	4688	3263	3697	3154	2739	2905	0	0	0
SPOTTED REDSHANK	0	0	10	4	0	0	0	0	1	0	0	0
GREENSHANK	0	0	106	23	2	2	0	1	0	0	0	0
KNOT	0	0	821	810	5640	17387	11418	19665	13796	0	0	0
DUNLIN	0	0	1848	9596	12669	22132	21351	19025	9277	0	0	0
SANDERLING	0	0	87	11	7	6	7	11	3	0	0	0
RUFF	0	0	21	2	1	1	12	2	1	0	0	0
AVOCET	0	0	5	6	3	6	8	6	10	0	0	0
CURLEW SANDPIPER	0	0	40	1	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	5	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	2	3	2	2	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR THAMES

PEAK MONTHLY COUNTS FOR YEARS 1982 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	6610	9753	9254	19258	8661	7949	9090	0	0	0
LAPWING	0	0	733	3060	2004	5200	5977	3103	1599	0	0	0
RINGED PLOVER	0	0	836	432	668	821	828	370	494	0	0	0
GREY PLOVER	0	0	2204	1184	2615	1800	1635	1947	1788	0	0	0
GOLDEN PLOVER	0	0	302	832	647	1410	1365	747	1118	0	0	0
TURNSTONE	0	0	494	199	638	892	356	630	481	0	0	0
COMMON SNIPE	0	0	25	33	69	54	39	164	131	0	0	0
JACK SNIPE	0	0	0	0	1	2	0	4	1	0	0	0
CURLEW	0	0	3739	2935	1877	2707	3067	2808	2711	0	0	0
WHIMBREL	0	0	40	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	6	1	116	27	0	5	4	0	0	0
BAR TAILED GODWIT	0	0	2679	1744	1678	1764	4655	2986	3524	0	0	0
GREEN SANDPIPER	0	0	17	5	3	2	1	4	5	0	0	0
COMMON SANDPIPER	0	0	6	3	4	0	2	3	3	0	0	0
REDSHANK	0	0	4700	6110	4456	3866	3695	2837	3599	0	0	0
SPOTTED REDSHANK	0	0	19	8	1	0	0	1	3	0	0	0
GREENSHANK	0	0	163	43	4	4	0	2	1	0	0	0
KNOT	0	0	1453	1071	6327	19565	12922	29098	24787	0	0	0
DUNLIN	0	0	2024	10359	15107	25371	28643	29502	11297	0	0	0
SANDERLING	0	0	153	17	15	10	14	23	6	0	0	0
RUFF	0	0	22	4	2	1	24	5	1	0	0	0
AVOCET	0	0	9	11	8	11	15	17	22	0	0	0
CURLEW SANDPIPER	0	0	80	1	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	7	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	1	0	1	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	0	1	0	0	0
NUMBER OF COUNTS	0	0	2	2	3	2	2	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR THAMES

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	11778	4.2	1.6
LAPWING	4395	0.4	0.2
RINGED PLOVER	772	3.4	1.9
GREY PLOVER	2116	10.1	2.6
GOLDEN PLOVER	1114	0.6	0.1
TURNSTONE	667	1.5	1.3
COMMON SNIPE	121	-9.0	0.0
JACK SNIPE	2	-9.0	-9.0
CURLEW	2860	3.1	1.0
BL.TAILED GODWIT	39	0.8	0.1
BAR TAILED GODWIT	3818	6.3	0.7
GREEN SANDPIPER	4	-9.0	0.1
COMMON SANDPIPER	1	-9.0	-9.0
REDSHANK	4005	5.3	2.0
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	3	0.7	0.0
KNOT	19665	8.9	5.6
DUNLIN	25679	6.0	1.3
SANDERLING	13	0.1	0.1
RUFF	10	0.7	0.0
AVOCET	10	2.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR CROUCH-ROACH

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	8	0	1	3	1	74	89	134	0	0
LAPWING	0	0	369	863	2498	1362	271	1619	401	54	0	0
RINGED PLOVER	0	0	71	34	157	128	59	55	18	21	0	0
GREY PLOVER	0	0	0	14	76	36	43	43	14	20	0	0
GOLDEN PLOVER	0	0	235	57	789	387	456	238	1	202	0	0
TURNSTONE	0	0	0	3	6	3	2	4	9	1	0	0
COMMON SNIPE	0	0	23	20	15	34	17	10	49	6	0	0
JACK SNIPE	0	0	0	0	0	0	2	0	0	0	0	0
CURLEW	0	0	157	204	294	255	306	387	334	154	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	4	0	0
BL.TAILED GODWIT	0	0	0	0	0	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	0	0	0	1	0	0	1	1	0	0
GREEN SANDPIPER	0	0	6	2	1	3	0	0	0	0	0	0
COMMON SANDPIPER	0	0	6	0	0	0	0	0	0	2	0	0
REDSHANK	0	0	1300	1021	620	1255	727	934	483	357	0	0
SPOTTED REDSHANK	0	0	3	16	1	1	0	0	2	1	0	0
GREENSHANK	0	0	13	5	0	0	0	1	0	0	0	0
DUNLIN	0	0	6	575	2815	4388	3926	4291	365	123	0	0
RUFF	0	0	1	0	0	0	1	0	14	0	0	0
WOODCOCK	0	0	0	0	0	1	1	0	0	1	0	0
NUMBER OF COUNTS	0	0	1	2	2	2	2	2	1	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CROUCH-ROACH

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	8	0	1	4	2	106	89	192	0	0
LAPWING	0	0	369	990	2555	1562	490	2321	401	62	0	0
RINGED PLOVER	0	0	71	58	164	196	93	63	18	29	0	0
GREY PLOVER	0	0	0	14	99	54	63	61	14	24	0	0
GOLDEN PLOVER	0	0	235	67	1359	472	911	475	1	210	0	0
TURNSTONE	0	0	0	5	12	6	3	7	9	1	0	0
COMMON SNIPE	0	0	23	30	23	46	17	17	49	8	0	0
JACK SNIPE	0	0	0	0	0	0	2	0	0	0	0	0
CURLEW	0	0	157	335	344	341	358	618	334	212	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	7	0	0
BL. TAILED GODWIT	0	0	0	0	0	0	0	2	0	0	0	0
BAR TAILED GODWIT	0	0	0	0	0	1	0	0	1	1	0	0
GREEN SANDPIPER	0	0	6	2	1	3	0	0	0	0	0	0
COMMON SANDPIPER	0	0	6	0	0	0	0	0	0	3	0	0
REDSHANK	0	0	1300	1267	711	1410	910	1015	483	370	0	0
SPOTTED REDSHANK	0	0	3	30	1	1	0	0	2	1	0	0
GREENSHANK	0	0	13	8	0	0	0	1	0	0	0	0
DUNLIN	0	0	6	668	3482	4700	5170	6076	365	184	0	0
RUFF	0	0	1	0	0	0	1	0	14	0	0	0
WOODCOCK	0	0	0	0	0	1	1	0	0	1	0	0
NUMBER OF COUNTS	0	0	1	2	2	2	2	2	1	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR CROUCH-ROACH

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	78	0.0	0.0
LAPWING	2052	0.2	0.1
RINGED PLOVER	169	0.7	0.4
GREY PLOVER	71	0.3	0.1
GOLDEN PLOVER	829	0.4	0.1
TURNSTONE	7	0.0	0.0
COMMON SNIPE	31	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	405	0.4	0.1
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	0	0.0	0.0
GREEN SANDPIPER	1	-9.0	0.0
REDSHANK	1175	1.6	0.6
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	0	0.0	0.0
DUNLIN	4544	1.1	0.2
RUFF	5	0.3	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR DENGIE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	750	500	500	140	678	504	500	0	0	0
LAPWING	0	0	0	0	8	70	34	0	0	0	0	0
RINGED PLOVER	0	0	75	60	24	22	15	18	80	0	0	0
GREY PLOVER	0	0	700	600	836	545	803	1180	160	0	0	0
GOLDEN PLOVER	0	0	500	150	352	212	65	0	0	0	0	0
TURNSTONE	0	0	0	50	134	92	244	156	50	0	0	0
COMMON SNIPE	0	0	0	0	0	26	0	0	0	0	0	0
CURLEW	0	0	150	400	720	213	158	324	80	0	0	0
BAR TAILED GODWIT	0	0	350	150	450	0	334	180	76	0	0	0
REDSHANK	0	0	0	500	328	125	229	252	245	0	0	0
GREENSHANK	0	0	0	0	0	2	0	0	0	0	0	0
KNOT	0	0	200	0	4290	140	3683	320	50	0	0	0
DUNLIN	0	0	3000	3000	5160	1120	2400	4800	2000	0	0	0
SANDERLING	0	0	50	0	50	10	18	30	25	0	0	0
LITTLE STINT	0	0	0	0	0	0	1	0	0	0	0	0
WOODCOCK	0	0	0	0	0	1	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	3	1	1	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DENGIE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	750	500	500	140	1400	504	500	0	0	0
LAPWING	0	0	0	0	8	70	50	0	0	0	0	0
RINGED PLOVER	0	0	75	60	24	22	34	18	80	0	0	0
GREY PLOVER	0	0	700	600	836	545	1380	1180	160	0	0	0
GOLDEN PLOVER	0	0	500	150	352	212	75	0	0	0	0	0
TURNSTONE	0	0	0	50	134	92	396	156	50	0	0	0
COMMON SNIPE	0	0	0	0	0	26	1	0	0	0	0	0
CURLEW	0	0	150	400	720	213	230	324	80	0	0	0
BAR TAILED GODWIT	0	0	350	150	450	0	400	180	76	0	0	0
REDSHANK	0	0	0	500	328	125	402	252	245	0	0	0
GREENSHANK	0	0	0	0	0	2	0	0	0	0	0	0
KNOT	0	0	200	0	4290	140	5530	320	50	0	0	0
DUNLIN	0	0	3000	3000	5160	1120	3650	4800	2000	0	0	0
SANDERLING	0	0	50	0	50	10	30	30	25	0	0	0
LITTLE STINT	0	0	0	0	0	0	3	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	1	0	0	0	0	0
WOODCOCK	0	0	0	0	0	1	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	3	1	1	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DENGIE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	634	0.2	0.1
LAPWING	32	0.0	0.0
RINGED PLOVER	34	0.1	0.1
GREY PLOVER	897	4.3	1.1
GOLDEN PLOVER	174	0.1	0.0
TURNSTONE	222	0.5	0.4
COMMON SNIPE	6	-9.0	0.0
CURLEW	326	0.4	0.1
BAR TAILED GODWIT	362	0.6	0.1
REDSHANK	254	0.3	0.1
GREENSHANK	0	0.0	0.0
KNOT	3835	1.7	1.1
DUNLIN	3090	0.7	0.2
SANDERLING	26	0.2	0.2

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BLACKWATER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	16	323	0	508	301	335	114	0	0
LAPWING	0	0	0	241	139	0	542	425	504	95	0	0
RINGED PLOVER	0	0	0	365	480	0	163	79	72	31	0	0
GREY PLOVER	0	0	0	961	459	0	668	275	716	412	0	0
GOLDEN PLOVER	0	0	0	542	298	0	622	60	359	365	0	0
TURNSTONE	0	0	0	221	378	0	300	96	275	127	0	0
COMMON SNIBE	0	0	0	72	27	0	24	2	46	4	0	0
JACK SNIBE	0	0	0	0	1	0	0	0	0	0	0	0
CURLEW	0	0	0	2465	952	0	751	1011	981	325	0	0
WHIMBREL	0	0	0	0	0	0	0	0	0	1	0	0
BL.TAILED GODWIT	0	0	0	154	55	0	0	0	73	4	0	0
BAR TAILED GODWIT	0	0	0	49	74	0	77	0	24	1	0	0
GREEN SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
REDSHANK	0	0	0	1253	1007	0	865	273	1091	260	0	0
SPOTTED REDSHANK	0	0	0	5	1	0	0	0	0	2	0	0
GREENSHANK	0	0	0	5	1	0	1	0	0	2	0	0
KNOT	0	0	0	4	3	0	21	27	26	0	0	0
DUNLIN	0	0	0	6142	10325	0	16304	3664	5938	1468	0	0
SANDERLING	0	0	0	0	22	0	17	2	10	0	0	0
RUFF	0	0	0	6	0	0	0	0	8	0	0	0
AVOCET	0	0	0	0	0	0	0	0	0	1	0	0
LITTLE STINT	0	0	0	9	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	1	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	1	0	0	0
NUMBER OF COUNTS	0	0	0	1	2	0	3	1	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLACKWATER

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	16	328	0	999	301	335	114	0	0
LAPWING	0	0	0	241	208	0	679	425	504	95	0	0
RINGED PLOVER	0	0	0	365	717	0	205	79	72	31	0	0
GREY PLOVER	0	0	0	961	648	0	874	275	716	412	0	0
GOLDEN PLOVER	0	0	0	542	359	0	1021	60	359	365	0	0
TURNSTONE	0	0	0	221	443	0	419	96	275	127	0	0
COMMON SNIPE	0	0	0	72	46	0	33	2	46	4	0	0
JACK SNIPE	0	0	0	0	2	0	0	0	0	0	0	0
CURLEW	0	0	0	2465	972	0	957	1011	981	325	0	0
WHIMBREL	0	0	0	0	0	0	0	0	0	1	0	0
BL.TAILED GODWIT	0	0	0	154	101	0	1	0	73	4	0	0
BAR TAILED GODWIT	0	0	0	49	109	0	119	0	24	1	0	0
GREEN SANDPIPER	0	0	0	0	2	0	0	0	0	0	0	0
REDSHANK	0	0	0	1253	1093	0	1040	273	1091	260	0	0
SPOTTED REDSHANK	0	0	0	5	2	0	0	0	0	2	0	0
GREENSHANK	0	0	0	5	1	0	2	0	0	2	0	0
KNOT	0	0	0	4	4	0	60	27	26	0	0	0
DUNLIN	0	0	0	6142	12350	0	21558	3664	5938	1468	0	0
SANDERLING	0	0	0	0	43	0	50	2	10	0	0	0
RUFF	0	0	0	6	0	0	0	0	8	0	0	0
AVOCET	0	0	0	0	0	0	0	0	0	1	0	0
LITTLE STINT	0	0	0	9	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	2	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	0	1	1	0	0	0
NUMBER OF COUNTS	0	0	0	1	2	0	3	1	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLACKWATER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	475	0.2	0.1
LAPWING	458	0.0	0.0
RINGED PLOVER	312	1.4	0.8
GREY PLOVER	711	3.4	0.9
GOLDEN PLOVER	569	0.3	0.1
TURNSTONE	378	0.8	0.8
COMMON SNIPE	30	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	967	1.1	0.3
BL. TAILED GODWIT	45	0.9	0.1
BAR TAILED GODWIT	90	0.1	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	1036	1.4	0.5
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	0	0.0	0.0
KNOT	23	0.0	0.0
DUNLIN	15315	3.6	0.8
SANDERLING	25	0.2	0.2
RUFF	2	0.1	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR COLNE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	479	540	452	620	694	670	441	79	0	0
LAPWING	0	0	92	79	332	1249	273	111	175	29	0	0
RINGED PLOVER	0	0	67	298	216	222	81	97	87	40	0	0
GREY PLOVER	0	0	124	129	203	219	336	305	364	89	0	0
GOLDEN PLOVER	0	0	41	46	182	396	233	111	151	45	0	0
TURNSTONE	0	0	339	180	88	93	117	128	53	35	0	0
COMMON SNIFE	0	0	1	4	11	14	6	2	5	8	0	0
CURLEW	0	0	105	217	309	270	316	292	222	77	0	0
WHIMBREL	0	0	0	1	0	0	0	0	0	1	0	0
BL. TAILED GODWIT	0	0	0	15	0	6	151	121	57	100	0	0
BAR TAILED GODWIT	0	0	3	3	1	1	5	3	2	2	0	0
GREEN SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	400	725	737	353	484	386	244	264	0	0
GREENSHANK	0	0	3	0	0	0	0	0	0	1	0	0
KNOT	0	0	15	1	0	20	89	37	0	0	0	0
DUNLIN	0	0	760	2770	5247	4417	3641	2621	1694	690	0	0
SANDERLING	0	0	280	130	140	64	81	121	83	43	0	0
AVOCET	0	0	0	0	0	0	0	0	0	1	0	0
PURPLE SANDPIPER	0	0	0	0	0	1	0	1	0	0	0	0
NUMBER OF COUNTS	0	0	1	2	5	3	4	4	5	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR COLNE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	479	655	811	840	1000	780	548	157	0	0
LAPWING	0	0	92	95	1268	2900	460	280	305	40	0	0
RINGED PLOVER	0	0	67	345	401	550	100	190	120	80	0	0
GREY PLOVER	0	0	124	150	390	410	782	418	590	174	0	0
GOLDEN PLOVER	0	0	41	91	555	578	551	220	350	90	0	0
TURNSTONE	0	0	339	235	231	230	247	248	80	70	0	0
COMMON SNIBE	0	0	1	6	47	34	14	5	15	10	0	0
CURLEW	0	0	105	217	660	336	547	515	334	92	0	0
WHIMBREL	0	0	0	1	0	0	0	0	0	1	0	0
BL.TAILED GODWIT	0	0	0	30	1	15	220	300	100	200	0	0
BAR TAILED GODWIT	0	0	3	4	2	2	11	9	5	3	0	0
GREEN SANDPIPER	0	0	1	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	3	0	0	0	0	0	1	0	0	0
REDSHANK	0	0	400	750	1500	620	1005	582	400	358	0	0
GREENSHANK	0	0	3	0	0	0	0	1	0	1	0	0
KNOT	0	0	15	1	1	59	145	82	1	0	0	0
DUNLIN	0	0	760	3190	11300	6450	5510	4700	2195	804	0	0
SANDERLING	0	0	280	255	330	118	209	185	125	85	0	0
AVOCET	0	0	0	0	0	0	0	0	0	1	0	0
PURPLE SANDPIPER	0	0	0	0	1	1	0	1	1	0	0	0
WOODCOCK	0	0	0	0	0	1	1	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	2	5	3	4	4	5	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR COLNE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	687	0.2	0.1
LAPWING	898	0.1	0.0
RINGED PLOVER	273	1.2	0.7
GREY PLOVER	432	2.1	0.5
GOLDEN PLOVER	458	0.2	0.0
TURNSTONE	167	0.4	0.3
COMMON SNIPE	16	-9.0	0.0
CURLEW	478	0.5	0.2
BL.TAILED GODWIT	142	3.0	0.4
BAR TAILED GODWIT	6	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	795	1.1	0.4
GREENSHANK	0	0.0	0.0
KNOT	77	0.0	0.0
DUNLIN	5785	1.3	0.3
SANDERLING	159	1.1	1.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR HAMFORD WATER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	101	278	351	392	692	385	121	40	0	0
LAPWING	0	0	186	312	360	731	245	308	56	21	0	0
RINGED PLOVER	0	0	27	79	102	23	36	26	30	9	0	0
GREY PLOVER	0	0	203	546	823	481	815	252	167	13	0	0
GOLDEN PLOVER	0	0	156	99	288	244	28	417	363	94	0	0
TURNSTONE	0	0	12	31	61	19	36	53	19	1	0	0
COMMON SNIBE	0	0	1	18	37	9	8	6	0	0	0	0
JACK SNIBE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	0	0	701	627	430	249	236	404	143	81	0	0
WHIMBREL	0	0	0	0	0	0	0	0	0	1	0	0
BL. TAILED GODWIT	0	0	132	311	338	400	167	69	50	26	0	0
BAR TAILED GODWIT	0	0	59	128	24	17	100	62	9	10	0	0
GREEN SANDPIPER	0	0	1	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	7	0	0	0	0	0	0	1	0	0
REDSHANK	0	0	637	1070	1186	898	865	642	508	204	0	0
SPOTTED REDSHANK	0	0	6	4	5	0	1	1	1	0	0	0
GREENSHANK	0	0	17	15	1	0	0	0	0	0	0	0
KNOT	0	0	15	114	343	455	283	614	3	4	0	0
DUNLIN	0	0	1910	3501	6297	4834	4574	3244	1574	282	0	0
SANDERLING	0	0	10	61	87	52	159	115	56	1	0	0
RUFF	0	0	1	2	12	1	0	1	0	0	0	0
AVOCET	0	0	0	1	12	8	5	5	0	0	0	0
CURLEW SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	2	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	1	2	0	1	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	0	0	5	5	5	5	5	5	5	3	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HAMFORD WATER

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	173	450	570	1200	1446	661	230	44	0	0
LAPWING	0	0	370	650	714	2140	456	855	150	37	0	0
RINGED PLOVER	0	0	101	200	230	64	110	47	70	20	0	0
GREY PLOVER	0	0	600	1000	2282	803	1430	548	500	25	0	0
GOLDEN PLOVER	0	0	350	267	800	520	120	1213	1000	270	0	0
TURNSTONE	0	0	30	85	185	76	100	130	55	2	0	0
COMMON SNIPE	0	0	4	48	70	24	30	18	1	0	0	0
JACK SNIPE	0	0	0	1	1	0	2	0	0	0	0	0
CURLEW	0	0	2300	1400	860	557	435	650	231	150	0	0
WHIMBREL	0	0	1	1	0	0	0	0	0	3	0	0
BL.TAILED GODWIT	0	0	383	603	910	580	310	186	117	47	0	0
BAR TAILED GODWIT	0	0	180	530	57	42	400	125	25	29	0	0
GREEN SANDPIPER	0	0	6	3	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	21	0	1	0	0	0	0	2	0	0
REDSHANK	0	0	978	1600	2210	2131	2000	1193	947	400	0	0
SPOTTED REDSHANK	0	0	12	7	21	2	4	2	2	0	0	0
GREENSHANK	0	0	33	55	2	1	0	0	0	0	0	0
KNOT	0	0	65	500	1034	2000	1000	2700	17	11	0	0
DUNLIN	0	0	4300	7850	10450	9390	8322	4980	4000	400	0	0
SANDERLING	0	0	48	180	200	140	395	322	210	4	0	0
RUFF	0	0	5	8	36	4	0	5	0	0	0	0
AVOCET	0	0	0	4	38	18	19	18	0	0	0	0
CURLEW SANDPIPER	0	0	0	2	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	8	2	0	1	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	4	4	1	4	0	0	0
WOODCOCK	0	0	0	0	1	1	4	0	0	0	0	0
NUMBER OF COUNTS	0	0	5	5	5	5	5	5	5	3	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HANFORD WATER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	725	0.3	0.1
LAPWING	887	0.1	0.0
RINGED PLOVER	109	0.5	0.3
GREY PLOVER	1012	4.8	1.3
GOLDEN PLOVER	712	0.4	0.1
TURNSTONE	100	0.2	0.2
COMMON SNIPE	38	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	508	0.6	0.2
BL.TAILED GODWIT	557	11.6	1.4
BAR TAILED GODWIT	143	0.2	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	1483	2.0	0.7
SPOTTED REDSHANK	6	3.0	0.0
GREENSHANK	1	0.2	0.0
KNOT	1092	0.5	0.3
DUNLIN	7434	1.7	0.4
SANDERLING	207	1.5	1.4
RUFF	12	0.8	0.0
AVOCET	12	2.4	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR STOUR

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	375	271	420	190	208	198	234	0	0	0
LAPWING	0	0	86	268	347	653	475	422	207	0	0	0
RINGED PLOVER	0	0	179	122	97	217	158	97	52	0	0	0
GREY PLOVER	0	0	568	343	552	754	716	755	454	0	0	0
GOLDEN PLOVER	0	0	2	3	0	120	2	0	0	0	0	0
TURNSTONE	0	0	163	260	339	352	253	162	205	0	0	0
COMMON SNIPE	0	0	2	2	7	8	17	9	20	0	0	0
CURLEW	0	0	451	471	541	444	466	541	958	0	0	0
BL.TAILED GODWIT	0	0	115	487	437	128	625	843	340	0	0	0
BAR TAILED GODWIT	0	0	8	1	0	1	1	0	2	0	0	0
COMMON SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	2207	1920	2257	2024	1944	1801	1260	0	0	0
GREENSHANK	0	0	7	1	0	0	1	0	0	0	0	0
KNOT	0	0	144	44	52	407	691	874	157	0	0	0
DUNLIN	0	0	1179	5815	12448	12211	13666	12030	4621	0	0	0
CURLEW SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	3	5	5	5	5	5	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR STOUR

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	439	363	481	417	376	399	413	0	0	0
LAPWING	0	0	146	518	603	1026	1667	607	491	0	0	0
RINGED PLOVER	0	0	250	304	169	503	387	134	67	0	0	0
GREY PLOVER	0	0	708	541	943	1125	1122	1084	782	0	0	0
GOLDEN PLOVER	0	0	4	15	1	558	10	1	0	0	0	0
TURNSTONE	0	0	249	497	426	469	318	250	408	0	0	0
COMMON SNIPE	0	0	5	5	15	13	50	17	39	0	0	0
JACK SNIPE	0	0	0	1	0	0	0	1	0	0	0	0
CURLEW	0	0	932	917	854	629	618	707	2395	0	0	0
BL.TAILED GODWIT	0	0	174	750	806	426	1050	1660	715	0	0	0
BAR TAILED GODWIT	0	0	17	3	0	4	4	1	9	0	0	0
GREEN SANDPIPER	0	0	0	1	1	1	0	0	1	0	0	0
COMMON SANDPIPER	0	0	2	1	1	1	0	0	0	0	0	0
REDSHANK	0	0	3343	3463	3365	3221	2125	2748	1461	0	0	0
SPOTTED REDSHANK	0	0	0	0	1	1	1	1	0	0	0	0
GREENSHANK	0	0	11	3	0	0	3	2	0	0	0	0
KNOT	0	0	400	200	119	697	1429	1653	435	0	0	0
DUNLIN	0	0	2500	11576	15466	16355	20854	16478	10093	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	3	2	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	3	5	5	5	5	5	4	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR STOUR

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	427	0.2	0.1
LAPWING	912	0.1	0.0
RINGED PLOVER	243	1.1	0.6
GREY PLOVER	1011	4.8	1.3
GOLDEN PLOVER	120	0.1	0.0
TURNSTONE	415	0.9	0.8
COMMON SNIPE	26	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	1072	1.2	0.4
BL.TAILED GODWIT	1083	22.6	2.7
BAR TAILED GODWIT	2	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	2544	3.4	1.3
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	1	0.2	0.0
KNOT	999	0.5	0.3
DUNLIN	16480	3.8	0.8

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ORWELL

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	131	75	923	966	884	1014	908	748	929	0	0	0
LAPWING	16	20	135	519	1155	1139	687	571	178	0	0	0
RINGED PLOVER	76	319	442	450	587	439	293	229	226	0	0	0
GREY PLOVER	0	16	19	106	183	204	196	225	178	0	0	0
GOLDEN PLOVER	0	0	0	1	83	27	29	0	20	0	0	0
TURNSTONE	4	172	203	544	347	305	256	101	112	0	0	0
COMMON SNIBE	0	0	1	33	28	89	31	6	21	0	0	0
JACK SNIBE	0	0	0	1	1	3	0	0	1	0	0	0
CURLEW	7	253	44	464	348	280	284	245	152	0	0	0
WHIMBREL	0	0	0	2	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	2	5	0	0	0	4	0	10	0	0	0
BAR TAILED GODWIT	0	0	13	3	1	1	3	0	3	0	0	0
GREEN SANDPIPER	0	2	1	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	1	4	5	1	0	0	0	0	0	0	0	0
REDSHANK	180	75	856	1152	2007	1395	1741	1258	1037	0	0	0
SPOTTED REDSHANK	0	0	1	0	0	0	0	0	0	0	0	0
GREENSHANK	0	1	6	2	0	0	0	0	0	0	0	0
KNOT	0	0	0	40	222	263	381	877	433	0	0	0
DUNLIN	3	25	53	1016	7385	6882	7591	6040	1801	0	0	0
SANDERLING	0	0	0	2	7	7	2	0	2	0	0	0
CURLEW SANDPIPER	0	2	0	0	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	1	0	0	0	0	0	0
NUMBER OF COUNTS	1	1	1	2	3	5	5	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ORWELL

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	131	75	923	1174	1200	1488	1680	1585	1246	0	0	0
LAPWING	16	20	135	818	3094	3083	1705	782	249	0	0	0
RINGED PLOVER	76	319	442	508	782	520	383	265	304	0	0	0
GREY PLOVER	0	16	19	153	187	378	230	300	208	0	0	0
GOLDEN PLOVER	0	0	0	2	250	56	65	0	59	0	0	0
TURNSTONE	4	172	203	675	425	535	336	143	116	0	0	0
COMMON SNIPE	0	0	1	38	67	158	120	10	30	0	0	0
JACK SNIPE	0	0	0	1	3	9	1	1	2	0	0	0
CURLEW	7	253	44	477	524	450	880	593	392	0	0	0
WHIMBREL	0	0	0	3	0	0	0	0	0	0	0	0
BL. TAILED GODWIT	0	2	5	0	0	0	21	0	30	0	0	0
BAR TAILED GODWIT	0	0	13	6	2	4	14	0	8	0	0	0
GREEN SANDPIPER	0	2	1	0	1	1	0	0	0	0	0	0
COMMON SANDPIPER	1	4	5	1	0	1	1	0	0	0	0	0
REDSHANK	180	75	856	1270	2972	2086	3105	2475	1319	0	0	0
SPOTTED REDSHANK	0	0	1	0	0	0	0	0	0	0	0	0
GREENSHANK	0	1	6	2	0	1	1	1	1	0	0	0
KNOT	0	0	0	63	515	700	898	2449	665	0	0	0
DUNLIN	3	25	53	1569	10800	12216	13000	9500	2923	0	0	0
SANDERLING	0	0	0	4	12	15	6	0	7	0	0	0
AVOCET	0	0	0	0	0	0	0	0	1	0	0	0
CURLEW SANDPIPER	0	2	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	3	0	0	1	0	0	0
NUMBER OF COUNTS	1	1	1	2	3	5	5	3	3	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ORWELL

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	1142	0.4	0.2
LAPWING	1430	0.1	0.1
RINGED PLOVER	553	2.4	1.4
GREY PLOVER	266	1.3	0.3
GOLDEN PLOVER	84	0.0	0.0
TURNSTONE	362	0.8	0.7
COMMON SNIPE	98	-9.0	0.0
JACK SNIPE	3	-9.0	-9.0
CURLEW	483	0.5	0.2
BL.TAILED GODWIT	10	0.2	0.0
BAR TAILED GODWIT	4	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	2026	2.7	1.0
GREENSHANK	0	0.0	0.0
KNOT	757	0.3	0.2
DUNLIN	9073	2.1	0.5
SANDERLING	9	0.1	0.1
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR DEBEN

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	245	0	325	108	74	145	218	0	0	0
LAPWING	0	0	84	0	149	605	495	255	380	0	0	0
RINGED PLOVER	0	0	140	0	36	35	47	39	6	0	0	0
GREY PLOVER	0	0	66	0	70	68	78	83	131	0	0	0
GOLDEN PLOVER	0	0	2	0	0	68	163	0	0	0	0	0
TURNSTONE	0	0	8	0	0	6	12	5	0	0	0	0
COMMON SNIPE	0	0	1	0	9	5	12	8	1	0	0	0
JACK SNIPE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	0	0	393	0	238	266	183	199	132	0	0	0
WHIMBREL	0	0	11	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	0	0	84	11	25	36	6	0	0	0
BAR TAILED GODWIT	0	0	101	0	0	0	0	2	4	0	0	0
GREEN SANDPIPER	0	0	3	0	0	1	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	11	0	1	0	0	0	0	0	0	0
REDSHANK	0	0	1851	0	1517	1070	661	368	551	0	0	0
GREENSHANK	0	0	18	0	2	0	0	0	0	0	0	0
KNOT	0	0	50	0	0	0	0	3	0	0	0	0
DUNLIN	0	0	218	0	1329	1247	2297	1848	618	0	0	0
CURLEW SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	1	4	4	3	1	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DEBEN

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	245	0	325	263	185	217	218	0	0	0
LAPWING	0	0	84	0	149	1089	845	429	380	0	0	0
RINGED PLOVER	0	0	140	0	36	80	70	49	6	0	0	0
GREY PLOVER	0	0	66	0	70	211	119	156	131	0	0	0
GOLDEN PLOVER	0	0	2	0	0	100	474	0	0	0	0	0
TURNSTONE	0	0	8	0	0	12	24	14	0	0	0	0
COMMON SNIPE	0	0	1	0	9	11	41	13	1	0	0	0
JACK SNIPE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	0	0	393	0	238	762	271	285	132	0	0	0
WHIMBREL	0	0	11	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	0	0	84	41	96	97	6	0	0	0
BAR TAILED GODWIT	0	0	101	0	0	0	0	7	4	0	0	0
GREEN SANDPIPER	0	0	3	0	0	2	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	11	0	1	0	0	0	0	0	0	0
REDSHANK	0	0	1851	0	1517	2399	1098	501	551	0	0	0
GREENSHANK	0	0	18	0	2	0	0	0	0	0	0	0
KNOT	0	0	50	0	0	1	0	8	0	0	0	0
DUNLIN	0	0	218	0	1329	2442	3794	2317	618	0	0	0
CURLEW SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	1	4	4	3	1	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DEBEN

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	226	0.1	0.0
LAPWING	817	0.1	0.0
RINGED PLOVER	60	0.3	0.1
GREY PLOVER	118	0.6	0.1
GOLDEN PLOVER	183	0.1	0.0
TURNSTONE	14	0.0	0.0
COMMON SNIPE	14	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	347	0.4	0.1
BL.TAILED GODWIT	29	0.6	0.1
BAR TAILED GODWIT	2	0.0	0.0
GREEN SANDPIPER	1	-9.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	1094	1.5	0.5
GREENSHANK	0	0.0	0.0
KNOT	2	0.0	0.0
DUNLIN	2370	0.6	0.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ORE /BUTLEY/HAVERGATE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	29	11	6	6	7	51	66	202	0	0
LAPWING	0	0	46	144	70	619	255	475	94	21	0	0
RINGED PLOVER	0	0	82	66	26	20	20	27	33	29	0	0
GREY PLOVER	0	0	9	15	24	21	24	15	41	9	0	0
GOLDEN PLOVER	0	0	2	3	94	66	60	4	10	0	0	0
TURNSTONE	0	0	0	0	0	1	3	11	1	0	0	0
COMMON SNIPE	0	0	0	20	6	2	2	1	6	2	0	0
CURLEW	0	0	162	152	54	83	109	272	44	92	0	0
BL.TAILED GODWIT	0	0	20	3	0	0	2	0	65	43	0	0
BAR TAILED GODWIT	0	0	16	28	8	5	3	6	0	1	0	0
GREEN SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	9	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	390	400	276	213	186	165	112	164	0	0
SPOTTED REDSHANK	0	0	1	1	0	0	0	1	0	0	0	0
GREENSHANK	0	0	2	0	0	0	0	0	0	0	0	0
KNOT	0	0	29	4	4	0	0	0	9	4	0	0
DUNLIN	0	0	210	286	192	259	725	469	190	15	0	0
AVOCET	0	0	202	172	98	73	120	246	103	211	0	0
NUMBER OF COUNTS	0	0	1	1	1	2	3	2	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ORE /BUTLEY/HAVERGATE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	29	11	6	9	11	97	66	202	0	0
LAPWING	0	0	46	144	70	1017	564	925	94	21	0	0
RINGED PLOVER	0	0	82	66	26	30	35	37	33	29	0	0
GREY PLOVER	0	0	9	15	24	31	48	19	41	9	0	0
GOLDEN PLOVER	0	0	2	3	94	131	181	7	10	0	0	0
TURNSTONE	0	0	0	0	0	2	7	20	1	0	0	0
COMMON SNIPE	0	0	0	20	6	2	3	1	6	2	0	0
CURLEW	0	0	162	152	54	83	178	288	44	92	0	0
BL.TAILED GODWIT	0	0	20	3	0	0	5	0	65	43	0	0
BAR TAILED GODWIT	0	0	16	28	8	7	6	8	0	1	0	0
GREEN SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	9	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	390	400	276	264	296	183	112	164	0	0
SPOTTED REDSHANK	0	0	1	1	0	0	0	1	0	0	0	0
GREENSHANK	0	0	2	0	0	0	0	0	0	0	0	0
KNOT	0	0	29	4	4	0	0	0	9	4	0	0
DUNLIN	0	0	210	286	192	434	1483	557	190	15	0	0
AVOCET	0	0	202	172	98	146	170	334	103	211	0	0
NUMBER OF COUNTS	0	0	1	1	1	2	3	2	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ORE/BUTLEY/HAVERGATE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	56	0.0	0.0
LAPWING	721	0.1	0.0
RINGED PLOVER	30	0.1	0.1
GREY PLOVER	24	0.1	0.0
GOLDEN PLOVER	62	0.0	0.0
TURNSTONE	7	0.0	0.0
COMMON SNIBE	3	-9.0	0.0
CURLEW	217	0.2	0.1
BL.TAILED GODWIT	21	0.4	0.1
BAR TAILED GODWIT	6	0.0	0.0
REDSHANK	214	0.3	0.1
SPOTTED REDSHANK	0	0.0	0.0
KNOT	3	0.0	0.0
DUNLIN	724	0.2	0.0
AVOCET	193	38.6	0.7

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ALDE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1985

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	7	13	4	4	15	6	182	693	0	0
LAPWING	0	0	51	492	203	1677	968	213	357	98	0	0
RINGED PLOVER	0	0	182	114	31	26	29	5	4	15	0	0
GREY PLOVER	0	0	0	7	112	42	42	26	8	9	0	0
GOLDEN PLOVER	0	0	0	3	3	53	151	0	0	6	0	0
TURNSTONE	0	0	0	0	0	0	3	2	1	0	0	0
COMMON SNIBE	0	0	8	21	19	11	78	9	2	1	0	0
JACK SNIBE	0	0	0	0	0	1	1	0	0	0	0	0
CURLEW	0	0	221	498	176	392	293	637	89	238	0	0
WHIMBREL	0	0	3	3	6	0	0	0	44	0	0	0
BL.TAILED GODWIT	0	0	2	4	0	0	0	0	0	15	0	0
BAR TAILED GODWIT	0	0	31	36	1	0	3	16	0	0	0	0
GREEN SANDPIPER	0	0	0	4	2	2	1	0	1	1	0	0
REDSHANK	0	0	57	338	481	825	682	458	225	388	0	0
SPOTTED REDSHANK	0	0	0	1	0	0	0	0	0	0	0	0
GREENSHANK	0	0	6	7	0	0	0	0	0	0	0	0
KNOT	0	0	54	5	0	6	6	0	59	0	0	0
DUNLIN	0	0	13	77	609	2100	2351	1249	397	249	0	0
AVOCET	0	0	66	27	2	109	98	0	0	40	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	1	1	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.--

SUMMARY TABULATIONS FOR ALDE

PEAK MONTHLY COUNTS FOR YEARS 1985

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	7	13	4	4	15	6	182	693	0	0
LAPWING	0	0	51	492	203	1677	968	213	357	98	0	0
RINGED PLOVER	0	0	182	114	31	26	29	5	4	15	0	0
GREY PLOVER	0	0	0	7	112	42	42	26	8	9	0	0
GOLDEN PLOVER	0	0	0	3	3	53	151	0	0	6	0	0
TURNSTONE	0	0	0	0	0	0	3	2	1	0	0	0
COMMON SNIBE	0	0	8	21	19	11	78	9	2	1	0	0
JACK SNIBE	0	0	0	0	0	1	1	0	0	0	0	0
CURLEW	0	0	221	498	176	392	293	637	89	238	0	0
WHIMBREL	0	0	3	3	6	0	0	0	44	0	0	0
BL.TAILED GODWIT	0	0	2	4	0	0	0	0	0	15	0	0
BAR TAILED GODWIT	0	0	31	36	1	0	3	16	0	0	0	0
GREEN SANDPIPER	0	0	0	4	2	2	1	0	1	1	0	0
REDSHANK	0	0	57	338	481	825	682	458	225	388	0	0
SPOTTED REDSHANK	0	0	0	1	0	0	0	0	0	0	0	0
GREENSHANK	0	0	6	7	0	0	0	0	0	0	0	0
KNOT	0	0	54	5	0	6	6	0	59	0	0	0
DUNLIN	0	0	13	77	609	2100	2351	1249	397	249	0	0
AVOCET	0	0	66	27	2	109	98	0	0	40	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	1	1	1	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ALDE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	182	0.1	0.0
LAPWING	1677	0.2	0.1
RINGED PLOVER	31	0.1	0.1
GREY PLOVER	112	0.5	0.1
GOLDEN PLOVER	151	0.1	0.0
TURNSTONE	3	0.0	0.0
COMMON SNIBE	78	-9.0	0.0
JACK SNIBE	1	-9.0	-9.0
CURLEW	637	0.7	0.2
WHIMBREL	44	-9.0	0.1
BAR TAILED GODWIT	16	0.0	0.0
GREEN SANDPIPER	2	-9.0	0.0
REDSHANK	825	1.1	0.4
KNOT	59	0.0	0.0
DUNLIN	2351	0.5	0.1
AVOCET	109	21.8	0.4

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR

THIS SPECIES.

WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BLYTH(SUFFOLK)

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	14	3	1	1	1	27	75	144	0	0
LAPWING	0	0	2	8	33	110	17	28	103	21	0	0
RINGED PLOVER	0	0	40	21	37	17	13	5	19	13	0	0
GREY PLOVER	0	0	4	9	4	6	24	16	6	3	0	0
TURNSTONE	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SNIPE	0	0	5	1	2	1	0	1	0	2	0	0
CURLEW	0	0	13	12	8	15	39	19	14	3	0	0
WHIMBREL	0	0	2	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	2	0	0	0	0	0	3	14	0	0
BAR TAILED GODWIT	0	0	2	5	0	0	3	0	0	0	0	0
GREEN SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	574	430	297	570	462	340	378	381	0	0
SPOTTED REDSHANK	0	0	5	6	2	1	0	0	1	1	0	0
GREENSHANK	0	0	6	4	0	0	0	0	1	0	0	0
KNOT	0	0	4	1	1	0	2	4	0	0	0	0
DUNLIN	0	0	108	396	455	775	1436	947	664	411	0	0
RUFF	0	0	2	0	0	0	0	0	0	12	0	0
AVOCET	0	0	3	0	0	0	0	0	2	0	0	0
CURLEW SANDPIPER	0	0	17	1	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	2	3	3	3	5	3	3	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLYTH(SUFFOLK)

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	20	8	4	4	4	47	91	144	0	0
LAPWING	0	0	3	15	100	300	62	61	196	21	0	0
RINGED PLOVER	0	0	62	29	57	40	20	6	34	13	0	0
GREY PLOVER	0	0	4	11	10	14	92	40	18	3	0	0
GOLDEN PLOVER	0	0	0	1	1	0	0	0	0	0	0	0
TURNSTONE	0	0	1	1	0	0	1	0	0	0	0	0
COMMON SNIPE	0	0	8	2	2	2	2	2	0	2	0	0
JACK SNIPE	0	0	0	0	0	0	0	0	1	0	0	0
CURLEW	0	0	15	19	14	21	103	39	19	3	0	0
WHIMBREL	0	0	4	1	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	4	0	0	0	0	0	7	14	0	0
BAR TAILED GODWIT	0	0	3	9	0	0	16	0	1	0	0	0
GREEN SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	1	1	0	0	0	0	0	0	0	0
REDSHANK	0	0	684	476	414	820	750	513	453	381	0	0
SPOTTED REDSHANK	0	0	7	9	4	2	0	0	2	1	0	0
GREENSHANK	0	0	7	7	0	0	0	0	2	0	0	0
KNOT	0	0	7	4	3	0	5	11	0	0	0	0
DUNLIN	0	0	180	532	572	1045	1800	1455	797	411	0	0
RUFF	0	0	4	0	0	0	0	0	0	12	0	0
AVOCET	0	0	4	0	0	0	0	0	5	0	0	0
CURLEW SANDPIPER	0	0	33	2	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	2	0	0	0	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	1	0	0	0
NUMBER OF COUNTS	0	0	2	3	3	3	5	3	3	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLYTH(SUFFOLK)

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	54	0.0	0.0
LAPWING	113	0.0	0.0
RINGED PLOVER	31	0.1	0.1
GREY PLOVER	24	0.1	0.0
GOLDEN PLOVER	0	0.0	0.0
TURNSTONE	0	0.0	0.0
COMMON SNIBE	1	-9.0	0.0
JACK SNIBE	0	0.0	0.0
CURLEW	42	0.0	0.0
BL.TAILED GODWIT	1	0.0	0.0
BAR TAILED GODWIT	3	0.0	0.0
REDSHANK	540	0.7	0.3
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	0	0.0	0.0
KNOT	5	0.0	0.0
DUNLIN	1435	0.3	0.1
AVOCET	1	0.2	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS, 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BREYDON WATER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	97	132	76	38	29	23	36	88	156	136	59	67
LAPWING	60	38	80	34	91	110	20	52	60	24	33	11
RINGED PLOVER	26	155	91	55	37	50	50	42	42	48	151	11
GREY PLOVER	1	7	22	44	36	35	55	76	49	21	11	0
GOLDEN PLOVER	12	3	11	28	90	151	75	111	25	27	0	0
TURNSTONE	8	8	11	6	15	14	12	20	9	23	6	0
COMMON SNIPE	1	3	2	8	1	10	11	11	5	3	1	0
JACK SNIPE	0	0	0	1	0	1	1	2	0	0	0	0
CURLEW	179	144	214	154	148	173	198	232	154	143	33	106
WHIMBREL	17	14	1	0	0	0	0	0	0	3	1	1
BL.TAILED GODWIT	1	3	1	1	1	0	0	1	0	4	2	0
BAR TAILED GODWIT	2	5	34	19	2	2	3	3	5	8	16	1
GREEN SANDPIPER	1	2	3	1	1	0	0	0	0	1	0	0
COMMON SANDPIPER	3	13	3	0	0	0	0	0	0	0	2	0
REDSHANK	374	563	690	741	959	650	530	534	514	409	31	42
SPOTTED REDSHANK	2	2	2	1	1	0	0	0	0	1	0	1
GREENSHANK	13	14	9	3	0	0	0	0	0	1	5	0
KNOT	12	9	41	19	35	28	92	144	142	30	4	2
DUNLIN	82	189	902	1460	1760	1500	1566	1820	1764	1417	457	3
SANDERLING	1	1	2	5	25	30	52	41	37	30	2	0
RUFF	1	3	1	0	0	0	0	2	0	0	1	0
AVOCET	1	1	0	0	1	0	0	0	0	2	0	3
CURLEW SANDPIPER	1	2	27	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	1	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	4	5	5	5	5	5	5	5	3	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BREYDON WATER

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	197	242	143	63	49	50	48	142	218	201	70	89
LAPWING	100	100	200	110	250	300	100	200	200	71	100	30
RINGED PLOVER	81	173	113	98	49	66	65	61	61	79	167	22
GREY PLOVER	3	16	67	77	63	83	131	120	102	24	19	1
GOLDEN PLOVER	61	10	50	140	300	350	250	300	120	81	0	0
TURNSTONE	15	14	17	14	27	23	17	34	14	29	10	1
COMMON SNIPE	2	4	4	21	2	31	31	32	12	4	3	0
JACK SNIPE	0	0	1	1	1	3	3	5	1	1	0	0
CURLEW	223	227	355	246	240	271	323	329	213	192	92	173
WHIMBREL	26	20	3	0	0	0	0	0	0	8	2	2
BL.TAILED GODWIT	3	4	1	1	4	1	1	1	1	10	6	1
BAR TAILED GODWIT	8	8	78	40	3	4	10	11	9	11	41	1
GREEN SANDPIPER	5	5	10	1	1	1	1	0	0	3	0	0
WOOD SANDPIPER	1	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	4	34	9	1	0	0	0	0	0	1	3	0
REDSHANK	600	800	950	985	1600	1600	750	750	900	517	47	58
SPOTTED REDSHANK	3	4	3	3	1	1	1	1	1	1	0	2
GREENSHANK	21	23	12	8	0	0	0	0	0	1	11	1
KNOT	34	12	80	50	76	35	200	350	500	40	6	3
DUNLIN	200	500	1400	2500	2500	3000	3000	2500	2300	1700	1000	5
SANDERLING	3	2	6	17	40	49	86	57	63	40	4	0
RUFF	2	9	1	1	0	2	1	7	0	1	3	0
AVOCET	2	2	2	1	3	0	0	0	0	3	0	6
CURLEW SANDPIPER	3	5	94	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	4	0	0	0	0	0	0	1	0
WHITE RUMPED SANDP.	1	0	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	4	5	5	5	5	5	5	5	3	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BREYDON WATER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	156	0.1	0.0
LAPWING	150	0.0	0.0
RINGED PLOVER	56	0.2	0.1
GREY PLOVER	79	0.4	0.1
GOLDEN PLOVER	182	0.1	0.0
TURNSTONE	23	0.1	0.0
COMMON SNIPE	16	-9.0	0.0
JACK SNIPE	2	-9.0	-9.0
CURLEW	232	0.3	0.1
BL.TAILED GODWIT	1	0.0	0.0
BAR TAILED GODWIT	6	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	1098	1.5	0.5
SPOTTED REDSHANK	0	0.0	0.0
KNOT	208	0.1	0.1
DUNLIN	2050	0.5	0.1
SANDERLING	62	0.4	0.4
RUFF	2	0.1	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR N. NORFOLK MARSHES

AVERAGE MONTHLY COUNTS FOR THE YEARS 1984 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	3298	3835	4107	3848	1611	3489	0	0	0	0
LAPWING	0	0	30	66	21	0	24	41	0	0	0	0
RINGED PLOVER	0	0	358	387	231	328	38	100	0	0	0	0
GREY PLOVER	0	0	282	368	469	526	175	250	0	0	0	0
GOLDEN PLOVER	0	0	0	122	75	0	0	38	0	0	0	0
TURNSTONE	0	0	195	287	344	270	180	234	0	0	0	0
COMMON SNIPE	0	0	0	4	16	14	8	0	0	0	0	0
CURLEW	0	0	346	482	383	569	373	533	0	0	0	0
BL. TAILED GODWIT	0	0	0	2	0	0	1	0	0	0	0	0
BAR TAILED GODWIT	0	0	83	369	298	580	499	653	0	0	0	0
COMMON SANDPIPER	0	0	4	3	0	0	0	0	0	0	0	0
REDSHANK	0	0	815	534	561	828	293	383	0	0	0	0
SPOTTED REDSHANK	0	0	1	0	1	0	0	0	0	0	0	0
GREENSHANK	0	0	12	14	1	3	0	0	0	0	0	0
KNOT	0	0	52	1339	2020	5240	5786	4732	0	0	0	0
DUNLIN	0	0	858	1666	1915	2625	2326	3483	0	0	0	0
SANDERLING	0	0	149	129	71	89	30	60	0	0	0	0
CURLEW SANDPIPER	0	0	0	2	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	2	2	1	1	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR N NORFOLK MARSHES

PEAK MONTHLY COUNTS FOR YEARS 1984 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	3298	4956	5321	3848	1611	3489	0	0	0	0
LAPWING	0	0	30	130	40	0	24	41	0	0	0	0
RINGED PLOVER	0	0	358	443	383	328	38	100	0	0	0	0
GREY PLOVER	0	0	282	506	509	526	175	250	0	0	0	0
GOLDEN PLOVER	0	0	0	193	150	0	0	38	0	0	0	0
TURNSTONE	0	0	195	400	490	270	180	234	0	0	0	0
COMMON SNIPE	0	0	0	7	17	14	8	0	0	0	0	0
CURLEW	0	0	346	550	455	569	373	533	0	0	0	0
BL.TAILED GODWIT	0	0	0	3	0	0	1	0	0	0	0	0
BAR TAILED GODWIT	0	0	83	520	468	580	499	653	0	0	0	0
COMMON SANDPIPER	0	0	4	5	0	0	0	0	0	0	0	0
REDSHANK	0	0	815	589	782	828	293	383	0	0	0	0
SPOTTED REDSHANK	0	0	1	0	1	0	0	0	0	0	0	0
GREENSHANK	0	0	12	14	1	3	0	0	0	0	0	0
KNOT	0	0	52	1593	2300	5240	5786	4732	0	0	0	0
DUNLIN	0	0	858	1675	2240	2625	2326	3483	0	0	0	0
SANDERLING	0	0	149	132	111	89	30	60	0	0	0	0
CURLEW SANDPIPER	0	0	0	3	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	2	2	1	1	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR N. NORFOLK MARSHES

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	4107	1.5	0.5
LAPWING	40	0.0	0.0
RINGED PLOVER	230	1.0	0.6
GREY PLOVER	477	2.3	0.6
GOLDEN PLOVER	94	0.0	0.0
TURNSTONE	344	0.8	0.7
COMMON SNIBE	15	-9.0	0.0
CURLEW	471	0.5	0.2
BL.TAILED GODWIT	0	0.0	0.0
BAR TAILED GODWIT	576	0.9	0.1
REDSHANK	583	0.8	0.3
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	2	0.5	0.0
KNOT	5513	2.5	1.6
DUNLIN	2904	0.7	0.1
SANDERLING	70	0.5	0.5

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR WASH

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	27508	0	26243	26481	22212	19983	19395	0	0	0
LAPWING	0	0	764	0	1402	1330	375	749	240	0	0	0
RINGED PLOVER	0	0	287	0	85	93	88	77	199	0	0	0
GREY PLOVER	0	0	7409	0	6304	3188	2889	2674	4972	0	0	0
GOLDEN PLOVER	0	0	673	0	569	310	289	253	106	0	0	0
TURNSTONE	0	0	872	0	1137	485	608	495	767	0	0	0
COMMON SNIPE	0	0	18	0	60	5	5	10	16	0	0	0
JACK SNIPE	0	0	0	0	2	1	0	1	0	0	0	0
CURLEW	0	0	2987	0	2554	3592	1562	2721	3312	0	0	0
WHIMBREL	0	0	2	0	0	0	11	0	0	0	0	0
BL.TAILED GODWIT	0	0	9	0	620	8	1	15	10	0	0	0
BAR TAILED GODWIT	0	0	2117	0	5024	4332	6861	7578	6541	0	0	0
GREEN SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	2993	0	4071	4230	1768	1746	3985	0	0	0
SPOTTED REDSHANK	0	0	67	0	0	0	0	0	1	0	0	0
GREENSHANK	0	0	44	0	0	0	0	0	1	0	0	0
KNOT	0	0	50018	0	70420	113313	84258	61234	53825	0	0	0
DUNLIN	0	0	24656	0	37012	33203	30719	24035	30895	0	0	0
SANDERLING	0	0	261	0	567	268	191	131	234	0	0	0
RUFF	0	0	28	0	0	2	0	1	0	0	0	0
AVOCET	0	0	0	0	16	0	0	0	1	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	2	19	1	1	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	2	2	2	4	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR WASH

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	27508	0	26665	29159	25043	23009	19521	0	0	0
LAPWING	0	0	764	0	2333	2250	559	1731	440	0	0	0
RINGED PLOVER	0	0	287	0	87	132	92	190	340	0	0	0
GREY PLOVER	0	0	7409	0	8320	3568	3052	3966	5343	0	0	0
GOLDEN PLOVER	0	0	673	0	713	352	466	488	205	0	0	0
TURNSTONE	0	0	872	0	1216	533	764	973	942	0	0	0
COMMON SNIPE	0	0	18	0	94	6	7	25	18	0	0	0
JACK SNIPE	0	0	0	0	4	1	0	2	0	0	0	0
CURLEW	0	0	2987	0	2621	5149	2046	4817	3500	0	0	0
WHIMBREL	0	0	2	0	0	0	22	0	0	0	0	0
BL.TAILED GODWIT	0	0	9	0	1239	12	2	46	10	0	0	0
BAR TAILED GODWIT	0	0	2117	0	5149	5156	8204	8359	8093	0	0	0
GREEN SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	2993	0	5429	5566	2291	2603	5124	0	0	0
SPOTTED REDSHANK	0	0	67	0	0	0	0	1	1	0	0	0
GREENSHANK	0	0	44	0	0	0	0	1	1	0	0	0
KNOT	0	0	50018	0	72227	117886	88316	77050	58390	0	0	0
DUNLIN	0	0	24656	0	41269	41105	32356	27572	38139	0	0	0
SANDERLING	0	0	261	0	802	427	265	182	400	0	0	0
RUFF	0	0	28	0	0	3	0	5	0	0	0	0
AVOCET	0	0	0	0	32	0	0	0	1	0	0	0
CURLEW SANDPIPER	0	0	2	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	3	38	1	2	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	2	2	2	4	2	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR WASH

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	25691	9.2	3.4
LAPWING	1458	0.1	0.1
RINGED PLOVER	166	0.7	0.4
GREY PLOVER	4752	22.6	5.9
GOLDEN PLOVER	416	0.2	0.0
TURNSTONE	901	2.0	1.8
COMMON SNIPE	33	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	3812	4.2	1.3
WHIMBREL	4	-9.0	0.0
BL. TAILED GODWIT	252	5.2	0.6
BAR TAILED GODWIT	7703	12.6	1.4
GREEN SANDPIPER	0	0.0	0.0
REDSHANK	4323	5.8	2.2
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	0	0.0	0.0
KNOT	85156	38.7	24.3
DUNLIN	35327	8.2	1.8
SANDERLING	381	2.7	2.5
RUFF	1	0.1	0.0
AVOCET	6	1.2	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
 WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR HUMBER

AVERAGE MONTHLY COUNTS FOR THE YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	3198	0	3863	3278	3152	2691	0	0	0	0
LAPWING	0	0	768	0	8687	5740	767	1786	0	0	0	0
RINGED PLOVER	0	0	540	0	445	297	300	305	0	0	0	0
GREY PLOVER	0	0	838	0	554	400	626	577	0	0	0	0
GOLDEN PLOVER	0	0	3517	0	4871	8014	1993	3852	0	0	0	0
TURNSTONE	0	0	358	0	329	249	410	366	0	0	0	0
COMMON SNIPE	0	0	61	0	200	149	201	96	0	0	0	0
JACK SNIPE	0	0	1	0	1	2	0	0	0	0	0	0
CURLEW	0	0	2162	0	1155	1499	1434	1063	0	0	0	0
WHIMBREL	0	0	24	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	1	0	4	10	3	1	0	0	0	0
BAR TAILED GODWIT	0	0	674	0	313	717	1558	255	0	0	0	0
GREEN SANDPIPER	0	0	5	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	10	0	1	0	0	0	0	0	0	0
REDSHANK	0	0	3778	0	3209	2682	2403	2588	0	0	0	0
SPOTTED REDSHANK	0	0	3	0	1	1	2	1	0	0	0	0
GREENSHANK	0	0	28	0	0	0	0	0	0	0	0	0
KNOT	0	0	989	0	33054	17896	25317	12295	0	0	0	0
DUNLIN	0	0	4220	0	24223	20843	21635	16474	0	0	0	0
SANDERLING	0	0	979	0	252	641	258	223	0	0	0	0
RUFF	0	0	17	0	15	19	12	0	0	0	0	0
LITTLE STINT	0	0	0	0	0	0	1	0	0	0	0	0
GREY PHALAROPE	0	0	0	0	0	0	1	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	2	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	1	1	1	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HUMBER, 1983

PEAK MONTHLY COUNTS FOR YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	3198	0	3863	3278	3152	2691	0	0	0	0
LAPWING	0	0	768	0	8687	5740	767	1786	0	0	0	0
RINGED PLOVER	0	0	540	0	445	297	300	305	0	0	0	0
GREY PLOVER	0	0	838	0	554	400	626	577	0	0	0	0
GOLDEN PLOVER	0	0	3517	0	4871	8014	1993	3852	0	0	0	0
TURNSTONE	0	0	358	0	329	249	410	366	0	0	0	0
COMMON SNIPE	0	0	61	0	200	149	201	96	0	0	0	0
JACK SNIPE	0	0	1	0	1	2	0	0	0	0	0	0
CURLEW	0	0	2162	0	1155	1499	1434	1063	0	0	0	0
WHIMBREL	0	0	24	0	0	0	0	0	0	0	0	0
BL. TAILED GODWIT	0	0	1	0	4	10	3	1	0	0	0	0
BAR TAILED GODWIT	0	0	674	0	313	717	1558	255	0	0	0	0
GREEN SANDPIPER	0	0	5	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	10	0	1	0	0	0	0	0	0	0
REDSHANK	0	0	3778	0	3209	2682	2403	2588	0	0	0	0
SPOTTED REDSHANK	0	0	3	0	1	1	2	1	0	0	0	0
GREENSHANK	0	0	28	0	0	0	0	0	0	0	0	0
KNOT	0	0	989	0	33054	17896	25317	12295	0	0	0	0
DUNLIN	0	0	4220	0	24223	20843	21635	16474	0	0	0	0
SANDERLING	0	0	979	0	252	641	258	223	0	0	0	0
RUFF	0	0	17	0	15	19	12	0	0	0	0	0
LITTLE STINT	0	0	0	0	0	0	1	0	0	0	0	0
GREY PHALAROPE	0	0	0	0	0	0	1	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	2	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	0	1	1	1	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR HUMBER

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	3507	1.3	0.5
LAPWING	4727	0.5	0.2
RINGED PLOVER	372	1.6	0.9
GREY PLOVER	601	2.9	0.8
GOLDEN PLOVER	5003	2.5	0.5
TURNSTONE	388	0.9	0.8
COMMON SNIPE	200	-9.0	0.0
JACK SNIPE	1	-9.0	-9.0
CURLEW	1466	1.6	0.5
BL.TAILED GODWIT	6	0.1	0.0
BAR TAILED GODWIT	1137	1.9	0.2
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	2806	3.7	1.4
SPOTTED REDSHANK	1	0.5	0.0
KNOT	29185	13.3	8.3
DUNLIN	22929	5.3	1.1
SANDERLING	449	3.2	3.0
RUFF	15	1.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR TEES

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	319	517	345	509	386	518	435	435	402	238	337	366
LAPWING	622	806	1045	2253	3076	3400	953	1642	888	138	108	410
RINGED PLOVER	75	293	97	32	16	51	40	24	53	40	384	69
GREY PLOVER	8	23	60	92	39	64	144	151	132	57	10	8
GOLDEN PLOVER	76	255	323	361	335	382	124	158	284	211	1	1
TURNSTONE	50	109	72	83	170	92	112	105	108	88	93	21
COMMON SNIPE	10	30	46	46	57	25	12	16	41	17	4	6
CURLEW	420	464	352	328	388	412	274	525	416	434	94	149
WHIMBREL	14	3	1	0	0	0	0	0	0	1	3	0
BL.TAILED GODWIT	1	0	9	4	2	1	1	0	1	2	0	0
BAR TAILED GODWIT	48	62	65	95	174	183	271	189	164	85	48	32
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	3	1	0	0	0	0	0	0	0	1	0
REDSHANK	515	1141	1053	865	838	674	479	491	676	935	91	86
SPOTTED REDSHANK	0	2	2	1	0	1	1	1	1	0	0	0
GREENSHANK	6	14	5	2	0	0	0	0	1	1	1	0
KNOT	38	131	171	24	3488	4338	5161	4455	1052	48	27	7
DUNLIN	439	761	649	751	1124	1748	2394	1853	618	272	458	20
SANDERLING	18	91	185	119	272	119	134	171	219	324	202	7
RUFF	18	55	41	21	8	6	2	13	16	18	3	1
CURLEW SANDPIPER	0	0	27	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	1	1	0	0	0	0	0	0	0	0	1	1
LITTLE STINT	0	1	10	1	0	0	0	0	0	0	1	0
PURPLE SANDPIPER	1	0	2	2	9	22	22	19	11	9	1	0
NUMBER OF COUNTS	5	5	5	5	5	4	5	5	5	5	5	5

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TEES

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	567	620	560	773	915	676	833	606	556	334	482	593
LAPWING	950	1329	1625	4642	4800	4615	1250	4145	1669	167	178	850
RINGED PLOVER	219	394	211	98	47	148	55	55	137	51	710	102
GREY PLOVER	22	52	99	166	89	122	201	282	175	113	21	15
GOLDEN PLOVER	120	450	751	562	890	798	360	251	670	440	5	2
TURNSTONE	152	247	175	176	466	126	216	167	206	193	156	33
COMMON SNIPE	25	60	82	94	109	57	27	27	85	29	8	10
JACK SNIPE	0	0	0	1	1	0	0	0	0	1	0	0
CURLEW	493	707	654	423	625	670	600	963	675	675	196	215
WHIMBREL	46	6	4	1	0	0	0	0	0	5	5	1
BL.TAILED GODWIT	1	1	26	11	6	2	4	1	3	3	0	0
BAR TAILED GODWIT	72	116	126	289	308	261	456	429	297	176	108	56
GREEN SANDPIPER	0	2	1	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	1	1	3	0	0	0	0	0	0	0	1	0
COMMON SANDPIPER	9	6	2	0	0	0	0	0	0	0	3	0
REDSHANK	723	1912	1900	1200	1150	1413	750	1229	1224	1400	214	130
SPOTTED REDSHANK	1	4	4	3	1	1	1	2	2	1	0	2
GREENSHANK	10	21	11	3	0	1	0	0	1	3	2	1
KNOT	54	329	282	60	7000	5900	6462	7100	2100	100	63	24
DUNLIN	809	1211	887	1020	2897	2400	4060	3121	828	670	620	34
SANDERLING	43	211	327	260	490	210	245	302	476	650	343	18
RUFF	24	82	65	41	15	13	9	26	43	25	7	2
AVOCET	0	0	0	0	0	0	0	0	0	1	1	0
BUFF BREASTED SANDP.	0	1	0	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	1	49	1	0	0	0	0	0	0	1	0
LITTLE R. PLOVER	3	2	0	0	0	0	0	0	0	1	2	2
LITTLE STINT	0	4	46	5	0	1	0	0	0	0	3	1
PECTORAL SANDPIPER	1	1	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	3	2	5	4	40	50	38	45	22	24	2	0
WILSONS PHALAROPE	0	0	1	0	0	0	0	0	0	0	0	0
TEMINCKS STINT	1	0	0	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	5	4	5	5	5	5	5	5

SUMMARY TABULATIONS FOR TEES

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	655	0.2	0.1
LAPWING	3845	0.4	0.2
RINGED PLOVER	92	0.4	0.2
GREY PLOVER	186	0.9	0.2
GOLDEN PLOVER	486	0.2	0.0
TURNSTONE	232	0.5	0.5
COMMON SNIBE	73	-9.0	0.0
JACK SNIBE	0	0.0	0.0
CURLEW	577	0.6	0.2
BL. TAILED GODWIT	2	0.0	0.0
BAR TAILED GODWIT	304	0.5	0.1
REDSHANK	996	1.3	0.5
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	0	0.0	0.0
KNOT	6274	2.9	1.8
DUNLIN	3017	0.7	0.2
SANDERLING	334	2.4	2.2
RUFF	24	1.6	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR BLYTH(NBERLAND)

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	22	36	12	2	3	3	4	5	4	2	0	0
LAPWING	0	0	0	0	41	10	2	0	10	0	0	0
RINGED PLOVER	0	16	46	54	27	17	33	18	13	6	0	0
GREY PLOVER	0	0	0	0	2	0	4	1	3	0	0	0
TURNSTONE	0	21	17	12	18	4	12	27	9	6	0	0
CURLEW	0	0	0	1	1	6	4	2	2	1	0	0
BAR TAILED GODWIT	0	1	0	0	0	0	1	0	0	0	0	0
REDSHANK	18	150	122	169	142	78	75	77	114	131	0	0
GREENSHANK	0	2	0	0	0	0	0	0	0	0	0	0
KNOT	0	0	0	0	0	0	1	0	1	0	0	0
DUNLIN	0	17	34	87	128	193	431	302	105	21	0	0
SANDERLING	0	0	0	0	6	0	0	7	0	0	0	0
NUMBER OF COUNTS	1	1	4	4	4	4	4	3	4	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLYTH(NBERLAND)

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	22	36	44	4	5	6	6	15	7	2	0	0
LAPWING	0	0	1	0	162	39	6	0	38	0	0	0
RINGED PLOVER	0	16	57	81	44	31	55	41	21	8	0	0
GREY PLOVER	0	0	1	0	3	1	5	3	11	0	0	0
TURNSTONE	0	21	36	42	41	11	30	43	24	11	0	0
CURLEW	0	0	1	3	2	14	7	5	6	1	0	0
BAR TAILED GODWIT	0	1	0	0	1	0	2	0	0	0	0	0
REDSHANK	18	150	147	250	229	100	114	117	147	185	0	0
GREENSHANK	0	2	0	0	0	0	0	0	0	0	0	0
KNOT	0	0	0	1	0	0	2	0	3	0	0	0
DUNLIN	0	17	85	125	291	321	619	361	165	24	0	0
SANDERLING	0	0	0	0	20	0	0	14	0	0	0	0
NUMBER OF COUNTS	1	1	4	4	4	4	4	3	4	2	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR BLYTH(NBERLAND)

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	7	0.0	0.0
LAPWING	60	0.0	0.0
RINGED PLOVER	42	0.2	0.1
GREY PLOVER	6	0.0	0.0
TURNSTONE	34	0.1	0.1
CURLEW	6	0.0	0.0
BAR TAILED GODWIT	0	0.0	0.0
REDSHANK	165	0.2	0.1
KNOT	1	0.0	0.0
DUNLIN	431	0.1	0.0
SANDERLING	10	0.1	0.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR COQUET

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1	16	15	14	19	14	22	16	16	8	11	0
LAPWING	60	150	22	39	159	337	96	73	4	0	0	0
RINGED PLOVER	0	5	14	6	0	6	4	3	4	1	17	0
GREY PLOVER	0	1	4	1	0	1	2	2	2	0	1	0
GOLDEN PLOVER	0	0	0	3	0	0	0	0	0	0	0	0
TURNSTONE	1	8	17	6	3	17	18	10	12	11	6	0
COMMON SNIPE	0	0	1	13	9	23	9	1	0	0	0	0
CURLEW	0	7	8	16	26	16	11	10	20	3	4	0
WHIMBREL	0	1	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	1	2	1	3	0	1	3	4	4	2	1	0
COMMON SANDPIPER	0	2	0	0	0	0	0	0	0	0	1	0
REDSHANK	81	156	140	73	58	42	29	29	37	64	3	0
GREENSHANK	0	2	0	0	0	0	0	0	0	0	0	0
KNOT	0	0	0	0	0	0	22	9	21	3	0	0
DUNLIN	0	9	74	60	11	96	126	168	103	6	28	0
SANDERLING	0	0	0	0	0	7	7	2	2	0	0	0
RUFF	0	1	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	1	2	3	5	5	5	5	5	4	5	2	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR COQUET

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1	22	22	28	42	33	30	30	30	14	14	0
LAPWING	60	300	45	85	300	900	168	141	15	1	0	0
RINGED PLOVER	0	6	28	19	0	14	16	8	6	2	34	0
GREY PLOVER	0	2	10	3	2	3	5	7	3	1	1	0
GOLDEN PLOVER	0	0	0	14	0	0	0	0	0	0	0	0
TURNSTONE	1	8	32	16	7	38	53	26	21	42	11	0
COMMON SNIBE	0	0	1	32	16	67	28	3	0	0	0	0
CURLEW	0	7	13	25	55	37	26	23	40	11	8	0
WHIMBREL	0	2	0	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	0	1	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	1	2	3	10	1	3	7	9	13	4	2	0
COMMON SANDPIPER	0	3	0	0	0	0	0	0	0	0	1	0
REDSHANK	81	158	199	105	135	89	76	42	49	97	4	0
GREENSHANK	0	2	0	1	0	0	0	0	0	0	0	0
KNOT	0	0	0	0	0	0	111	27	82	10	0	0
DUNLIN	0	17	206	111	25	375	216	319	236	18	55	0
SANDERLING	0	0	0	1	0	30	21	7	7	0	0	0
RUFF	0	1	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	3	1	0	1	0	0	0	0
NUMBER OF COUNTS	1	2	3	5	5	5	5	5	4	5	2	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR COQUET

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	30	0.0	0.0
LAPWING	405	0.0	0.0
RINGED PLOVER	9	0.0	0.0
GREY PLOVER	3	0.0	0.0
TURNSTONE	28	0.1	0.1
COMMON SNIPE	27	-9.0	0.0
CURLEW	40	0.0	0.0
BAR TAILED GODWIT	6	0.0	0.0
REDSHANK	77	0.1	0.0
KNOT	42	0.0	0.0
DUNLIN	210	0.0	0.0
SANDERLING	9	0.1	0.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR LINDISFARNE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	432	822	2371	2411	2248	1794	1732	1476	1313	767	553	373
LAPWING	508	914	2291	3262	1724	1090	958	509	609	297	184	188
RINGED PLOVER	217	237	378	350	262	214	170	279	401	316	551	232
GREY PLOVER	30	119	297	471	453	324	287	390	329	310	142	31
GOLDEN PLOVER	318	2027	1587	2810	1732	1127	892	635	293	250	25	58
TURNSTONE	10	43	82	186	149	150	166	158	187	163	59	5
COMMON SNIPE	3	9	10	16	16	15	12	11	14	9	7	2
CURLEW	561	958	779	813	583	422	339	372	365	342	107	46
WHIMBREL	33	47	37	3	0	0	0	0	0	5	2	1
BL.TAILED GODWIT	253	744	2	1	0	0	0	1	1	1	1	1
BAR TAILED GODWIT	680	1187	3687	4664	4340	3474	3328	4023	2389	1047	1019	149
COMMON SANDPIPER	2	2	3	0	0	0	0	0	0	0	1	0
REDSHANK	867	1461	1571	2259	2370	2381	1838	2013	1392	823	538	225
SPOTTED REDSHANK	2	4	2	2	1	0	0	0	0	1	0	0
GREENSHANK	8	22	17	6	1	0	0	4	1	2	2	3
KNOT	13	227	867	2112	1822	822	1043	1223	579	127	32	0
DUNLIN	964	1148	4104	9865	13880	12426	8417	7178	7667	2756	2608	525
SANDERLING	17	26	32	96	60	52	72	67	102	81	111	4
RUFF	1	9	16	1	0	0	0	0	1	0	1	0
CURLEW SANDPIPER	0	7	14	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	2	4	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	2	3	4	38	93	13	38	30	39	38	27	0
WOODCOCK	0	0	0	1	2	2	1	0	0	2	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	4	4	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LINDISFARNE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1014	1498	3800	2896	3000	2100	2800	1968	1840	1120	613	600
LAPWING	780	1270	5060	7170	2260	1790	2010	980	1100	548	214	237
RINGED PLOVER	458	306	492	400	385	346	306	691	716	410	916	257
GREY PLOVER	54	200	620	960	684	611	672	1104	618	538	216	41
GOLDEN PLOVER	780	3000	2610	4000	2340	1600	1265	1160	710	680	48	116
TURNSTONE	19	91	112	306	298	214	316	326	414	309	98	8
COMMON SNIPE	8	23	20	21	21	31	24	19	29	14	16	4
JACK SNIPE	0	0	0	0	0	0	1	0	0	0	0	0
CURLEW	978	1948	930	1200	693	857	816	848	924	505	200	51
WHIMBREL	96	106	61	11	0	0	0	0	0	7	3	1
BL.TAILED GODWIT	1262	3705	2	2	0	0	2	5	4	2	3	1
BAR TAILED GODWIT	1260	3090	5600	5650	7242	4725	4980	9600	6170	2710	1423	200
GREEN SANDPIPER	0	2	0	0	0	0	0	0	0	0	0	0
WOOD SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	7	12	0	0	0	0	0	0	0	2	0
REDSHANK	1240	1760	1908	2463	2600	3214	2460	4041	2730	1298	800	232
SPOTTED REDSHANK	4	6	5	2	2	1	0	0	0	3	0	0
GREENSHANK	17	36	32	12	2	0	0	21	2	4	4	5
KNOT	42	600	2400	7000	4500	1400	2000	1745	920	240	82	0
DUNLIN	2040	2700	7800	18000	27000	23000	14060	12050	12050	6730	6000	760
SANDERLING	63	59	52	200	119	103	116	118	211	116	212	5
RUFF	3	21	58	3	0	0	0	0	3	0	3	0
CURLEW SANDPIPER	1	22	59	5	0	0	0	0	0	0	0	0
LITTLE STINT	1	3	12	0	0	0	0	0	0	0	1	0
PURPLE SANDPIPER	5	5	11	89	314	39	98	62	96	72	56	0
WOODCOCK	0	0	0	5	7	8	3	0	0	3	0	0
NUMBER OF COUNTS	5	5	5	5	5	5	5	5	5	4	4	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR LINDISFARNE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	2267	0.8	0.3
LAPWING	1932	0.2	0.1
RINGED PLOVER	400	1.7	1.0
GREY PLOVER	537	2.6	0.7
GOLDEN PLOVER	1841	0.9	0.2
TURNSTONE	232	0.5	0.5
COMMON SNIPE	25	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	677	0.7	0.2
BL.TAILED GODWIT	2	0.0	0.0
BAR TAILED GODWIT	5177	8.5	0.9
REDSHANK	2853	3.8	1.4
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	5	1.2	0.0
KNOT	2204	1.0	0.6
DUNLIN	16133	3.8	0.8
SANDERLING	133	0.9	0.9
RUFF	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR TWEED

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	23	51	6	48	56	8	39	29	49	17	36	3
LAPWING	0	0	0	0	6	0	3	0	0	0	0	0
RINGED PLOVER	64	25	78	35	35	43	39	38	47	6	1	0
GREY PLOVER	0	0	1	2	4	8	4	11	0	0	0	0
GOLDEN PLOVER	0	0	0	0	1	0	0	0	0	0	0	0
TURNSTONE	40	15	35	99	29	85	45	61	6	224	59	0
CURLEW	1	2	1	7	1	0	1	5	1	1	0	0
WHIMBREL	0	1	0	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	3	0	5	7	7	3	4	6	2	1	0	0
REDSHANK	71	7	88	30	7	37	32	38	7	18	0	0
DUNLIN	42	7	110	33	51	266	465	368	121	11	13	3
SANDERLING	1	0	1	12	24	77	36	42	33	64	6	0
CURLEW SANDPIPER	11	0	0	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	1	8	0	8	3	0
NUMBER OF COUNTS	4	3	3	5	5	5	5	5	4	4	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TWEED

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	77	87	16	111	206	23	150	64	121	33	59	5
LAPWING	0	0	0	0	31	0	16	0	1	0	0	0
RINGED PLOVER	243	70	180	80	72	107	90	71	170	15	1	0
GREY PLOVER	1	0	3	5	13	19	11	26	0	0	0	0
GOLDEN PLOVER	0	0	0	0	5	0	0	0	0	0	0	0
TURNSTONE	160	40	75	255	76	195	120	160	16	481	67	0
CURLEW	4	3	2	37	4	1	4	23	5	1	0	0
WHIMBREL	1	2	0	1	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	12	0	7	21	14	6	10	21	5	3	0	0
REDSHANK	285	12	230	110	12	125	64	120	14	40	0	0
KNOT	1	0	0	0	0	0	0	0	0	0	0	0
DUNLIN	167	15	150	70	80	500	815	646	418	33	22	5
SANDERLING	3	1	2	47	55	130	53	67	56	114	12	0
RUFF	1	0	1	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	43	0	0	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	1	1	0	2	1	4	40	0	28	5	0
NUMBER OF COUNTS	4	3	3	5	5	5	5	5	4	4	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR TWEED

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	97	0.0	0.0
LAPWING	9	0.0	0.0
RINGED PLOVER	91	0.4	0.2
GREY PLOVER	12	0.1	0.0
GOLDEN PLOVER	1	0.0	0.0
TURNSTONE	119	0.3	0.2
CURLEW	5	0.0	0.0
BAR TAILED GODWIT	12	0.0	0.0
REDSHANK	71	0.1	0.0
DUNLIN	483	0.1	0.0
SANDERLING	88	0.6	0.6

NB. A % VALUE OF --9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.

WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR SOLWAY

AVERAGE MONTHLY COUNTS FOR THE YEARS 1983 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	36477	36410	30731	24689	25209	27920	16505	9700	0	0
LAPWING	0	0	29666	4319	7182	5886	953	1551	1162	714	0	0
RINGED PLOVER	0	0	431	344	301	173	162	169	79	165	0	0
GREY PLOVER	0	0	558	454	376	487	451	400	447	316	0	0
GOLDEN PLOVER	0	0	844	1956	1766	3179	802	824	428	48	0	0
TURNSTONE	0	0	340	413	341	418	457	456	274	204	0	0
COMMON SNIPE	0	0	22	34	21	21	19	15	7	10	0	0
CURLEW	0	0	5422	4640	3757	5111	2085	3346	3100	1033	0	0
WHIMBREL	0	0	1	0	0	0	0	0	17	0	0	0
BL.TAILED GODWIT	0	0	12	12	8	0	3	0	0	0	0	0
BAR TAILED GODWIT	0	0	1109	1717	1436	3177	2641	1508	287	466	0	0
GREEN SANDPIPER	0	0	1	1	1	0	0	1	0	0	0	0
COMMON SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
REDSHANK	0	0	1751	2220	2161	1707	887	1358	957	1672	0	0
SPOTTED REDSHANK	0	0	1	0	0	0	0	0	0	0	0	0
GREENSHANK	0	0	11	5	0	1	1	0	1	0	0	0
KNOT	0	0	631	1389	4648	3520	4859	5291	3056	320	0	0
DUNLIN	0	0	1428	3189	11257	9491	7915	9166	5173	1897	0	0
SANDERLING	0	0	170	127	72	65	171	52	4	0	0	0
RUFF	0	0	1	5	0	1	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	7	4	31	47	42	46	46	18	0	0
NUMBER OF COUNTS	0	0	3	3	3	3	3	2	2	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SOLWAY

PEAK MONTHLY COUNTS FOR YEARS 1983 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	40558	44224	40396	29608	32449	27933	17616	9700	0	0
LAPWING	0	0	4642	8014	9096	8495	1997	2269	1358	714	0	0
RINGED PLOVER	0	0	713	526	485	203	289	218	98	165	0	0
GREY PLOVER	0	0	762	583	485	547	521	450	540	316	0	0
GOLDEN PLOVER	0	0	990	3833	1879	4140	1579	903	796	48	0	0
TURNSTONE	0	0	490	731	576	507	654	545	283	204	0	0
COMMON SNIPE	0	0	30	43	30	27	27	17	10	10	0	0
CURLEW	0	0	7055	6182	4310	6663	2743	4333	4622	1033	0	0
WHINREL	0	0	3	0	0	0	0	0	33	0	0	0
BL. TAILED GODWIT	0	0	31	36	23	0	7	0	0	0	0	0
BAR TAILED GODWIT	0	0	1476	2148	2088	4185	3160	1908	348	466	0	0
GREEN SANDPIPER	0	0	1	1	1	0	0	1	0	0	0	0
COMMON SANDPIPER	0	0	4	0	0	0	1	0	0	0	0	0
REDSHANK	0	0	1850	2655	2573	1870	1152	1403	1054	1672	0	0
SPOTTED REDSHANK	0	0	2	1	1	0	1	0	0	0	0	0
GREENSHANK	0	0	16	12	0	1	2	0	1	0	0	0
KNOT	0	0	1100	2122	8194	4627	6352	7191	4030	320	0	0
DUNLIN	0	0	1703	4531	15157	12562	12141	9538	6321	1897	0	0
SANDERLING	0	0	403	188	95	102	404	103	8	0	0	0
RUFF	0	0	2	16	0	3	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	13	12	45	71	97	70	85	18	0	0
NUMBER OF COUNTS	0	0	3	3	3	3	3	2	2	1	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SOLWAY.

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	30731	11.0	4.1
LAPWING	7182	0.7	0.4
RINGED PLOVER	328	1.4	0.8
GREY PLOVER	536	2.6	0.7
GOLDEN PLOVER	3178	1.6	0.3
TURNSTONE	481	1.1	1.0
COMMON SNIBE	26	-9.0	0.0
CURLEW	5486	6.0	1.8
WHIMBREL	11	-9.0	0.0
BL.TAILED GODWIT	8	0.2	0.0
BAR TAILED GODWIT	3443	5.6	0.6
GREEN SANDPIPER	1	-9.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	2161	2.9	1.1
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	1	0.2	0.0
KNOT	6670	3.0	1.9
DUNLIN	13468	3.1	0.7
SANDERLING	203	1.4	1.4
RUFF	1	0.1	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR IRT/MITE/ESK

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	636	1126	918	947	548	478	623	717	482	416	708	537
LAPWING	283	520	226	558	289	167	109	88	185	16	15	106
RINGED PLOVER	4	40	15	22	2	16	43	13	8	3	0	2
GREY PLOVER	0	0	2	7	3	1	0	0	0	1	0	0
GOLDEN PLOVER	0	0	2	7	70	0	1	0	1	25	0	0
TURNSTONE	1	0	7	17	22	10	15	15	12	14	0	0
COMMON SNIBE	1	0	2	6	5	14	5	1	6	0	0	0
CURLEW	440	911	538	334	398	312	335	333	248	324	9	41
WHIMREL	1	0	0	0	0	0	0	0	0	0	0	0
BL. TAILED GODWIT	0	0	1	0	0	0	0	0	0	0	0	0
BAR TAILED GODWIT	0	0	2	2	15	1	0	0	0	0	0	0
GREEN SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	16	0	0	1	0	0	0	0	0	0	0	0
REDSHANK	107	85	248	306	249	181	194	232	244	207	73	30
GREENSHANK	4	1	6	7	0	0	0	2	0	0	0	0
KNOT	0	1	3	11	0	1	0	0	0	0	0	0
DUNLIN	15	0	49	40	167	255	665	466	297	12	2	0
SANDERLING	1	0	0	0	4	0	1	0	0	0	0	0
RUFF	0	0	1	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	0	0	0	0	2	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	0	1	0	0	0	0
NUMBER OF COUNTS	2	1	3	2	3	4	3	2	3	3	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR IRT/NITE/ESK

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	683	1126	1354	1143	1023	600	1046	836	640	485	708	537
LAPWING	392	520	389	676	436	357	192	137	263	20	15	106
RINGED PLOVER	4	40	36	44	7	30	61	14	17	5	0	2
GREY PLOVER	0	0	4	12	8	2	0	0	1	2	0	0
GOLDEN PLOVER	0	0	5	12	210	1	2	0	2	65	0	0
TURNSTONE	1	0	20	33	57	27	34	29	34	43	0	0
COMMON SNIPE	1	0	5	6	8	43	12	1	8	0	0	0
CURLEW	588	911	658	344	458	554	651	389	321	555	9	41
WHIMBREL	1	0	0	0	0	0	0	0	0	1	0	0
BL.TAILED GODWIT	0	0	1	0	0	0	0	0	0	1	0	0
BAR TAILED GODWIT	0	0	4	3	44	2	0	0	0	1	0	0
GREEN SANDPIPER	0	0	0	2	0	0	0	0	0	0	0	0
COMMON SANDPIPER	22	0	1	1	0	0	0	0	0	0	0	0
REDSHANK	120	85	313	377	360	248	239	278	274	250	73	30
SPOTTED REDSHANK	0	0	1	0	1	0	0	0	0	0	0	0
GREENSHANK	7	1	9	11	0	1	0	4	1	0	0	0
KNOT	0	1	8	20	0	2	0	0	0	0	0	0
DUNLIN	22	0	55	40	253	335	1321	570	520	20	2	0
SANDERLING	1	0	0	0	13	0	3	0	0	0	0	0
RUFF	0	0	2	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	3	0	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	0	0	0	0	0	2	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	0	0	1	0	0	0	0
NUMBER OF COUNTS	2	1	3	2	3	4	3	2	3	3	1	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR IRT/MITE/ESK

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	768	0.3	0.1
LAPWING	319	0.0	0.0
RINGED PLOVER	39	0.2	0.1
GREY PLOVER	2	0.0	0.0
GOLDEN PLOVER	53	0.0	0.0
TURNSTONE	38	0.1	0.1
COMMON SNIBE	16	-9.0	0.0
CURLEW	502	0.6	0.2
BAR TAILED GODWIT	11	0.0	0.0
REDSHANK	256	0.3	0.1
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	1	0.2	0.0
KNOT	0	0.0	0.0
DUNLIN	693	0.2	0.0
SANDERLING	4	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR DUDDON

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1808	3704	4791	5998	6314	5994	6571	6282	4161	1340	853	969
LAPWING	475	930	788	908	871	1450	370	727	346	105	100	350
RINGED PLOVER	38	72	192	73	88	158	56	51	39	143	149	18
GREY PLOVER	0	2	2	68	80	99	86	120	48	0	0	0
GOLDEN PLOVER	0	0	3	89	44	6	0	8	0	0	0	0
TURNSTONE	6	15	30	57	75	104	105	98	102	57	16	1
COMMON SNIPE	0	0	6	4	13	6	6	4	1	0	1	1
JACK SNIPE	0	0	0	0	0	0	0	1	0	0	0	0
CURLEW	1208	1682	1468	1470	1325	1523	1363	1327	1015	345	149	53
WHIMBREL	0	0	0	0	0	0	0	0	0	1	1	0
BAR TAILED GODWIT	0	0	6	3	33	15	77	33	27	0	0	0
COMMON SANDPIPER	0	4	0	0	0	0	0	0	0	0	0	0
REDSHANK	80	246	620	693	698	605	765	789	380	197	47	42
GREENSHANK	0	0	2	1	0	0	0	0	0	0	0	0
KNOT	1	0	2	0	604	880	162	178	55	0	0	0
DUNLIN	217	237	170	337	1898	2867	4795	5174	707	353	128	0
SANDERLING	1	2	2	60	71	197	127	76	154	17	103	10
CURLEW SANDPIPER	0	0	1	2	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	2	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	4	26	11	7	9	0	0
NUMBER OF COUNTS	2	3	4	4	5	5	4	5	5	5	2	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DUDDON

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	2063	4365	6569	11471	10650	10655	12680	10307	6846	1939	1130	969
LAPWING	539	1440	879	1549	1116	2058	682	2044	601	164	100	350
RINGED PLOVER	49	156	552	215	240	320	68	71	62	293	257	18
GREY PLOVER	0	5	4	151	160	156	161	131	55	1	0	0
GOLDEN PLOVER	0	0	6	317	152	30	0	22	0	0	0	0
TURNSTONE	12	30	77	82	170	271	176	163	257	183	26	1
COMMON SNIPE	0	0	20	11	43	17	12	12	3	0	1	1
JACK SNIPE	0	0	0	0	0	1	1	1	2	0	0	0
CURLEW	1592	2588	2040	1711	1816	1731	2358	2121	1979	534	160	53
WHIMBREL	0	1	0	0	0	0	0	0	0	3	1	0
BAR TAILED GODWIT	0	0	15	7	59	41	102	139	86	1	0	0
GREEN SANDPIPER	0	1	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	12	1	0	0	0	0	0	0	0	0	0
REDSHANK	145	393	1093	1446	800	701	1232	989	480	345	56	42
GREENSHANK	0	0	3	2	0	0	0	0	0	0	0	0
KNOT	1	0	5	0	2921	2500	600	750	162	0	0	0
DUNLIN	427	443	444	853	3443	5724	6620	8333	1529	1053	206	0
SANDERLING	2	5	5	127	180	606	199	226	238	60	179	10
CURLEW SANDPIPER	0	0	4	9	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	9	1	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	17	38	26	36	46	0	0
NUMBER OF COUNTS	2	3	4	4	5	5	4	5	5	5	2	1

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DUDDON

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	8035	2.9	1.1
LAPWING	1489	0.1	0.1
RINGED PLOVER	168	0.7	0.4
GREY PLOVER	143	0.7	0.2
GOLDEN PLOVER	47	0.0	0.0
TURNSTONE	160	0.4	0.3
COMMON SNIPE	16	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	1902	2.1	0.6
BAR TAILED GODWIT	80	0.1	0.0
REDSHANK	915	1.2	0.5
KNOT	1382	0.6	0.4
DUNLIN	5890	1.4	0.3
SANDERLING	283	2.0	1.9

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR MORECAMBE BAY

AVERAGE MONTHLY COUNTS FOR THE YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	58100	41558	44037	35461	0	0	0	0
LAPWING	0	0	0	0	13461	7030	4725	843	0	0	0	0
RINGED PLOVER	0	0	0	0	260	248	201	153	0	0	0	0
GREY PLOVER	0	0	0	0	717	621	446	1031	0	0	0	0
GOLDEN PLOVER	0	0	0	0	1734	1144	1044	272	0	0	0	0
TURNSTONE	0	0	0	0	884	1086	934	906	0	0	0	0
COMMON SNIPE	0	0	0	0	60	83	217	25	0	0	0	0
JACK SNIPE	0	0	0	0	2	1	3	0	0	0	0	0
CURLEW	0	0	0	0	10496	4701	6401	6069	0	0	0	0
WHIMBREL	0	0	0	0	1	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	0	0	4450	4037	3118	4187	0	0	0	0
REDSHANK	0	0	0	0	5906	4313	3911	4188	0	0	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	0	1	0	0	0	0
GREENSHANK	0	0	0	0	2	1	1	2	0	0	0	0
KNOT	0	0	0	0	16677	26207	11206	24997	0	0	0	0
DUNLIN	0	0	0	0	24816	29565	22778	29238	0	0	0	0
SANDERLING	0	0	0	0	57	21	18	53	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	8	8	0	10	0	0	0	0
WOODCOCK	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	0	0	2	3	1	2	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MORECAMBE BAY

PEAK MONTHLY COUNTS FOR YEARS 1982 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	0	0	61833	49700	44037	43380	0	0	0	0
LAPWING	0	0	0	0	15692	10635	4725	1062	0	0	0	0
RINGED PLOVER	0	0	0	0	289	322	201	215	0	0	0	0
GREY PLOVER	0	0	0	0	753	879	446	1846	0	0	0	0
GOLDEN PLOVER	0	0	0	0	2140	1284	1044	374	0	0	0	0
TURNSTONE	0	0	0	0	1026	1703	934	1192	0	0	0	0
COMMON SNIPE	0	0	0	0	74	124	217	32	0	0	0	0
JACK SNIPE	0	0	0	0	4	2	3	0	0	0	0	0
CURLEW	0	0	0	0	10979	5332	6401	7715	0	0	0	0
WHIMBREL	0	0	0	0	1	0	0	1	0	0	0	0
BAR TAILED GODWIT	0	0	0	0	5301	5752	3118	4268	0	0	0	0
REDSHANK	0	0	0	0	5995	5254	3911	5930	0	0	0	0
SPOTTED REDSHANK	0	0	0	0	0	0	0	1	0	0	0	0
GREENSHANK	0	0	0	0	4	2	1	2	0	0	0	0
KNOT	0	0	0	0	18146	27954	11206	28087	0	0	0	0
DUNLIN	0	0	0	0	28868	33912	22778	30253	0	0	0	0
SANDERLING	0	0	0	0	82	47	18	85	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	16	23	0	20	0	0	0	0
WOODCOCK	0	0	0	0	1	0	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	0	0	2	3	1	2	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MORECAMBE BAY.

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	48913	17.5	6.5
LAPWING	10383	1.0	0.5
RINGED PLOVER	251	1.1	0.6
GREY PLOVER	969	4.6	1.2
GOLDEN PLOVER	1478	0.7	0.1
TURNSTONE	1060	2.4	2.1
COMMON SNIPE	114	-9.0	0.0
JACK SNIPE	2	-9.0	-9.0
CURLEW	8282	9.1	2.8
WHIMBREL	0	0.0	0.0
BAR TAILED GODWIT	4856	8.0	0.9
REDSHANK	5048	6.7	2.5
SPOTTED REDSHANK	0	0.0	0.0
GREENSHANK	2	0.5	0.0
KNOT	24685	11.2	7.1
DUNLIN	30534	7.1	1.5
SANDERLING	54	0.4	0.4

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR RIBBLE

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	1278	4712	4280	5569	5691	5467	6743	6268	2999	793	938	1304
LAPWING	135	413	2435	2166	3799	9441	2230	1412	706	129	60	98
RINGED PLOVER	16	462	116	32	28	27	30	15	11	381	3292	468
GREY PLOVER	354	463	1079	2148	795	1001	728	1045	1696	2080	2994	261
GOLDEN PLOVER	78	286	1158	1972	1911	2893	1256	250	488	720	0	0
TURNSTONE	1	104	184	187	214	174	165	97	85	26	9	25
COMMON SNIBE	0	9	60	165	159	99	54	31	19	3	0	0
JACK SNIBE	0	0	0	0	5	1	0	0	0	0	0	0
CURLEW	68	320	503	562	361	386	249	379	358	95	2	5
WHIMBREL	0	1	0	0	0	0	0	0	0	0	1	0
BL. TAILED GODWIT	358	1824	715	560	785	836	373	597	639	588	25	57
BAR TAILED GODWIT	1222	10532	12110	8232	6873	6163	6657	9124	2457	962	266	527
GREEN SANDPIPER	0	1	1	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	5	8	1	2	0	0	0	0	0	1	0	0
REDSHANK	155	987	1211	980	1142	1315	725	1384	963	630	66	29
SPOTTED REDSHANK	0	2	3	1	1	0	0	3	1	1	0	0
GREENSHANK	3	6	14	4	0	0	1	0	2	0	0	0
KNOT	4077	29117	30657	26518	11012	8606	6187	12784	11207	15029	8330	7197
DUNLIN	7918	15392	5597	11807	12837	9986	9395	10468	11732	21588	9344	1127
SANDERLING	526	873	1458	1238	820	1071	1456	815	933	1374	4879	2027
RUFF	1	4	8	3	1	0	3	0	0	0	0	0
CURLEW SANDPIPER	0	0	2	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	2	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	3	4	5	5	5	5	5	5	5	4	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR RIBBLE

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	2147	7074	7473	7372	8017	7417	9194	9332	5375	1832	1637	2595
LAPWING	312	1305	5919	4050	9129	15482	6753	4727	1659	211	112	198
RINGED PLOVER	27	879	307	69	76	37	57	31	24	610	3988	1188
GREY PLOVER	658	910	1661	4604	969	1338	1040	1410	2177	2661	3856	627
GOLDEN PLOVER	214	700	2620	3020	3630	6968	4487	598	1150	1465	0	0
TURNSTONE	1	201	413	466	329	197	324	170	143	64	19	50
COMMON SNIBE	1	17	84	343	213	155	169	59	32	10	0	1
JACK SNIBE	0	0	0	0	19	2	1	2	0	0	0	0
CURLEW	193	434	661	1206	528	507	589	930	556	247	3	12
WHIMBREL	1	2	1	0	0	2	0	0	0	1	2	0
BL.TAILED GODWIT	550	2800	2159	1052	1146	2110	1529	1614	1165	1632	74	170
BAR TAILED GODWIT	3000	20000	28000	18852	8251	8095	10875	15885	5137	3091	577	857
GREEN SANDPIPER	0	2	2	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	11	24	3	10	0	0	0	0	0	3	0	0
REDSHANK	200	2000	1561	1404	1592	2132	1122	2194	1670	745	164	61
SPOTTED REDSHANK	1	6	4	2	2	1	0	13	2	2	0	0
GREENSHANK	6	12	17	8	1	1	2	1	4	0	0	0
KNOT	6000	50954	44754	46616	22098	11272	8790	19900	19973	23064	11571	8000
DUNLIN	8500	20246	10261	20058	20586	17396	15094	14307	15776	37485	11833	2647
SANDERLING	1420	1469	2323	2558	1328	2038	1790	1121	1733	1986	5768	5284
RUFF	2	9	25	14	2	2	8	0	0	0	0	1
BAIRDS SANDPIPER	0	0	1	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	8	4	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	8	2	0	0	0	0	0	0	0	0
RED N. PHALAROPE	0	0	1	0	0	0	0	0	0	0	0	0
NUMBER OF COUNTS	3	4	5	5	5	5	5	5	5	4	3	3

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR RIBBLE

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	7262	2.6	1.0
LAPWING	10102	1.0	0.5
RINGED PLOVER	47	0.2	0.1
GREY PLOVER	1716	8.2	2.1
GOLDEN PLOVER	3850	1.9	0.4
TURNSTONE	254	0.6	0.5
COMMON SNIBE	158	-9.0	0.0
JACK SNIBE	5	-9.0	-9.0
CURLEW	522	0.6	0.2
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	1167	24.3	2.9
BAR TAILED GODWIT	10847	17.8	2.0
REDSHANK	1807	2.4	0.9
SPOTTED REDSHANK	3	1.5	0.0
GREENSHANK	1	0.2	0.0
KNOT	14604	6.6	4.2
DUNLIN	14690	3.4	0.7
SANDERLING	1727	12.3	11.5
RUFF	3	0.2	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR ALT

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	51	559	178	85	226	211	254	143	169	222	99	354
LAPWING	0	0	5	0	0	31	71	33	2	0	0	0
RINGED PLOVER	7	232	73	0	31	86	105	39	24	34	191	40
GREY PLOVER	0	21	161	2	244	353	341	320	338	233	77	30
GOLDEN PLOVER	0	0	0	0	125	7	20	145	27	13	0	0
TURNSTONE	0	13	18	4	19	29	21	38	94	41	3	0
COMMON SNIPE	0	0	0	0	1	2	1	1	1	0	0	0
CURLEW	70	49	39	13	40	60	92	191	73	19	1	30
BL. TAILED GODWIT	0	0	0	0	0	0	0	6	0	0	0	0
BAR TAILED GODWIT	232	279	216	60	3278	2607	5560	4106	2738	157	0	241
COMMON SANDPIPER	1	0	0	0	0	0	0	0	0	0	0	1
REDSHANK	28	47	238	0	248	260	299	358	287	186	3	7
GREENSHANK	0	0	1	0	0	0	0	0	0	0	0	0
KNOT	10	32	3005	800	12720	22315	18681	14234	2861	1000	0	5001
DUNLIN	317	516	409	400	605	1101	631	1426	770	733	1282	209
SANDERLING	661	724	241	550	187	405	306	235	273	441	1624	450
NUMBER OF COUNTS	1	1	3	1	3	5	5	4	2	3	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ALT

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	51	559	295	85	310	330	644	258	210	373	195	668
LAPWING	0	0	14	0	0	141	353	78	4	0	0	0
RINGED PLOVER	7	232	131	0	56	141	134	89	48	62	195	76
GREY PLOVER	0	21	295	2	426	686	715	570	349	371	153	60
GOLDEN PLOVER	0	0	0	0	360	30	101	403	52	38	0	0
TURNSTONE	0	13	32	4	31	42	45	78	149	53	6	0
COMMON SNIPE	0	0	0	0	3	8	5	2	1	1	0	0
CURLEW	70	49	60	13	94	233	258	288	86	50	1	59
BL.TAILED GODWIT	0	0	1	0	0	0	1	25	0	0	0	0
BAR TAILED GODWIT	232	279	423	60	7000	4110	6540	8620	4606	273	0	480
COMMON SANDPIPER	1	0	0	0	0	0	0	0	0	0	0	1
REDSHANK	28	47	357	0	463	478	491	488	412	264	5	14
GREENSHANK	0	0	1	0	0	0	0	0	0	0	0	0
KNOT	10	32	7736	800	30000	42000	40000	40000	4760	1732	0	10001
DUNLIN	317	516	766	400	937	2360	1092	4046	1062	1107	1417	355
SANDERLING	661	724	604	550	403	555	386	391	289	496	1881	863
LITTLE STINT	0	0	1	0	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	1	1	3	1	3	5	5	4	2	3	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR ALT

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	309	0.1	0.0
LAPWING	115	0.0	0.0
RINGED PLOVER	119	0.5	0.3
GREY PLOVER	521	2.5	0.7
GOLDEN PLOVER	159	0.1	0.0
TURNSTONE	61	0.1	0.1
COMMON SNIBE	2	-9.0	0.0
CURLEW	204	0.2	0.1
BL.TAILED GODWIT	5	0.1	0.0
BAR TAILED GODWIT	6123	10.0	1.1
REDSHANK	409	0.5	0.2
KNOT	27300	12.4	7.8
DUNLIN	1685	0.4	0.1
SANDERLING	464	3.3	3.1

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR MERSEY

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	9	14	3	1	0	0	0	0	13	13	12	7
LAPWING	575	412	1066	2101	2066	2236	215	697	248	22	17	186
RINGED PLOVER	9	157	17	2	0	1	0	1	1	17	25	1
GREY PLOVER	2	11	125	135	49	86	101	128	177	49	23	0
GOLDEN PLOVER	93	43	29	480	218	369	15	64	1127	352	13	8
TURNSTONE	0	0	0	0	0	0	0	0	0	0	2	0
COMMON SNIPE	1	4	18	17	20	18	5	7	4	2	0	0
CURLEW	452	678	659	704	400	350	441	574	569	544	156	111
WHIMBREL	1	3	1	0	0	0	0	0	1	3	0	0
BL.TAILED GODWIT	2	7	17	9	6	35	30	10	20	1	0	1
BAR TAILED GODWIT	2	27	54	9	4	2	11	2	2	4	1	0
GREEN SANDPIPER	1	0	0	0	0	0	0	0	0	0	0	0
COMMON SANDPIPER	6	5	2	0	0	0	0	0	0	1	1	0
REDSHANK	324	312	257	823	616	1031	676	684	709	408	16	30
SPOTTED REDSHANK	0	1	0	0	0	1	0	0	1	0	0	0
GREENSHANK	0	8	2	1	0	0	0	0	0	0	0	0
KNOT	40	1	126	237	0	9	82	35	78	15	0	0
DUNLIN	1466	739	469	3196	14525	25300	22410	12140	3780	807	1400	5
SANDERLING	0	0	0	0	0	0	0	0	0	0	1	0
RUFF	0	5	3	1	2	1	0	1	1	1	0	0
CURLEW SANDPIPER	0	0	5	2	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	1	0	4	4	0	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	4	5	5	5	5	5	5	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MERSEY

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	13	36	9	3	0	0	0	0	37	20	19	12
LAPWING	1015	845	2320	2830	6000	8000	1010	2052	360	41	29	380
RINGED PLOVER	28	400	42	7	0	2	0	4	4	50	47	3
GREY PLOVER	5	49	400	378	82	212	205	193	537	85	62	0
GOLDEN PLOVER	208	120	122	1400	851	1500	48	250	4606	1500	63	30
TURNSTONE	0	2	2	0	0	1	0	1	0	1	11	0
COMMON SNIBE	3	7	70	22	29	44	11	18	11	5	1	0
JACK SNIBE	0	0	0	1	0	2	1	0	0	0	0	0
CURLEW	853	1115	900	1518	826	550	568	820	1076	808	431	147
WHIMBREL	3	11	2	1	0	0	0	2	4	12	1	0
BL.TAILED GODWIT	5	24	38	39	25	145	150	30	80	2	1	4
BAR TAILED GODWIT	6	90	146	21	13	5	54	3	6	11	2	0
GREEN SANDPIPER	4	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	14	11	3	0	1	1	1	0	0	4	3	1
REDSHANK	765	700	400	1320	980	1855	1620	1020	1264	794	46	79
SPOTTED REDSHANK	0	2	1	1	0	5	0	0	3	0	0	0
GREENSHANK	0	12	4	2	1	0	0	0	0	1	1	0
KNOT	200	3	300	830	1	40	201	170	240	30	1	0
DUNLIN	4815	1680	720	7100	26100	30100	34700	17500	12500	1462	3552	9
SANDERLING	0	0	1	0	0	0	0	0	0	0	5	0
RUFF	0	16	7	2	6	5	1	1	3	2	0	0
AVOCET	0	1	0	0	0	0	0	0	0	0	0	0
CURLEW SANDPIPER	1	0	25	8	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	0	0	0	0	0	0	0	0	0	1	0
LITTLE STINT	0	0	4	1	16	18	0	0	0	0	0	0
WOODCOCK	0	0	0	0	0	0	1	0	0	0	0	0
NUMBER OF COUNTS	5	5	5	5	4	5	5	5	5	5	5	4

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR MERSEY

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	12	0.0	0.0
LAPWING	3482	0.3	0.2
RINGED PLOVER	1	0.0	0.0
GREY PLOVER	218	1.0	0.3
GOLDEN PLOVER	1353	0.7	0.1
TURNSTONE	0	0.0	0.0
COMMON SNIPE	21	-9.0	0.0
JACK SNIPE	0	0.0	0.0
CURLEW	708	0.8	0.2
WHIMBREL	0	0.0	0.0
BL.TAILED GODWIT	41	0.9	0.1
BAR TAILED GODWIT	15	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	1116	1.5	0.6
SPOTTED REDSHANK	1	0.5	0.0
GREENSHANK	0	0.0	0.0
KNOT	116	0.1	0.0
DUNLIN	28640	6.7	1.4
RUFF	2	0.1	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR DEE (ENGLAND/WALES)

AVERAGE MONTHLY COUNTS FOR THE YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	3745	18965	24562	25042	27080	28171	28209	23697	12640	4972	2003	2560
LAPWING	399	1724	722	1880	5116	5178	589	2101	776	6	5	235
RINGED PLOVER	42	894	208	259	141	87	24	73	32	74	252	23
GREY PLOVER	2	280	1075	1178	939	891	522	900	1270	686	29	1
GOLDEN PLOVER	1	19	17	83	300	51	56	95	23	0	0	0
TURNSTONE	22	178	137	100	60	89	234	156	109	242	4	0
COMMON SNIPE	0	20	29	56	179	132	28	29	22	4	1	1
JACK SNIPE	0	0	0	0	2	2	1	1	1	0	0	0
CURLEW	2795	4880	3788	3175	2364	2397	1468	2063	1916	1617	336	603
WHIMBREL	12	9	2	0	0	0	0	0	3	2	2	1
BL. TAILED GODWIT	5	4	21	31	146	399	407	547	217	19	0	0
BAR TAILED GODWIT	1	6	82	80	114	722	306	143	156	2	1	0
GREEN SANDPIPER	2	10	1	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	26	22	1	0	0	0	0	0	0	0	1	0
REDSHANK	1868	3531	3495	3213	3635	2607	2002	2367	2735	2822	7	41
SPOTTED REDSHANK	0	9	3	8	1	3	5	2	1	0	0	1
GREENSHANK	12	61	22	3	1	0	1	0	0	1	1	0
KNOT	1	33	1701	4328	12751	12840	10330	12630	8592	257	0	0
DUNLIN	2350	4205	2266	4690	13298	15637	8355	10020	8567	5501	1171	8
SANDERLING	53	148	251	444	159	197	274	128	157	63	173	0
RUFF	0	2	2	0	1	0	0	0	0	0	0	0
CURLEW SANDPIPER	1	0	2	0	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	1	0	0	0	0	0	0	0	1	1	0
LITTLE STINT	0	1	1	1	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	1	9	26	25	18	29	23	23	0	0
NUMBER OF COUNTS	2	2	5	5	4	5	4	5	5	2	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DEE (ENGLAND/WALES)

PEAK MONTHLY COUNTS FOR YEARS 1981 82 83 84 85

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	4790	22930	30300	37200	34160	38000	42505	31500	16820	6362	2533	3466
LAPWING	650	1912	1825	3133	8628	8125	1810	4325	2590	11	5	283
RINGED PLOVER	52	1260	430	445	287	200	48	155	66	101	351	24
GREY PLOVER	4	472	1410	1395	1585	1490	730	1905	2070	712	38	2
GOLDEN PLOVER	1	35	83	290	760	150	117	224	56	0	0	0
TURNSTONE	42	304	230	191	117	386	890	645	424	438	8	0
COMMON SNIPE	0	28	62	110	550	352	75	118	55	6	1	1
JACK SNIPE	0	0	0	1	7	9	2	2	2	0	0	0
CURLEW	4060	6690	4655	4750	2925	4680	2135	2545	2610	1730	468	820
WHIMBREL	15	12	7	1	0	0	0	0	15	3	3	1
BL.TAILED GODWIT	6	6	43	131	183	1285	1290	1050	350	35	0	0
BAR TAILED GODWIT	1	10	180	238	330	3480	1055	285	755	2	2	0
GREEN SANDPIPER	2	13	2	1	1	0	1	1	0	0	0	0
COMMON SANDPIPER	30	30	5	2	0	0	1	1	0	0	2	0
REDSHANK	3220	4090	5980	3590	4380	3305	3435	3001	4510	4370	12	60
SPOTTED REDSHANK	0	16	9	21	2	6	17	5	3	0	0	1
GREENSHANK	14	73	57	9	1	1	1	1	1	1	1	0
KNOT	2	39	3090	6140	22230	25315	19500	28390	14420	514	0	0
DUNLIN	2910	4400	6355	11645	18895	21950	11780	13370	12300	9285	1980	11
SANDERLING	61	200	840	1180	305	435	427	270	289	69	197	0
RUFF	0	4	4	1	4	1	0	0	0	0	0	0
CURLEW SANDPIPER	2	0	4	1	0	0	0	0	0	0	0	0
LITTLE R. PLOVER	0	1	0	0	0	0	0	0	0	2	2	0
LITTLE STINT	0	1	7	3	0	0	0	0	0	0	0	0
GREY PHALAROPE	0	0	0	0	1	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	2	26	40	50	37	45	44	27	0	0
NUMBER OF COUNTS	2	2	5	5	4	5	4	5	5	2	2	2

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR DEE (ENGLAND/WALES)

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	33659	12.0	4.5
LAPWING	6589	0.7	0.3
RINGED PLOVER	150	0.7	0.4
GREY PLOVER	1593	7.6	2.0
GOLDEN PLOVER	333	0.2	0.0
TURNSTONE	213	0.5	0.4
COMMON SNIPE	178	-9.0	0.0
JACK SNIPE	4	-9.0	-9.0
CURLEW	2717	3.0	0.9
WHIMBREL	3	-9.0	0.0
BL.TAILED GODWIT	775	16.1	1.9
BAR TAILED GODWIT	825	1.4	0.1
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	0	0.0	0.0
REDSHANK	3598	4.8	1.8
SPOTTED REDSHANK	5	2.5	0.0
GREENSHANK	0	0.0	0.0
KNOT	21933	10.0	6.3
DUNLIN	17242	4.0	0.9
SANDERLING	310	2.2	2.1
RUFF	1	0.1	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
 WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
 50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

SUMMARY TABULATIONS FOR SEVERN

AVERAGE MONTHLY COUNTS FOR THE YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	408	547	189	380	0	292	0	0	0	0
LAPWING	0	0	2047	3551	4703	8910	0	7488	0	0	0	0
RINGED PLOVER	0	0	320	110	199	191	0	252	0	0	0	0
GREY PLOVER	0	0	177	108	84	213	0	354	0	0	0	0
GOLDEN PLOVER	0	0	17	60	101	73	0	16	0	0	0	0
TURNSTONE	0	0	191	134	131	219	0	271	0	0	0	0
COMMON SNIBE	0	0	11	53	77	439	0	216	0	0	0	0
JACK SNIBE	0	0	0	0	11	5	0	8	0	0	0	0
CURLEW	0	0	2388	2709	1728	3157	0	2033	0	0	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	0	0	0
BL.TAILED GODWIT	0	0	110	4	0	2	0	2	0	0	0	0
BAR TAILED GODWIT	0	0	5	26	1	23	0	0	0	0	0	0
GREEN SANDPIPER	0	0	3	1	1	0	0	1	0	0	0	0
WOOD SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	29	1	6	2	0	8	0	0	0	0
REDSHANK	0	0	1454	2431	1489	2089	0	1713	0	0	0	0
SPOTTED REDSHANK	0	0	1	4	0	1	0	0	0	0	0	0
GREENSHANK	0	0	10	7	0	0	0	0	0	0	0	0
KNOT	0	0	175	156	1621	652	0	1701	0	0	0	0
DUNLIN	0	0	729	7253	35473	21774	0	56830	0	0	0	0
SANDERLING	0	0	9	7	0	0	0	0	0	0	0	0
RUFF	0	0	0	0	0	4	0	3	0	0	0	0
AVOCET	0	0	0	0	0	1	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	3	2	0	0	0	0	0	0	0	0
LONG B. DOWITCHER	0	0	0	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	3	6	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	3	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	0	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SEVERN

PEAK MONTHLY COUNTS FOR YEARS 1983 84

	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
OYSTERCATCHER	0	0	408	547	189	380	0	292	0	0	0	0
LAPWING	0	0	2047	3551	4703	8910	0	7488	0	0	0	0
RINGED PLOVER	0	0	320	110	199	191	0	252	0	0	0	0
GREY PLOVER	0	0	177	108	84	213	0	354	0	0	0	0
GOLDEN PLOVER	0	0	17	60	101	73	0	16	0	0	0	0
TURNSTONE	0	0	191	134	131	219	0	271	0	0	0	0
COMMON SNIPE	0	0	11	53	77	439	0	216	0	0	0	0
JACK SNIPE	0	0	0	0	11	5	0	8	0	0	0	0
CURLEW	0	0	2388	2709	1728	3157	0	2033	0	0	0	0
WHIMBREL	0	0	1	0	0	0	0	0	0	0	0	0
BL. TAILED GODWIT	0	0	110	4	0	2	0	2	0	0	0	0
BAR TAILED GODWIT	0	0	5	26	1	23	0	0	0	0	0	0
GREEN SANDPIPER	0	0	3	1	1	0	0	1	0	0	0	0
WOOD SANDPIPER	0	0	0	1	0	0	0	0	0	0	0	0
COMMON SANDPIPER	0	0	29	1	6	2	0	8	0	0	0	0
REDSHANK	0	0	1454	2431	1489	2089	0	1713	0	0	0	0
SPOTTED REDSHANK	0	0	1	4	0	1	0	0	0	0	0	0
GREENSHANK	0	0	10	7	0	0	0	0	0	0	0	0
KNOT	0	0	175	156	1621	652	0	1701	0	0	0	0
DUNLIN	0	0	729	7253	35473	21774	0	56830	0	0	0	0
SANDERLING	0	0	9	7	0	0	0	0	0	0	0	0
RUFF	0	0	0	0	0	4	0	3	0	0	0	0
AVOCET	0	0	0	0	0	1	0	0	0	0	0	0
CURLEW SANDPIPER	0	0	3	2	0	0	0	0	0	0	0	0
LONG B. DOWITCHER	0	0	0	1	0	0	0	0	0	0	0	0
LITTLE STINT	0	0	3	6	0	0	0	0	0	0	0	0
PURPLE SANDPIPER	0	0	0	0	1	3	0	0	0	0	0	0
NUMBER OF COUNTS	0	0	1	1	1	1	0	1	0	0	0	0

NB. FOR EACH YEAR GIVEN ABOVE, THE COUNTING SEASON BEGINS IN JULY & ENDS IN JUNE OF THE FOLLOWING YEAR.

SUMMARY TABULATIONS FOR SEVERN

NATIONAL/INTERNATIONAL IMPORTANCE OF SITE FOR WINTERING WADERS.

	AVERAGE PEAK COUNT (NOV-MAR)	% OF BRITISH POPULATION	% OF EUROPEAN POPULATION
OYSTERCATCHER	336	0.1	0.0
LAPWING	8199	0.8	0.4
RINGED PLOVER	221	1.0	0.6
GREY PLOVER	283	1.3	0.4
GOLDEN PLOVER	87	0.0	0.0
TURNSTONE	245	0.5	0.5
COMMON SNIPE	327	-9.0	0.0
JACK SNIPE	8	-9.0	-9.0
CURLEW	2595	2.9	0.9
BL.TAILED GODWIT	2	0.0	0.0
BAR TAILED GODWIT	12	0.0	0.0
GREEN SANDPIPER	0	0.0	0.0
COMMON SANDPIPER	5	-9.0	-9.0
REDSHANK	1901	2.5	1.0
SPOTTED REDSHANK	0	0.0	0.0
KNOT	1176	0.5	0.3
DUNLIN	39302	9.1	2.0
RUFF	3	0.2	0.0
AVOCET	0	0.0	0.0

NB. A % VALUE OF -9 INDICATES NO QUALIFYING CRITERIA AVAILABLE FOR THIS SPECIES.
WHERE 1 % OF THE BRITISH WINTERING POPULATION IS LESS THAN 50 BIRDS,
50 IS USED AS A MINIMUM QUALIFYING LEVEL FOR NATIONAL IMPORTANCE.

